


JANUARY 2020

PRODUCT & PRICE GUIDE



Now That's SMART FABRICATION™




LOOK AT WHAT WE'RE DOING

CUSTOM FABRICATION

- Installation of Buyout Equipment
- Buyout Equipment Can Be Pre-Wired
- Load Centers Added
- Food Shields
- Laminate & Custom Vinyl Wraps Designed In-House



Concealed Load Centers
for safety & easy access



Custom Electrical Chases
for buyout equipment



Wall Flashing in 16, 18 or
20 Ga. Stainless Steel &
polished to a satin finish

CREATE, ACCESSORIZE, UPSELL

Buildatable And Buildasink Are Simple And Easy-To-Use Website Tools That Allow You To Click And Choose Accessories For Either A Work Table Or Sink.

buildatable™.com
by ADVANCE TABCO®

buildasink™.com
by ADVANCE TABCO®

For Smart Fabrication™ Quotes

Email Smartfab@advancetabco.com or call our Estimating Department at 800-498-6634.

ONLINE SERVICES AVAILABLE AT www.advancetabco.com

ACCOUNT ACCESS - CREATE A CUSTOMER LOG-IN & FOLLOW THE COMPLETE PROCESS OF YOUR ORDERS

KEEP TRACK OF:

- Print Status
- Shipment Tracking Status
- Real-time Order Status
- Latest Sales Flyer
- Excess Inventory Lists

ALSO AVAILABLE ONLINE:

- Spec Sheets, CAD & Revit Drawings
- Installation Guides
- Product Support
- Photo & Video Library
- Literature Requests

YOU CAN ALSO FIND US ON AUTOQUOTES & KCL CADALOG



CUSTOMER SERVICE IS AVAILABLE TO ASSIST YOU! (8:30AM – 7:00PM EST)

TABLE OF CONTENTS

SINKS & SINK ACCESSORIES

Drop-In Sinks.....	3-5
Undermount Sinks.....	5
Hand Washing Sinks.....	6-11
Mop Sinks & Mop Sink Cabinets ..	14-15
Multi-Station: Wall Mounted	16-19
Multi-Station: Free-Standing	20-23
Hand Sink Mods & Accessories	8, 11-13
Faucets, Drains & P-Traps	8, 11, 13, 34
Specialty Sinks	29
Mobile & Silver Soak	32
Budget Skullery Sinks	32
Budget Skullery Sink Accessories.....	32
NSF Regaline Sinks.....	24-28
NSF Fabricated Sinks	30-31
Sink Mods & Accessories	33-34
Floor Troughs, Floor Drains & Water Receptacles	35
Sink Cabinets	51
Integral Sinks.....	63

TABLES & TABLE ACCESSORIES

Standard Work Tables.....	36-47
Enclosed Base Tables	48-50
Beverage Tables	50
Demo Tables	53
Tables with Sink	53
Corner Tables.....	53
Mobile Hand Sinks	51
Mixer Tables	54
Wall Mounted Tables.....	54
Equipment Stands.....	55
Filler Tables	55
Poly Top Tables.....	58
Work Table Modifications & Accessories	59-66
Wood Top Tables.....	56-57
Drawers & Accessories	64-65
Casters	66
Electrical Utility Chase.....	74

FOOD SHIELDS

Food Shields for Multi-Use.....	67
Food Shields with S/S Shelf.....	67-68
Food Shields with Glass Top	67, 69
Self Serve Food Shields (No Top).....	70
Stationary Food Shields	70
Portable Food Shields.....	71
Food Shield Accessories	71

LED Lighting.....	71
-------------------	----

STAINLESS STEEL SHELVING

Table Undershelfing	66
Table Mounted Shelving	72-74, 77
Specialty Shelving	72-73, 76
Wall Mounted Shelving.....	74-75
Tubular Drainage Shelving.....	33
Ceiling Mounted Shelving	77
Shelving Accessories	77
Sorting Shelves For Dishtables	88

POT RACKS

Shelving with Pot Racks.....	76
Table Mounted	78
Leg Mounted	80
Ceiling Mounted	80
Wall Mounted	80

DISHTABLES

Soil Dishtables.....	82-83, 86
Clean Dishtables	84-85
3 Compartment Sink w/ Dishtable ...	86
Condensate Hoods	86
Vent Riser	86

Dishtable Modifications & Accessories	86-87
--	-------

COUNTERTOPS

Stainless Steel Countertops.....	57
Integral Sinks.....	64

CABINETS & WALL FLASHING

Stainless Steel Dish Cabinets	50
Sink Cabinets	51
Wall Cabinets	52
Storage Cabinets	52
Chemical Cabinets.....	52
Stainless Steel Wall Flashing	76

Underbar Basics™

UNDERBAR EQUIPMENT

Underbar Drop-Ins

Drop-In Water Stations.....	90
Drop-In Bar Hand Sinks	90-91
Drop-In Ice Bins	90-91
Drop-In Countertop Drain Pans	90

Bar Drink Rails

Drink Rails	91
-------------------	----

Free-Standing Bar Sinks

Bar Hand Sinks	92
Bar Hand Sinks with Built-In Soap & Towel Dispensers.....	92

Bar Hand Sink Modifications & Accessories	92, 116
Bar Sinks	93
Bar Sink/Ice Bin Combos	93

Glass Rinsers

Glass Rinser	91
--------------------	----

Ice Bins

Drop-In Ice Bins	90-91
Free-Standing Ice Bins.....	94-95
Ice Bin with Bottle Storage	95
Portable Ice Bin	95
Ice Bin & Drainboard Combo.....	95
Pass-Thru Ice Bins	96
Beer Boxes	99
Ice Bin Mods & Accessories	94, 116

Pass-Thru Work Stations

Standard Pass-Thru Workstations	96
---------------------------------------	----

Bar Drainboards

Free Standing Bar Drainboards	97
Recessed Bar Drainboards.....	97
Beer Drainers	97
Frozen Drink Machine Stands.....	97
Drainboard with Blender Station	98
Drainboard Cabinets	100

Blender Stations

Blender Station with Dump Sinks.....	98
Double Step Blender Stations.....	98
Blender Station Mods & Accessories	98, 116, 118

Uni-Serv Speed Bars

Complete Speed Bar Unit	98
-------------------------------	----

Bar Storage Units

Liquor Bottle Displays	99
Glass Rack Storage Cabinets.....	100
Drainboard Cabinets.....	100
With Dump Sink & Waste Chute	100
Storage Unit Accessories & Modifications	100, 116, 118

Speed Rails

Stainless Steel Speed Rails	101
Black Plastic Speed Rails	101
Heavy Duty Speed Rails	101

Underbar Mods & Accessories

Underbar Mods & Accessories	116-118
Underbar Faucets	118

Continued on Page 2



WARNING: Equipment contained in this Price Guide may expose you to chemicals, including chromium & lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.



= PRODUCTS THROUGHOUT THE PRICE GUIDE WITH THIS ICON ARE SHIPPED VIA UPS

TABLE OF CONTENTS



UNDERBAR EQUIPMENT

Prestige Modular Bar Die Systems

Exclusive Bar Die System 103-104

Prestige Free-Standing Bar Sinks

Bar Hand Sinks 105

Bar Hand Sinks with Built-In

Soap & Towel Dispensers..... 105

Bar Hand Sinks with Cabinet Base ... 105

Bar Sink Mods

& Accessories105, 117, 118

Bar Sinks 106

Prestige Ice Bins

Free-Standing Ice Bins..... 70

Ice Bin & Bottle Storage..... 70

Pass-Thru Ice Bins 108

Beer Box..... 108

Prestige Pass-Thru Work Stations

Standard Pass-Thru Workstations 108

Overshelves For Pass-Thru

Workstations..... 108

Prestige Bar Drainboards

Free Standing Bar Drainboards 109

Recessed Bar Drainboards..... 109

Beer Drainers 105

Frozen Drink Machine Stands..... 109

Drainboard Fillers..... 110

With Blender Station..... 111

Drainboard Storage Cabinets 112

Drainboard Glass Rack Storage 113

Prestige Blender Stations

With Deep Drawn Sink..... 111

With Drainboard111

Blender Shelf..... 114

Prestige Uni-Serv Speed Bars

Complete Speed Bar Unit..... 111

Prestige Bar Storage Units

Point of Service Cabinet.....109

Drainboard Storage Cabinets112

Glass Rack Storage Cabinets..... 113

Liquor Bottle Displays 113

Trash Receptacles

Trash Receptacle Cabinets..... 112

Prestige Speed Rails

Stainless Steel Speed Rails 114

Hang-On Style Speed Rails 114

Under Bar Mods & Accessories

Soda Gun Holder for Prestige®

Pass-Thru Workstations 117

Prestige Mods & Accessories... 117-118

BACK BAR REFRIGERATION & COOLERS

Glass Froster..... 115

Bottle/Can Coolers..... 115

Back Bar Refrigeration 115

PORTABLE BARS

Stainless Steel Work Top 119

Stainless Steel Top, Back & Sides ... 119

Heavy Duty Bars

Heavy Duty Bars 119

With Stainless Steel Doors 119

Portable Bar with Laminates119

Portable Bar Mods & Accessories120

HOT/COLD FOOD UNITS

Hot Well Drop-In Units

Standard Drop-In Units 122

Slimline Drop-In Units..... 122

Hot Well Drop-In Accessories 122

Hot Well Food Tables

Electric Powered Hot Food Tables ... 123

Electric Powered Sealed Well Tables 124

Gas Powered Hot Food Tables 125

Gas Powered Wetbath Tables 126

Solid Top Food Tables

Solid Top Food Tables..... 127

Cold Well Drop-In Units

Ice-Cooled Drop-In Cold Pan Units .. 128

Refrigerated Drop-In Cold Pan Units .128

Cold Food Tables

Standard Ice-Cooled Tables 129

Mechanically Assisted

Cold Pans Tables 130

Heavy Duty Food Tables

Electric Sealed Hot Well Tables 131

Refrigerated Cold Well Tables 131

Ice-Cooled Tables..... 131

Everyday Buffet Tables

Electric Hot Well Buffets..... 132

Electric Sealed Hot Well Buffets..... 132

Ice Cooled Buffets..... 133

Solid Top Buffets..... 133

Mechanically Assisted

Cold Pan Buffets 134

Cash Register Stands 134

Silverware Stand..... 134

Everyday Buffet Accessories 135

Food Table Shelving & Parts

Hot/Cold Food Table Shelving..... 135

Food Shields for Hot/cold Tables136

Hot Food Table Parts

& Accessories 123-124, 134-138

LED Lighting for Hot/Cold Tables 137

ALUMINUM RACKS & PANS

Aluminum Racks 139-145

Aluminum Bun Pans..... 144

Aluminum Rack Accessories 144

Mobile Racks & Carts

Aluminum Pan Trucks 145

Aluminum Dunnage Racks 145

Utility Carts 145

WIRE SHELVING

Wire Utility Carts..... 147

Chrome & Green Epoxy

Wire Shelving..... 146-147

Wall Mounted Shelving System..... 148

Wire Shelving Replacement Parts

& Accessories 148

WARRANTY

Warrantee, Terms & Conditions..... 149



**= PRODUCTS THROUGHOUT THE
PRICE GUIDE WITH THIS ICON
ARE SHIPPED VIA UPS**

INCLUDES K-52 LEAD FREE COMPLIANT FAUCET & BASKET DRAIN. (DI-1-25 INCLUDES 2" DRAIN WITH STRAINER PLATE)
(To delete faucet, order K-52OMIT and deduct \$22)

 All Sinks on this Page Ship Via UPS

ONE COMPARTMENT

Countertop Mounted, Self Rim Design

For Residential Finish & Packaging,
Add **K-350** \$360



DI-1-5 \$510

10" x 14" x 5" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
12 lbs. 2 cu. ft. 20 gauge



DI-1-10 \$638

10" x 14" x 10" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
14 lbs. 2 cu. ft. 20 gauge



DI-1-25 \$632

Space Saver
9" x 9" x 5" Bowl
Overall: 12" x 14"
Cut-out: 11 1/4" x 13 1/4"
8 lbs. 2 cu. ft. 20 gauge



DI-1-1515 \$764

12 1/4" x 10 1/4" x 6" Bowl
Overall: 15" x 15"
Cut-out: 14 1/4" x 14 1/4"
Requires 1 1/2" Radius Corners
11 lbs. 2 cu. ft. 20 gauge



DI-1-35 \$573

14" x 10" x 5" Bowl
Overall: 17" x 15"
Cut-out: 16 1/4" x 14 1/4"
10 lbs. 2 cu. ft. 20 gauge



DI-1-168 \$819

16" x 14" x 8" Bowl
Overall: 19" x 19"
Cut-out: 18 1/4" x 18 1/4"
20 lbs. 3 cu. ft. 18 gauge



DI-1-208 \$875

20" x 16" x 8" Bowl
Overall: 23" x 21"
Cut-out: 22 1/4" x 20 1/4"
20 lbs. 3 cu. ft. 18 gauge



DI-1-2012 \$1005

20" x 16" x 12" Bowl
Overall: 23" x 21"
Cut-out: 22 1/4" x 20 1/4"
20 lbs. 6 cu. ft. 18 gauge



DI-1-5SP \$1472

6" Tapered Side Splash
Splash on Rear and Both Sides
10" x 14" x 5" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
16 lbs. 2 cu. ft. 20 gauge



DI-1-10SP \$1582

6" Tapered Side Splash
Splash on Rear and Both Sides
10" x 14" x 10" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
18 lbs. 2 cu. ft. 20 gauge



Splash on
All 3 Sides

DI-1-30 \$958

2" Tapered Side Splash
14" x 10" x 5" Bowl
Overall: 16" x 15"
Cut-out: 15" x 14 1/4"
12 lbs. 2 cu. ft. 20 gauge



DI-1-9 \$1000

Filler Station
9" x 9" x 3" Bowl
Overall: 12" x 14"
Cut-out: 11 1/4" x 13 1/4"
15 lbs. 2 cu. ft. 20 gauge

Optional 12" Tapered Side Splash Upgrade K-12SS \$457

Removable 8" Splash Wrap for Existing Drop-In Sinks \$773 ea.

Model #	Fits Drop-In Sink:
K-614A	DI-1-25 & DI-1-9
K-614B	DI-1-5 & DI-1-10
K-614C	DI-1-1515
K-614D	DI-1-30 & DI-1-35
K-614E	DI-1-168
K-614F	DI-1-208 & DI-1-2012
K-614G	DI-1-2812



**Protect Your
Surrounding Area!**

The Largest One Compartment Drop-In Sink in the Industry!

DI-1-2812 \$1713

28" x 20" x 12" Bowl
Overall: 31" x 25"
Cut-out: 30 1/4" x 24 1/4"
47 lbs. 7 cu. ft. 16 gauge



Supplied with K-53 Lead Free Compliant Faucet & Basket Drain
(To delete faucet, Order K-53OMIT and deduct \$22)

DROP-INS

Drop-In Sinks



= Ship Via UPS

Holes Punched 4" O.C. For Faucet Hole Revision Order **K-472 \$121**. Cut-Out Size Requires 1-1/4" Radius Corners.
Maximum Counter Thickness Is 2".

INCLUDES K-50 LEAD FREE COMPLIANT FAUCET & BASKET DRAIN (To delete faucet, order K-500MIT and deduct \$22)

TWO COMPARTMENT

Countertop Mounted, Self Rim Design



DI-2-10 \$1246

10" x 14" x 10" Bowl
Overall: 25 1/2" x 19"
Cut-out: 24 3/4" x 18 1/4"
26 lbs. 4 cu. ft. 20 gauge



DI-2-2012 \$1985

20" x 16" x 12" Bowl
Overall: 45 1/2" x 21"
Cut-out: 44 3/4" x 20 1/4"
42 lbs. 9 cu. ft. 18 gauge



DI-2-1410 \$1896

14" x 16" x 10" Bowl
Overall: 33 1/2" x 21"
Cut-out: 32 3/4" x 20 1/4"
35 lbs. 6 cu. ft. 18 gauge



DI-2-208 \$1551

20" x 16" x 8" Bowl
Overall: 45 1/2" x 21"
Cut-out: 44 3/4" x 20 1/4"
40 lbs. 6 cu. ft. 18 gauge

THREE COMPARTMENT

Countertop Mounted, Self Rim Design

DI-3-10 \$1908

10" x 14" x 10" Bowl
Overall: 38" x 19"
Cut-out: 37 1/4" x 18 1/4"
34 lbs. 5 cu. ft. 20 gauge



DI-3-1410 \$2555

16" x 14" x 10" Bowl
Overall: 50" x 21"
Cut-out: 49 1/4" x 20 1/4"
38 lbs. 8 cu. ft. 18 gauge



DI-3-1612 \$2878

16" x 20" x 12" Bowl
Overall: 56" x 25"
Cut-out: 55 1/4" x 24 1/4"
60 lbs. 12 cu. ft. 18 gauge



Includes a K-53 Faucet. To delete, order K-530MIT & deduct \$22

DID YOU KNOW? 2 & 3 Compartment Drop-In Sinks are N.S.F. Approved when only used in Mobile Food Carts and Kiosks.

FAUCETS & SPOUTS

Deck Mounted Faucets, Spouts & Mounting Clips

Drinking Bubbler

K-47 \$721



8" Swing Spout

K-50 \$245



4" O.C.

Water Filler Faucet

K-54

8-1/4" High \$468

K-54A
12" High \$576

IMPROVED!
Stronger Actuator



Swing Spout Faucet & Spray

K-58 \$303

8" O.C.



Mounting Clips Extended



For Countertops Over 7/8" & up to 2" Thick

Quantity supplied (4-Pack), varies based on drop-in sink ordered.

K-28 \$14

Deck Mounted Single Handle Faucet

K-48 \$505



3-1/2" Gooseneck

K-52 \$221

4" O.C.



Large 8-1/2" Spout Gooseneck

K-55 \$427

4" O.C.



EXTRA HEAVY DUTY Gooseneck

K-62 \$439

4" O.C.

Upgrade



Wrist Handles for Deck Mt. Faucets
K-316-LU \$114



Deck Mounted Faucet with Wrist Handles

K-56 \$322

4" O.C.



6" Deck Mounted Extended Faucet with Wrist Handles

K-208 \$445

4" O.C.



FAUCET REPAIR KITS*

For K-50, K-52, K-53, K-55, K-56

K-00B \$115

(2 Cartridges & 2 Handles Per Set)

*Can Only Be Used On Faucets Purchased After January 2016. For Older Faucets, Consult Customer Service.

For K-54 & K-54A Filler Faucet

K-02 \$95

Purchased from 2016 to 2019



K-02A \$95

Purchased before 2016 or after 2019



K-00B Shown

SMART SERIES™

Countertop Mounted, Self Rim Design

DROP-INS

Drop-In Sinks

Maximum Counter Thickness is 2". 8" O.C. Faucet Holes: Unit punched with 1-1/4" Diameter for the hot & cold water supply lines. Center hole punched with 1" Diameter. For Faucet Hole Revision Order **K-472 \$121**.

- 18 Gauge, Seamless Deep Drawn Self Rimming Stainless Steel Bowls.
- Bowls Are Sound Deadened.
- Flat Deck Allowing More Faucet Options.
- Units Feature Advance Tabco's Smart Finish.
- Faucet Optional

SINGLE BOWL DROP-IN SINKS

Model #	Price	O.A. Size L x W	Bowl Size L x W	Cut-Out Size (1 1/4" Radius Corners)	Wt.	Cu. Ft.
SS-1-1319-10	\$1010	13" x 19"	14" x 10" x 10"	12 1/4" x 18 1/4"	14 lbs.	2
SS-1-1715-7	1010	17" x 15"	14" x 10" x 7 1/2"	16 1/4" x 14 1/4"	12 lbs.	2
SS-1-1715-10	1125	17" x 15"	14" x 10" x 10"	16 1/4" x 14 1/4"	14 lbs.	3
SS-1-1919-7	1199	19" x 19"	16" x 14" x 7 1/2"	18 1/4" x 18 1/4"	16 lbs.	3
SS-1-1919-10	1267	19" x 19"	16" x 14" x 10"	18 1/4" x 18 1/4"	18 lbs.	4
SS-1-1919-12	1318	19" x 19"	16" x 14" x 12"	18 1/4" x 18 1/4"	20 lbs.	4
SS-1-2321-10	1425	23" x 21"	20" x 16" x 10"	22 1/4" x 20 1/4"	22 lbs.	6
SS-1-2321-12	1515	23" x 21"	20" x 16" x 12"	22 1/4" x 20 1/4"	24 lbs.	6

DOUBLE BOWL DROP-IN SINKS

SS-2-3321-10	1630	33 1/2" x 21"	14" x 16" x 10"	32 3/4" x 21 1/4"	35 lbs.	6
SS-2-3321-12	1777	33 1/2" x 21"	14" x 16" x 12"	32 3/4" x 21 1/4"	37 lbs.	9
SS-2-4521-10*	1913	45 1/2" x 21"	20" x 16" x 10"	44 3/4" x 21 1/4"	39 lbs.	9
SS-2-4521-12*	2090	45 1/2" x 21"	20" x 16" x 12"	44 3/4" x 21 1/4"	40 lbs.	10

SS-1-1715-7
Shown



SS-1-2321-10
Shown



SS-2-3321-10
Shown



LAUNDRY ROOM SINK



- 16 Gauge
- Three 4" O.C. Holes*
- Bowl Size: 24" x 18" x 14"***
- Overall Size: 27" x 23"
- Cutout: 26 1/4" x 20 1/4"

LS-2418-14RE \$2665

** Requires 30" Wide Countertop (Front to Back)

*Shown with Faucet Hole Revision **K-472 \$121**

STAINLESS STEEL SINK GRIDS

- Perforated Grid
- Raised Bottom
- Side Notches for Easy Removal

K-610 \$706


(Specify Bowl Size When Ordering)




UNDERMOUNTS



2028A-12 Shown



CO-1014A-10RE Shown



Undermount Bowls are suitable to be welded by others into stainless steel products. Multiple compartment assemblies available. Call for pricing.

Model #	Price	Gauge	Bowl Size LxWxD	Radius	O.D. Trim Size
1014B-05	\$366	20	10" x 14" x 5"	2"	12 1/2" x 16 1/2"
1014A-10	444	20	10" x 14" x 10"	2"	12 1/2" x 16 1/2"
1014A-10A	573	18	10" x 14" x 10"	2"	12 1/2" x 16 1/2"
CO-1014A-10RE*	809	18	10" x 14" x 10"	2"	12 1/2" x 16 1/2"
CO-1416A-10RE*	857	18	14" x 16" x 10"	3"	12 1/2" x 18 1/2"
1620A-10	710	18	16" x 20" x 10"	3"	18 1/2" x 22 1/2"
1620A-12	846	18	16" x 20" x 12"	3"	18 1/2" x 22 1/2"
1620A-14A	1047	14	16" x 20" x 14"	3"	18 1/2" x 22 1/2"
1824A-12	1483	18	18" x 24" x 12"	3"	20 1/2" x 26 1/2"
1824A-14A	1663	14	18" x 24" x 14"	3"	20 1/2" x 26 1/2"
2020A-12	947	18	20" x 20" x 12"	3"	22 1/2" x 22 1/2"
2020A-14	1022	18	20" x 20" x 14"	3"	22 1/2" x 22 1/2"
2028A-12	1569	16	20" x 28" x 12"	3"	22 1/2" x 30 1/2"
2028A-14A	1763	14	20" x 28" x 14"	3"	22 1/2" x 30 1/2"
2424A-14A	1846	14	24" x 24" x 14"	3"	26 1/2" x 26 1/2"

* Includes Residential Finish & Packaging. Add **K-350 \$360** for Other Models to Add Residential Finish & Packaging.

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

HAND SINKS

Hand Washing Sinks

To delete faucet, order K-590MIT and deduct \$22



 = All Sinks On This Page Ship Via UPS



All Sinks on this Page

STANDARD UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified
Includes K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)



7-PS-60 \$624

Standard Unit

13 lbs. 2 cu. ft. 20 gauge



7-PS-68 \$742

K-316 Splash Mount

Wrist Handle Faucet

13 lbs. 2 cu. ft. 20 gauge



7-PS-67 \$690

Lever Operated

15 lbs. 2 cu. ft. 20 gauge



7-PS-50 \$815

Lever Operated

with Overflow & P-Trap

15 lbs. 2 cu. ft. 20 gauge



7-PS-54 \$753

1 1/2" P-Trap

15 lbs. 2 cu. ft. 20 gauge



7-PS-20 \$650

K-22 Deck Mount Faucet

15 lbs. 3 cu. ft. 20 gauge

Overall Size:
17-1/4" x 17-1/4"

SIDE SPLASH UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified
Includes 7-3/4" High Welded Side Splashes, K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)



7-PS-66R or L

\$985

Right or Left Side Splash

13 lbs. 2 cu. ft. 20 gauge

Unit Shown:
7-PS-66R



7-PS-66

\$1061

Standard Unit

19 lbs. 2 cu. ft. 20 gauge



7-PS-66W

\$1141

K-316 Splash Mt. Faucet
w/ Wrist Handles

19 lbs. 2 cu. ft. 20 gauge



7-PS-40

\$1296

Lever Operated

With Overflow & P-Trap

20 lbs. 2 cu. ft. 20 gauge



7-PS-76

\$1655

Full Length Removable
Utility Tray

K-59 Splash Mt. Faucet

Lever Operated

With Overflow & P-Trap

12" High Welded Side Splashes

24 lbs. 2 cu. ft. 20 gauge



7-PS-87

\$2141

Towel & Soap Dispenser

K-316 Splash Mt. Faucet

with Wrist Handles

Lever Operated

With Overflow & P-Trap

34 lbs. 10 cu. ft. 20 gauge

DID YOU KNOW?

You Can Add Side Splashes To Any Hand Sink

See Page 12

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.



7-PS-73 \$2080

7 3/4" High Side Splashes
Towel Dispenser

Deck Mt. Soap Dispenser

K-123 Splash Mt. Faucet

31 lbs. 5 cu. ft. 20 gauge



All Sinks on this Page



All Sinks On This Page Ship Via UPS

HAND SINKS

Hand Washing Sinks

SOAP & TOWEL DISPENSER UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4"

Includes C-Fold Style Towel Dispenser, Liquid Soap Dispenser, K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)

To delete faucet, order K-590MIT and deduct \$22



7-PS-69 \$2303

K-69 T & S Splash Mounted Faucet
With Wrist Handles
Lever Operated With Overflow & P-Trap
Side Support Brackets
35 lbs. 6 cu. ft. 20 gauge



7-PS-79 \$1557

Standard Unit
32 lbs. 10 cu. ft. 20 gauge



7-PS-80 \$1706

Lever Operated
With Overflow & P-Trap
32 lbs. 10 cu. ft. 20 gauge

ALL-IN-ONE
UNIT



7-PS-85 \$1898

P-Trap & Skirt
35 lbs. 6 cu. ft. 20 gauge

UNDERMOUNT TOWEL DISPENSER UNITS

7-PS-41 \$4608

A.D.A. Compliant Tapered Bowl Design
Hands Free Operated Faucet
Undermount Towel Dispenser
1-1/2" Drain w/ Flat-Top Strainer Plate
16 Gauge Skirt with Enclosed Bottom
For Storage w/ Removable Access Panel
43 lbs. 8 cu. ft. 18 gauge



Available with K-123 "D" Spout
Splash Mt. Wrist Handle Faucet

7-PS-46 \$3058

For More A.D.A. Compliant
Sinks, please see page 10.



7-PS-65 \$1813

Undermount Towel Dispenser
with Skirt
Deck Mounted Soap Dispenser
K-22 Deck Mounted Faucet
35 lbs. 10 cu. ft. 20 gauge

12" WIDE SPACE SAVER UNITS

Bowl Size: 9" x 9" x 5" • Overall Size: 16" x 12"

Includes 2" Drain With Flat Top Strainer & Wall Bracket



7-PS-22 \$804

K-22 Deck Mounted Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-23 \$840

K-123 Splash Mounted Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-56 \$1286

K-123 Splash Mounted Faucet
8" High Side Splashes
14 lbs. 2 cu. ft. 20 gauge



7-PS-88 \$1687

Undermount Towel Dispenser
Deck Mt. Soap Dispenser
K-22 Deck Mt. Faucet
23 lbs. 10 cu. ft. 20 gauge



7-PS-83 \$1577

Towel Dispenser
Deck Mt. Soap Dispenser
K-22 Deck Mt. Faucet
27 lbs. 5 cu. ft. 20 gauge



7-PS-84 \$1644

Towel Dispenser
Deck Mt. Soap Dispenser
K-123 Splash Mt. Faucet
27 lbs. 5 cu. ft. 20 gauge



7-PS-73 \$2080

7 3/4" High Side Splashes
Towel Dispenser
Deck Mt. Soap Dispenser
K-123 Splash Mt. Faucet
31 lbs. 5 cu. ft. 20 gauge

HANDS-FREE

Hand Washing Sinks

HANDS-FREE ELECTRONIC OPERATED FAUCETS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Includes K-175 AC/DC Powered Electronic Operated Faucet



7-PS-51 \$2366

Equal to 7-PS-50 with K-175 Faucet
21 lbs. 2 cu. ft. 20 gauge



7-PS-61 \$2176

Equal to 7-PS-60 with K-175 Faucet
19 lbs. 2 cu. ft. 20 gauge



7-PS-81 \$3256

Equal to 7-PS-80 with K-175 Faucet
32 lbs. 10 cu. ft. 20 gauge



7-PS-91 \$3143

Equal to 7-PS-90 with K-175 Faucet
41 lbs. 10 cu. ft. 20 gauge

KNEE VALVE OPERATED FAUCETS

Includes Single Knee Valve (With Built-In Mixing Valve), K-121 Splash Mt. Gooseneck Spout, Skirt, 3-1/2" Basket Drain (Otherwise Noted) & Wall Bracket



7-PS-30 \$1710

Large Bowl Size
Bowl Size: 16" (F/B) x 14" x 6"
Overall : 21-1/4" (F/B) x 17-1/4"
33 lbs. 8 cu. ft. 18 gauge



7-PS-62 \$1589

Standard Unit
Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
25 lbs. 2 cu. ft. 20 gauge



7-PS-59 \$2054

Side Splash Unit
Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
7-3/4" Side Splashes
31 lbs. 2 cu. ft. 20 gauge



7-PS-63 \$1589

Spacesaver
1-1/2" Basket Drain
Bowl Size: 9" x 9" x 5"
Overall : 12-1/4" x 16"
20 lbs. 8 cu. ft. 18 gauge



7-PS-78 \$1982

Large Bowl Size
Bowl Size: 16" x 20" x 6"
Overall : 24-3/4" x 21-7/8"
40 lbs. 8 cu. ft. 18 gauge



All Sinks on this Page



All Sinks On This Page Ship Via UPS



7-PS-82 \$2176

Towel & Soap Dispenser
Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
38 lbs. 6 cu. ft. 20 gauge



You Can Put A Skirt On Any Handsink

(Excludes sinks with existing bases or skirts. Sinks Not Included)

7-PS-31 \$509


Fits Hand Sinks with 10" x 14" Bowl and Splash Mounted Faucets

7-PS-31A \$550

Fits Hand Sinks with 9" x 9" Bowl Only

7-PS-31B \$571

Fits Hand Sinks with 10" x 14" Bowl and Deck Mounted Faucets



KNEE & PEDAL VALVE REPLACEMENT PARTS & FAUCETS

Foot Pedal Valve Replacement

Combo. H/C
Single Pedal

K-103 \$456

Foot Pedal with Retaining Pin Only
K-17 \$114



Knee Valve Replacement

Combo. H/C
Single Pedal

K-104 \$573

Knee Pedal with Retaining Pin Only
K-18 \$114



Splash Mounted Gooseneck Spout

K-121 \$134

Replacement Check Valves



K-19 \$23 set of 2

Mixing Valve & Retainer




K-19A \$18

Thermostatic Mixing Valve



K-425 \$408

Replacement Bonnet for Pedal/Knee Valve (K-103 & K-104, 7-PS-32 & 7-PS-39)



K-01 \$47

Foot Pedal Assembly w/Floor Bracket

7-PS-39 \$612



Knee Valve Assembly w/ Mounting Bracket

7-PS-32 \$730





All Sinks on this Page



All Sinks On This Page Ship Via UPS

HANDS-FREE

Hand Washing Sinks

FOOT PEDAL VALVE UNITS

Includes Single Pedal Valve (With Built-In Mixing Valve), K-121 Splash Mt. Gooseneck Spout, 3-1/2" Basket Drain & Wall Bracket, Removable Panel for Plumbing Access



7-PS-90 \$1637

Standard Unit

Bowl Size:
10" x 14" x 5"
Overall :
17-1/4" x 15-1/4" x 42"
41 lbs. 10 cu. ft. 20 gauge



7-PS-96 \$2083

Side Splash Unit

7-3/4" High Side Splashes
Bowl Size:
10" x 14" x 5"
Overall :
17-1/4" x 15-1/4" x 42"
41 lbs. 10 cu. ft. 20 gauge



7-PS-18 \$1805

Large Bowl Size

Bowl Size:
16" (F/B) x 14" x 6"
Overall :
21-1/4" (F/B) x 17-1/4" x 42"
50 lbs. 11 cu. ft. 18 gauge



7-PS-86 \$2046

Extra Large Bowl Size

Bowl Size:
16" x 20" x 8"
Overall :
24-3/4" (F/B) x 21-7/8" x 41-1/2"
55 lbs. 16 cu. ft. 20 gauge



7-PS-99 \$2962

Towel & Soap Dispenser Trash Receptacle

Bowl Size:
10" (F/B) x 14" x 5"
Overall :
17-1/4" (F/B) x 15-1/4" x 42"
59 lbs. 15 cu. ft. 20 gauge



7-PS-95 \$2379

Towel & Soap Dispenser

Bowl Size:
10" (F/B) x 14" x 5"
Overall :
17-1/4" (F/B) x 15-1/4" x 42"
54 lbs. 15 cu. ft. 20 gauge



You Can Put a Pedestal Base On Any Hand Sink

(Excludes Sinks With Existing Bases Or Skirts. Sinks Not Included)



Basic Pedestal Base

7-PS-37 \$570

For 10" x 14" Bowls

7-PS-37B \$714

For 10" x 14" bowls and
Deck Mounted Faucets

7-PS-37C \$764

For 16" x 20" Bowls



With Foot Valve

7-PS-33 \$794

For 10" x 14" Bowls

7-PS-33B \$1002

For 10" x 14" Bowls and
Deck Mounted Faucets

7-PS-33C \$1082

For 16" x 20" Bowls



Add Trash Receptacle

7-PS-29 \$647

Use above model number with
any Pedestal Base Sink or
Stand-Alone Pedestal Base.



**Plastic Replacement
Handles 7-PS-38 \$39**

SECURITY UNITS

Bowl Size: 10" x 14" x 5" • Require Minimum Security Installations
Includes Heavy Duty Gooseneck Faucet, Concealed 3 1/2" Drain & Wall Bracket



7-PS-747 \$3217

Class 2 Upgrade

45 lbs. 10 cu. ft. 20 gauge

7-PS-727 \$4088

Class 1 Upgrade

Towel Dispenser
Provisions For Installation Of Soap
Dispenser (By Others)
65 lbs. 15 cu. ft. 20 gauge



WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

HAND SINKS

Hand Washing Sinks

All Sinks On This Page
Ship Via UPS

NSF All Sinks on this Page

DID YOU KNOW?

You Can Add a K-175 or K-180 Electronic Faucet To Any Hand Sink \$1506
(May require faucet hole revision. See Page 11.)



CONCEALED HAND SINK DRAWER

Take Back Your Countertop Space!

- Easily Installs into Existing Advance Tabco Work Tables/Countertops or Integrates into Custom Fabrication
- Overall Size: 22 5/8" W x 19 7/8" L x 19 1/4" H"
- 10" x 14" x 5" Deep Sink Bowl
- Pre-Drilled Holes In Flanges For Easy Mounting
- Integral Drawer Slides For Smooth Operation
- "Safety Stop" Tab
- K-50 Swing Spout Faucet
- 1-1/2" Sink Drain with Strainer Plate
- Drainage Pan with 1-1/2" Drain & Strainer Plate (Drain Pipe & Fittings Included.)



7-PS-47 \$2600

70 lbs. 7 cu. ft.
18 gauge exterior
16 gauge interior



A.D.A. UNITS FOR THE PHYSICALLY CHALLENGED

Bowl Size: 16" x 14" x 5". Overall Size: 20" x 24" • Includes 1-1/2" Drain With Strainer Plate & Wall Bracket



7-PS-77-E \$4408

Tapered Bowl Design
Hands Free Operated Faucet
Deck Mount Soap Dispenser
16 Gauge Skirt with Enclosed Bottom
w/ Removable Access Panel
65 lbs. 8 cu. ft. 18 gauge

7-PS-77-W \$2858

Same As Above with
8" O.C. Wrist Handle Faucet



7-PS-41 \$4608

Tapered Bowl Design with
Undermount Towel Dispenser
Hands Free Operated Faucet
Deck Mount Soap Dispenser
16 Gauge Skirt with Enclosed Bottom
w/ Removable Access Panel
65 lbs. 8 cu. ft. 18 gauge

7-PS-46 \$3058

Same As Above with
8" O.C. Wrist Handle Faucet



7-PS-25 \$2079

K-208 Deck Mounted Faucet
with Wrist Handles
Deck Mounted Soap Dispenser
Wall Support Brackets
25 lbs. 8 cu. ft. 18 gauge

7-PS-75 \$1615

Same As 7-PS-25 With
8" O.C. Faucet Holes Only
(Faucet Not Included)



7-PS-26 \$3891

Same As 7-PS-25 With
K-180 Hands Free AC/DC
Operated Faucet
Deck Mounted Soap
Dispenser



COUNTERTOP INSTALLED HAND SINKS

- 4" High Side Splashes
- K-52 Deck Mounted Faucet
- Deck Mounted Soap Dispenser
- Built-In Towel Dispenser
- 3-1/2" Basket Drain



7-PS-42 \$2665

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
30 lbs. 2 cu. ft. 20 gauge



7-PS-42A \$2665

Bowl Size: 9" x 9" x 5"
Overall Size: 17-3/8" x 13"
26 lbs. 2 cu. ft. 20 gauge

- 4" High Side Splashes
- Deck Mounted Gooseneck Spout
- Knee Operated Valve
- Deck Mounted Soap Dispenser
- Built-In Towel Dispenser
- 3-1/2" Basket Drain

7-PS-43 \$3085

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
36 lbs. 2 cu. ft. 20 gauge



Knee Valve
Operated

For Factory Installation, Add **TA-503 \$438**. Can Be
Purchased Separately For In-Field Installation

LARGE SIZE SINK BOWLS

Includes K-59 Splash Mt. Gooseneck Faucet,
3-1/2" Basket Drain, Wall Bracket
w/ 2 Support Brackets



7-PS-45 \$1082

Bowl Size: 16" x 20" x 8"
Overall Size: 24 3/4" x 21 7/8"
31 lbs. 8 cu. ft. 18 gauge

7-PS-49 \$1011

Bowl Size: 14" x 16" x 8"
Overall Size: 19-1/4" x 19"
30 lbs. 8 cu. ft. 18 gauge



7-PS-55 \$1133

Gooseneck Faucet
w/ Eye Wash Attachment
15 lbs. 3 cu. ft. 20 gauge



7-PS-72 \$1157

H.A.C.C.P. Compliant
Slow Self-Closing Metering
Faucet with Mixing Valve
15 lbs. 3 cu. ft. 20 gauge

Overall Size:
17-1/4" x 17-1/4"



7-PS-64 \$1011

Splash Mounted
Gooseneck Faucet
Tubular Support Brackets
25 lbs. 2 cu. ft. 20 gauge

PATENTED
DESIGN



7-PS-44 \$2655

Body Activated Valve
K-121 Splash Mounted
Gooseneck Spout
28 lbs. 2 cu. ft. 18 gauge

Overall Size:
15-1/4" x 17-1/4"



All Sinks on this Page



All Items On This Page Ship Via UPS

HAND SINKS

Hand Washing Sinks & Faucets

FAUCETS OMITTED

Bowl Size: 10" x 14" x 5". Overall Size: 15 1/4" x 17 1/4"



7-PS-70 \$569

Equal To 7-PS-60 Without Faucet



7-PS-71 \$626

Equal To 7-PS-70 With
Single Hole Punch



7-PS-20-NF \$621

Equal To 7-PS-20 Without Faucet



7-PS-66-NF \$1030

Equal To 7-PS-66 Without Faucet

HAND SINK FAUCETS & SPOUTS



**Extra Heavy Duty
Splash Mounted
Faucet**

K-69 \$444

4" O.C.



**3-1/2" Splash
Mounted Faucet**

K-59 \$221

4" O.C.

**3-1/2" Splash
Mounted Faucet
with Wrist Handles**

K-316 \$339

4" O.C.

Wrist Handles
for Faucets

K-316-LU \$114



**3-1/2"
Gooseneck
Spouts**

Deck Mount
K-120 \$226

Splash Mounted
K-121 \$134



**Deck Mounted
Faucet**

K-22 \$200

4" O.C.

ELECTRONIC HANDS FREE FAUCETS



**Splash Mt.
K-175
\$1506**

Powered
by AC or
Battery!



**Deck Mt.
K-180
\$1506**

**Replacement
Control Module**

**K-09
\$680**



**Infra-Red Sensor
and Wire Assembly**

**K-14
\$112**



"D" SPOUT EXTENDED FAUCETS



**Deck Mt. 6"
Extended Spout
K-124 \$326**

4" O.C.



**Deck Mt. w/
Wrist Handles
K-208 \$445**

4" O.C.



**Splash Mt. 6"
Extended Spout
K-123 \$326**

4" O.C.



**Splash Mt. w/
Wrist Handles
K-206 \$425**

4" O.C.

SPECIALTY FAUCETS & ADAPTERS



**Slow-Released
Metered Faucet
K-190 \$549**



**Eye-Wash
Attachment
K-170 \$449**



**Hands-Free Wand
Spout Not Included
K-400 \$92 ea.**



**Low Flow
Aerator .5 GPM
K-08 \$26**

REPLACEMENT CARTRIDGES WITH HANDLES*

(Set of 2. Includes Cartridges and handles)



**For Faucets: K-59, K-123, K-125, K-126, K-206 & K-316
K-00A \$103**

**For Faucets: K-1, K-11, K-50, K-51, K-52, K-53, K-56,
K-124, K-101, K-159, K-160, K-208 & K-240**

K-00B \$103

*Can Only Be Used On Faucets Purchased After January 2016.
For Older Faucets, Consult Customer Service.

REPLACEMENT FAUCET SPOUTS

Model #	Spout Size/Style	For Faucet Model	Price
K-52SP	3-1/2" Swivel Gooseneck	K-52	\$53
K-55SP	8-1/2" Swivel Gooseneck	K-55	85
K-59SP	3-1/2" Swivel Gooseneck	K-59	53
K-208SP	6" Extended Swivel Gooseneck	K-208	60
K-175SP	4-1/2" Swivel Gooseneck	K-175/K-180	53
K-50SP	8" Swing Spout	K-50	59
K-53SP	12" Swing Spout	K-53	79

Faucet Hole Modifications

K-70	Punch for 8" O.C. Faucet Holes	\$126
K-70A	Punch for Single Hole Splash Mt. Faucet	\$126
K-71	Punch for Single Hole Deck Mt. Faucet	\$126

Faucet Not Included

MODS & ACCESSORIES

Hand Sink Modifications & Accessories

 = Ships Via UPS

WELDED SIDE SPLASHES FOR HAND SINKS

Factory Installed Only

7-3/4" High Welded Side Splashes



ONE SIDE SPLASH		TWO SIDE SPLASHES		Description
Model #	Price	Model #	Price	
7-PS-16	\$355	7-PS-17	\$452	Units w/ 10" x 14" Bowl & Splash Mount Faucet
7-PS-16A	355	7-PS-17A	463	Units w/ 9" x 9" Bowls
7-PS-16B	377	7-PS-17B	497	Units w/ 10" x 14" Bowl & Deck Mount Faucet
7-PS-16C	387	7-PS-17C	518	Units w/ 16" x 20" Bowls
7-PS-16D	419	7-PS-17D	542	For Handicapped Hand Sinks
7-PS-16E	382	7-PS-17E	507	Units w/ 14" (F/B) x 16" Bowls
7-PS-16F	382	7-PS-17F	507	Units w/ 16" (F/B) x 14" Bowls

12" High Welded Side Splashes

Shown with
Optional
Utility Tray



ONE SIDE SPLASH		TWO SIDE SPLASHES		Description
Model #	Price	Model #	Price	
7-PS-11	\$432	7-PS-15	\$487	Units w/ 10" x 14" Bowl & Splash Mount Faucet
7-PS-11A	432	7-PS-15A	487	Units w/ 9" x 9" Bowls
7-PS-11B	465	7-PS-15B	519	Units w/ 10" x 14" Bowl & Deck Mount Faucet
7-PS-11C	487	7-PS-15C	538	Units w/ 16" x 20" Bowls
7-PS-11D	526	7-PS-15D	599	For Handicapped Hand Sinks
7-PS-11E	516	7-PS-15E	587	Units w/ 14" (F/B) x 16" Bowls
7-PS-11F	516	7-PS-15F	587	Units w/ 16" (F/B) x 14" Bowls

BOLT-ON SINGLE PANEL SPLASH FOR HAND SINKS

7-3/4" & 12" High Bolt-On Splash

(Priced Per Splash. Order 2 for Both Sides)



Includes Holes.
Hardware not
Included

7-3/4" HIGH SPLASH		12" HIGH SPLASH		Description
Model #	Price Ea.	Model #	Price Ea.	
7-PS-27	\$172	7-PS-13	\$223	Units w/ 10" x 14" Bowl & Splash Mount Faucet
7-PS-27A	172	7-PS-13A	223	Units w/ 9" x 9" Bowls
7-PS-27B	172	7-PS-13B	248	Units w/ 10" x 14" Bowl & Deck Mount Faucet
7-PS-27C	172	7-PS-13C	257	Units w/ 16" x 20" Bowls
7-PS-27D	196	7-PS-13D	238	For Handicapped Hand Sinks
7-PS-27E	219	7-PS-13E	236	Units w/ 14" (F/B) x 16" Bowls
7-PS-27F	219	7-PS-13F	236	Units w/ 16" (F/B) x 14" Bowls



7-PS-25 Shown
With Optional
Side Splashes.

Removable Utility Tray for Side Splashes

- 8" X 3" X 2 5/16" Tray.
- Tray Hem Allows To Hang From Any Standard Side Splash.
- Perforated For Water Drainage.

7-PS-48 \$295 



Side Mounting Wall Brackets

Includes 2 brackets. Used for
Added Strength & Support
(Add to price of sink)

7-PS-36 \$132 



Tubular Wall Supports



Set of 2 Supports

Model #	Price	Description
7-PS-24	\$427	Units w/ 10"x14" Bowl & Splash Mt. Faucet
7-PS-24B	427	Units w/ 10"x14" Bowl & Deck Mt. Faucet
7-PS-24C	500	Units with 16"x14" & 16"x20" Bowls

MODS & ACCESSORIES


Hand Sink Modifications & Accessories

 = Ships Via UPS

Instant Hot Water ON DEMAND

This unit allows for hand sinks to be installed in remote areas with just a cold water supply and available 30 amp electric power. There is no delay or wasted water while waiting for hot water to reach the faucet. Includes Heater & Plumbing Hardware.

7-PS-92 \$2197 



Only 1 Single Supply Line Of Cold Water Is Required To Feed The Unit!

HANDSINK NOT INCLUDED

 All items Below Ship Via UPS

SOAP & TOWEL DISPENSERS



C-Fold Style Paper Towel & Soap Dispenser
Mounts On 17" Wide Hand Sinks Only

7-PS-34 \$1034



Wall Mounted Paper Towel Dispenser

7-PS-35 \$317



Wall Mounted Liquid Soap Dispenser

7-PS-12 \$172



Wall Mt. Liquid Soap Dispenser
Stainless Steel

K-13 \$392



Deck Mounted Liquid Soap Dispenser

K-12 \$144

DRAINS, PARTS & P-TRAPS



1-1/2" IPS

3-1/2" Basket Drain Assembly

K-6 \$44



1-1/2" IPS


2" Drain Assembly w/ Strainer Plate

K-63 \$36



Drain Basket For K-6

K-310 \$27



Replacement Strainer Plates

for 3-1/2" Drain **K-410 \$24** for 2" Drain **K-411 \$22**



1-1/2" IPS

Standard Chrome Plated P-Traps

22 Gauge
7-PS-14 \$113

17 Gauge
7-PS-10 \$128



Replacement Washers for 3-1/2" Drains

K-67F \$13 (Set of 2)



K-26 \$153
Lever Drain with P-Trap & Overflow

K-67 \$153
Lever Drain Without Overflow

REPLACEMENT PARTS FOR K-26 DRAIN



Model #	Description	Price
K-67A	Tail Piece with Overflow Branch Only	\$26
K-67B	Overflow Hose with 2 Spring Clips	16
K-67C	Plastic 90° Overflow Head & Body	13
K-67D	Lever Handle for K-26 Drain	14
K-67E	Plastic Stopper (Includes "O" Ring)	13

MOP SINKS

Floor Mop Sinks

 = Ships Via UPS

CUSTOM SIZES AVAILABLE

FLOOR UNITS Mounting Hardware Included

Model #	Bowl Size	Overall Dimension	Price	Approx. Wt.	Approx. Cu.
STANDARD MOP SINKS 					
9-OP-20	16" x 20" x 6"	21" x 25"	\$1381	33 lbs.	4 
9-OP-28	20" x 28" x 6"	25" x 33"	1788	47 lbs.	7 
9-OP-40	16" x 20" x 12"	21" x 25"	1657	45 lbs.	6 
9-OP-48	20" x 28" x 12"	25" x 33"	1955	62 lbs.	9
LARGE MOP SINK BOWL					
9-OP-44	24" x 24" x 12"	29" x 29"	2451	70 lbs.	9
DROP-FRONT MOP SINKS					
9-OP-40DF	16" x 20" x 12"	18 1/2" x 25"	2612	85 lbs.	9
9-OP-48DF	20" x 28" x 12"	22 1/2" x 33"	2907	110 lbs.	15



Notched Out Front Allows Ease of Emptying Mop Bucket

Flush-Mount Floor Mop Sink

- Easy Mop Bucket Roll-In Design
- Standard Backsplash with Left & Right Splash, Left Splash or Right Splash Available
- 4" O.D. - 3" Long Plumbing Sleeve
- Front Anti-Splash Guard
- Removable Subway Grating
- Stainless Steel Strainer Basket with Handle

FT-2 \$58 ea.
Replacement Stainless Steel Strainer Basket with Handle for Flush-Mount Floor Mop Sinks



WITH STAINLESS STEEL GRATES			WITH FIBERGLASS GRATES			Bowl Size	Overall Dimension	Splash Locations	Approx. Cu.
Model #	Approx. Wt.	Price	Model #	Approx. Wt.	Price				
9-OP-24FM-SSRL	128 lbs.	\$4411	9-OP-24FM-FGRL	96 lbs.	\$4411	21 3/8" x 22 x 10"	21 3/8" x 24"	Back, Left & Right	14
9-OP-24FM-SSL	120 lbs.	4261	9-OP-24FM-FGL	88 lbs.	4261	21 3/8" x 22 x 10"	21 3/8" x 24"	Back & Left	14
9-OP-24FM-SSR	120 lbs.	4261	9-OP-24FM-FGR	88 lbs.	4261	21 3/8" x 22 x 10"	21 3/8" x 24"	Back & Right	14

DID YOU KNOW?

You Can Use a K-610 Removable Stainless Steel Sink Grid In A Floor Mop Sink **\$706**



16" HIGH SIDE & BACK SPLASHES FOR FLOOR MOP SINKS

16 Gauge, 300 Series Stainless Steel

Splashes on All 3 Sides


Model #	Fits Units:	Model #	Fits Units:	Price
K-298	9-OP-20 9-OP-40	K-298D	9-OP-40DF	\$941 
K-299	9-OP-28 9-OP-48	K-299D	9-OP-48DF	1031 
K-300	9-OP-44	-	-	1220 

Splash on Left or Right & Back

Model #	Fits Units:	Model #	Fits Units:	Price
K-288LorR	9-OP-20 9-OP-40	K-288LorRD	9-OP-40DF	\$597 
K-290LorR	9-OP-28 9-OP-48	K-290LorRD	9-OP-48DF	632 
K-291LorR	9-OP-44	-	-	867 

Height Above Finished Floor (A.F.F.)

9-OP-20/9-OP-28 = 26" High 9-OP-40/9-OP-40DF/9-OP-44/9-OP-48/9-OP-48DF = 32" High



Wall Mounted Drainage Tray K-243 \$485

- Used with Floor Mounted Mop Sinks
- 16 Gauge, 300 Series Stainless Steel
- Includes 1/2" Drain & Plastic Hose
- 2" Tray Ht. with 6" Rear Splash (O.A.)
- 20" x 4" x 6". 13 lbs.



Hose & Hanger
K-244 **\$201**



23" Mop Hanger
K-242 **\$219**



Fabricated Sink Bowl



Deep Drawn Sink Bowl

STANDING SERVICE SINKS

Heavy Gauge Stainless Steel • 8" Bowl Depth • 8" High Backsplash • Stainless Steel Legs with Adjustable Bullet Feet
• 8-OP-16 Includes Stainless Steel Cross-Bracing • 8" O.C. Faucet Holes • 3-1/2" Basket Drain

Model #	Bowl Size	Overall Dimension	Price	Approx. Wt.	Approx. Cu.
8-OP-16	16" x 20" x 8"	25" x 23"	\$1524	50 lbs.	13 
4-OP-18	24" x 21" x 8"	24" x 25"	1040	50 lbs.	10

MOP SINKS

Mop Sink Cabinets

84" HIGH STAINLESS STEEL MOP SINK CABINETS  = Ships Via UPS



Single Width

- Single Left-Hinged Door*
- 1 Fixed Stainless Steel Mid-Shelf
- Ventilation Slots
- 2 Mop Holders
- Open Back For Plumbing
- 16 Ga., Type 304 S/S Mop Sink & Drain

16" x 20" x 12" Bowl
Overall Size: 22-5/8" x 25" x 84"



Double Width



- Hinged Double Doors
- Opening For Mop Bucket To Roll In
- 4 Fixed Stainless Steel Mid-Shelves (3 In Storage Side, 1 Above Sink)
- Enclosed Back Panel
- Ventilation Slots
- 2 Mop Holders
- Open Back For Plumbing
- 16 Ga., Type 304 S/S Mop Sink & Drain

16" x 20" x 12" Bowl
Overall Size: 22-5/8" x 50-1/4" x 84"

Model #	Cabinet Material	Price	Approx. Wt.	Approx. Cu.
9-OPC-84	18 Ga., 430 S/S	\$6846	238 lbs.	40
9-OPC-84-300	18 Ga., 300 S/S	7987	238 lbs.	40

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

Model #	Cabinet Material	Price	Approx. Wt.	Approx. Cu.
9-OPC-84DR	18 Ga., 430 S/S	\$9357	390 lbs.	72
9-OPC-84DL	18 Ga., 430 S/S	9357	390 lbs.	72
9-OPC-84DR-300	18 Ga., 300 S/S	9812	390 lbs.	72
9-OPC-84DL-300	18 Ga., 300 S/S	9812	390 lbs.	72

R And L Indicates Mop Sink Location.

Stainless Steel Cabinet with Floor

Sink Not Included

- Overall Size: 22-5/8" x 25" x 84"
- Single Left-Hinged Door*
- Fixed Stainless Steel Mid-Shelves
- Enclosed Back Panel
- Ventilation Slots On Both Sides

Model #	# of Fixed Shelves	Price	Approx. Wt.	Approx. Cu.
18 Ga. CAB-1	1	\$5020	200 lbs.	40
430 S/S CAB-4	4	5819	240 lbs.	40
18 Ga. CAB-1-300	1	5477	200 lbs.	40
300 S/S CAB-4-300	4	6389	240 lbs.	40

*Optional Right-Hand Door Swing Available - Add CAB-R N/C



CHEMICAL STORAGE CABINET

w/ 1 Fixed Stainless Steel Mid-Shelf



Vented Side Panels

WCH-15-24
Left Hinged
Shown (Standard)

- Left-Hinged Door*
- Vented Side Panels
- Wall Mounting Hardware Not Included

WCH-15-24 \$4222

18 Gauge, 430 Stainless Steel

WCH-15-24-300 \$4678

18 Gauge, 300 Stainless Steel

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

Overall Size: 15" x 24" x 32-1/2"

MOP SINK CABINET ACCESSORIES & MODIFICATIONS



Service Faucet For Mop Sinks

8" O.C.

K-240* \$877 

*K-240 Does Not Meet Federal Lead Free Standards
As It Is Not Intended For Potable Water.



Service Faucet Vacuum Breaker Repair Kit

K-03 \$122 



Mop Sink Replacement Drain

K-16 \$169 

Double Cabinet Doors

Convert Single Width Cabinet to Double Doors

K-84-CAB \$673



Add Rear Panel To Cabinet

K-94-BACK \$463

K-94-BACK-300 \$670

Add **K-472** for 8" O.C. Faucet Holes
\$121 Per Hole




Additional Fixed Mid-Shelf

K-94-SHELF \$355 ea.

For 84" High Cabinets

WC-SHELF \$86 lin. ft.

For Wall Cabinets



Cabinet Door Lock

SU-27 \$286

Required For Each Hinged Door

MULTI-STATIONS

NSF Multi-Stations



= Ships Via UPS

14 GAUGE, 304 STAINLESS STEEL SINKS WITH TUBULAR SUPPORTS OR LEGS

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)



K-159
3-1/2" Gooseneck
Faucets Included
On "F" Models



Hands-Free
Electronic Faucet



Knee Valve



FS-WM-40 Shown



FS-WM-40-F Shown



FS-WM-40EF Shown



FS-WM-40KV Shown

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
40"	FS-WM-40 ⁺	\$4091	FS-WM-40-F ⁺	\$4586	FS-WM-40EF	\$6421	FS-WM-40KV	\$5357	2	72 lbs.	15
60"	FS-WM-60 ⁺	4550	FS-WM-60-F ⁺	5293	FS-WM-60EF	8039	FS-WM-60KV	6444	3	84 lbs.	18
80"	FS-WM-80 ⁺	5158	FS-WM-80-F ⁺	6149	FS-WM-80EF	9810	FS-WM-80KV	7683	4	120 lbs.	22
100"	FS-WM-100 ⁺	5656	FS-WM-100-F ⁺	6895	FS-WM-100EF	11472	FS-WM-100KV	8814	5	156 lbs.	30
120"	FS-WM-120 ⁺	7132	FS-WM-120-F ⁺	8618	FS-WM-120EF	14111	FS-WM-120KV	10920	6	198 lbs.	36

*Add K-472 For Faucet Hole Revision \$121



14 GAUGE, 304 STAINLESS STEEL A.D.A. SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3 1/2" Basket Drain(s)

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	FS-WM-40-ADA ⁺	\$4091	FS-WM-40-ADA-F ⁺	\$4680	FS-WM-40EFADA	\$6297	2	72 lbs.	15
60"	FS-WM-60-ADA ⁺	4550	FS-WM-60-ADA-F ⁺	5480	FS-WM-60EFADA	7904	3	84 lbs.	18
80"	FS-WM-80-ADA ⁺	5158	FS-WM-80-ADA-F ⁺	6422	FS-WM-80EFADA	9655	4	120 lbs.	22
100"	FS-WM-100-ADA ⁺	5656	FS-WM-100-ADA-F ⁺	7262	FS-WM-100EFADA	11303	5	156 lbs.	30
120"	FS-WM-120-ADA ⁺	7132	FS-WM-120-ADA-F ⁺	9146	FS-WM-120EFADA	13995	6	198 lbs.	36

*Add K-472 For Faucet Hole Revision \$121



FS-WM-40EFADA Shown

16 GAUGE, 304 STAINLESS STEEL SINKS WITH TUBULAR SUPPORTS OR LEGS

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
40"	FC-WM-40 ⁺	\$3537	FC-WM-40-F ⁺	\$4033	FC-WM-40EF	\$5863	FC-WM-40KV	\$4800	2	66 lbs.	15
60"	FC-WM-60 ⁺	3993	FC-WM-60-F ⁺	4737	FC-WM-60EF	7483	FC-WM-60KV	5887	3	77 lbs.	18
80"	FC-WM-80 ⁺	4678	FC-WM-80-F ⁺	5669	FC-WM-80EF	9330	FC-WM-80KV	7204	4	110 lbs.	22
100"	FC-WM-100 ⁺	5249	FC-WM-100-F ⁺	6488	FC-WM-100EF	11064	FC-WM-100KV	8405	5	143 lbs.	30
120"	FC-WM-120 ⁺	6276	FC-WM-120-F ⁺	7763	FC-WM-120EF	13254	FC-WM-120KV	10064	6	182 lbs.	36

*Add K-472 For Faucet Hole Revision \$121



16 GAUGE, 304 STAINLESS STEEL A.D.A. SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3 1/2" Basket Drain(s)

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	FC-WM-40-ADA ⁺	\$3537	FC-WM-40-ADA-F ⁺	\$4178	FC-WM-40EFADA	\$5795	2	66 lbs.	15
60"	FC-WM-60-ADA ⁺	3993	FC-WM-60-ADA-F ⁺	4944	FC-WM-60EFADA	7369	3	77 lbs.	18
80"	FC-WM-80-ADA ⁺	4678	FC-WM-80-ADA-F ⁺	5870	FC-WM-80EFADA	9102	4	110 lbs.	22
100"	FC-WM-100-ADA ⁺	5249	FC-WM-100-ADA-F ⁺	6909	FC-WM-100EFADA	10950	5	143 lbs.	30
120"	FC-WM-120-ADA ⁺	6276	FC-WM-120-ADA-F ⁺	8291	FC-WM-120EFADA	13140	6	182 lbs.	36

*Add K-472 For Faucet Hole Revision \$121



FC-WM-40-ADA Shown

14 GAUGE, 304 STAINLESS STEEL SERVICE SINKS WITH TUBULAR SUPPORTS OR LEGS

10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)



NO FAUCET INCLUDED		 MANUAL FAUCET INCLUDED	ELECTRONIC OPERATED FAUCET		KNEE OPERATED FAUCET		Bowl Depth	L	W	Wt.	Cu. Ft.	
Model #	Price	Model #	Price	Model #	Price	Model #						Price
FS-WM-2219 [†]	\$2209	FS-WM-2219-F [†]	\$2378	FS-WM-2219EF	\$3372	FS-WM-2219KV*	\$2840	10"	23"	19 1/2"	62 lbs.	10
FS-WM-2721 [†]	2350	FS-WM-2721-F [†]	2512	FS-WM-2721EF	3512	FS-WM-2721KV*	2981	12"	27"	21 1/2"	77 lbs.	13

[†]Add K-472 For Faucet Hole Revision **\$121**

*FS-WM-2219KV & FS-WM-2721KV Has 8" Bowl Depth



14 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8-1/2" High Backsplash • Stainless Steel Tubular Supports • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated • 3 1/2" Basket Drain

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED	ELECTRONIC OPERATED FAUCET		Bowl		Cu. Ft.
Model #	Price	Model #	Price	Model #	Depth	L W	
FS-WM-1-ADA [†]	\$3657	FS-WM-1-ADA-F [†]	\$3821	FS-WM-1-EFADA	6"	40" 19-1/2"	72 lbs. 15

[†]Add K-472 For Faucet Hole Revision **\$121**



FS-WM-1-EFADA Shown

16 GAUGE, 304 STAINLESS STEEL SERVICE SINKS WITH TUBULAR SUPPORTS OR LEGS

10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)



NO FAUCET INCLUDED		 MANUAL FAUCET INCLUDED	ELECTRONIC OPERATED FAUCET		KNEE OPERATED FAUCET		Bowl Depth	L	W	Wt.	Cu. Ft.	
Model #	Price	Model #	Price	Model #	Price	Model #						Price
FC-WM-2219†	\$1961	FC-WM-2219-F†	\$2249	FC-WM-2219EF	\$3125	FC-WM-2219KV*	\$2594	10"	23"	19 1/2"	57 lbs.	10
FC-WM-2721†	2065	FC-WM-2721-F†	2353	FC-WM-2721EF	3228	FC-WM-2721KV*	2696	12"	27"	21 1/2"	70 lbs.	13

[†]Add K-472 For Faucet Hole Revision **\$121**

*FC-WM-2219KV & FC-WM-2721KV Has 8" Bowl Depth



16 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8-1/2" High Backsplash • Stainless Steel Tubular Supports • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated • 3 1/2" Basket Drain

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED	ELECTRONIC OPERATED FAUCET		Bowl		Cu. Ft.
Model #	Price	Model #	Price	Model #	Depth	L W	
FC-WM-1-ADA [†]	\$3468	FC-WM-1-ADA-F [†]	\$3823	FC-WM-1-EFADA	6"	27" 21 1/2"	66 lbs. 13

[†]Add K-472 For Faucet Hole Revision **\$121**



FC-WM-1-ADA Shown

MULTI-STATIONS

Square Corner Multi-Stations

 = Ships Via UPS

16 GAUGE, 304 STAINLESS STEEL MULTI-STATIONS WITH TUBULAR SUPPORTS OR LEGS

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)



K-159 3-1/2" Gooseneck
Faucets Included
On "F" Models



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
23"	19-18-23 [†]	\$1776	19-18-23-F	\$2023	19-18-23EF	\$3005	19-18-23KV	\$2474	1	50 lbs.	10
40"	19-18-40 [†]	2854	19-18-40-F	3350	19-18-40EF	5180	19-18-40KV	4116	2	60 lbs.	15
60"	19-18-60 [†]	3372	19-18-60-F	4115	19-18-60EF	6862	19-18-60KV	5266	3	70 lbs.	18
80"	19-18-80 [†]	3760	19-18-80-F	4751	19-18-80EF	8413	19-18-80KV	6285	4	90 lbs.	22
100"	19-18-100 [†]	4279	19-18-100-F	5518	19-18-100EF	10095	19-18-100KV	7436	5	120 lbs.	30
120"	19-18-120 [†]	5352	19-18-120-F	6839	19-18-120EF	12330	19-18-120KV	9140	6	155 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121



16 GAUGE, 304 STAINLESS STEEL A.D.A. MULTI-STATIONS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3 1/2" Basket Drain(s)



K-161-LU 3-1/2" Gooseneck
Faucets Included
On "F" Models



Hands-Free
Electronic Faucet

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	19-18-40-ADA [†]	\$2854	19-18-40-ADA-F	\$3564	19-18-40EFADA	\$5180	2	60 lbs.	15
60"	19-18-60-ADA [†]	3372	19-18-60-ADA-F	4436	19-18-60EFADA	6817	3	70 lbs.	18
80"	19-18-80-ADA [†]	3760	19-18-80-ADA-F	5180	19-18-80EFADA	8413	4	100 lbs.	22
100"	19-18-100-ADA [†]	4279	19-18-100-ADA-F	6053	19-18-100EFADA	10095	5	130 lbs.	30
120"	19-18-120-ADA [†]	5352	19-18-120-ADA-F	7481	19-18-120EFADA	12330	6	165 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121

SERVICE SINKS

Square Corner Service Sinks

16 GAUGE, 304 STAINLESS STEEL SERVICE SINKS WITH TUBULAR SUPPORTS OR LEGS

12" Bowl Depth (Excludes Knee Valve Units*) • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)



NO FAUCET INCLUDED		new MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		L	W	Wt.	Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Model #	Price				
WSS-14-21 [†]	\$1868	WSS-14-21-F	\$2116	WSS-14-21EF	\$3030	WSS-14-21KV*	\$2499	18"	17 1/2"	45 lbs.	8
WSS-16-25 [†]	2062	WSS-16-25-F	2310	WSS-16-25EF	3226	WSS-16-25KV*	2694	22"	19 1/2"	52 lbs.	10


*Add **K-472** For Faucet Hole Revision **\$121**

*Knee Valve Unit Has 8" Bowl Depth



16 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Electronic Operated • Rear 3 1/2" Basket Drain



NO FAUCET INCLUDED		new MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCETS		L	W	Wt.	Cu. Ft.
Model #	Price	Model #	Price	Model #	Price				
19-18-1-ADA [†]	\$2852	19-18-1-ADA-F	\$3207	19-18-1-EFADA	\$3960	40"	19 1/2"	60 lbs.	15

*Add **K-472** For Faucet Hole Revision **\$121**

MULTI-STATION HAND SINK ACCESSORIES & MODIFICATIONS



Model	Description	Price	Model	Description	Price
K-6	3 1/2" Drain (1 1/2" I.P.S.)	\$44 ea.	K-411	Strainer Plate for 3-1/2" Drain	22 ea.
K-13	Stainless Steel Soap Dispenser	392 ea.	K-1118	Extra H.D. 8" Splash Mounted Faucet	366 ea.
K-101	8" Swing Spout Splash Mt. Faucet	215 ea.	K-316-LU	Wrist Handles	114 pair
K-121	Single Hole, Splash Mounted 3-1/2" Gooseneck Spout	134 ea.	K-472	Faucet Hole Revision (Manual Faucet Operated Sinks Only)	121
K-159	Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.)	248 ea.	K-508	Special Sizing Charge (Larger Size Cut Down To Smaller Size)	N/C
K-161-LU	Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.) With Wrist Handles	355 ea.	TA-19	Adjustable Stainless Steel Flanged Bullet Foot	56 ea.

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

MULTI-STATIONS

NSF Multi-Stations



= Ships Via UPS

14 GA., 304 STAINLESS STEEL SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



FS-FM-40 Shown



FS-FM-40-F Shown



FS-FM-40EF Shown



FS-FM-40KV Shown



FS-FM-40FV Shown



Toe-Push Valve

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
40"	FS-FM-40 ⁺	\$4507	FS-FM-40-F	\$5002	FS-FM-40EF	\$6837	FS-FM-40KV	\$5773	FS-FM-40FV	\$6088	2	72 lbs. 15
60"	FS-FM-60 ⁺	5068	FS-FM-60-F	5812	FS-FM-60EF	8558	FS-FM-60KV	6766	FS-FM-60FV	6963	3	84 lbs. 18
80"	FS-FM-80 ⁺	5780	FS-FM-80-F	6771	FS-FM-80EF	10433	FS-FM-80KV	8056	FS-FM-80FV	8306	4	120 lbs. 22
100"	FS-FM-100 ⁺	6487	FS-FM-100-F	7726	FS-FM-100EF	12303	FS-FM-100KV	9394	FS-FM-100FV	9644	5	156 lbs. 30
120"	FS-FM-120 ⁺	8171	FS-FM-120-F	9658	FS-FM-120EF	15150	FS-FM-120KV	11560	FS-FM-120FV	11960	6	198 lbs. 36

*Add K-472 For Faucet Hole Revision \$121

14 GA., 304 STAINLESS STEEL A.D.A. SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
40"	FS-FM-40-ADA ⁺	\$4507	FS-FM-40-ADA-F	\$5005	FS-FM-40EFADA	\$6622	2	72 lbs. 15
60"	FS-FM-60-ADA ⁺	5068	FS-FM-60-ADA-F	5894	FS-FM-60EFADA	8318	3	84 lbs. 18
80"	FS-FM-80-ADA ⁺	5780	FS-FM-80-ADA-F	6939	FS-FM-80EFADA	11074	4	120 lbs. 22
100"	FS-FM-100-ADA ⁺	6487	FS-FM-100-ADA-F	7987	FS-FM-100EFADA	12029	5	156 lbs. 30
120"	FS-FM-120-ADA ⁺	8171	FS-FM-120-ADA-F	10007	FS-FM-120EFADA	14856	6	198 lbs. 36

*Add K-472 For Faucet Hole Revision \$121



16 GA., 304 STAINLESS STEEL SINKS WITH STAINLESS STEEL LEGS & FLANGED FEET

new 8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
40"	FC-FM-40 ⁺	\$3953	FC-FM-40-F	\$4449	FC-FM-40EF	\$6279	FC-FM-40KV	\$5055	FC-FM-40FV	\$5215	2	66 lbs. 15
60"	FC-FM-60 ⁺	4512	FC-FM-60-F	5255	FC-FM-60EF	8002	FC-FM-60KV	6076	FC-FM-60FV	6406	3	77 lbs. 18
80"	FC-FM-80 ⁺	5300	FC-FM-80-F	6292	FC-FM-80EF	9953	FC-FM-80KV	7380	FC-FM-80FV	7827	4	110 lbs. 22
100"	FC-FM-100 ⁺	6080	FC-FM-100-F	7319	FC-FM-100EF	11894	FC-FM-100KV	8572	FC-FM-100FV	9236	5	143 lbs. 30
120"	FC-FM-120 ⁺	7315	FC-FM-120-F	8802	FC-FM-120EF	14294	FC-FM-120KV	10208	FC-FM-120FV	11104	6	182 lbs. 36

*Add K-472 For Faucet Hole Revision \$121

16 GA., 304 STAINLESS STEEL A.D.A. SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
40"	FC-FM-40-ADA ⁺	\$3954	FC-FM-40-ADA-F	\$4503	FC-FM-40EFADA	\$6120	2	66 lbs. 15
60"	FC-FM-60-ADA ⁺	4512	FC-FM-60-ADA-F	5358	FC-FM-60EFADA	7783	3	77 lbs. 18
80"	FC-FM-80-ADA ⁺	5300	FC-FM-80-ADA-F	6387	FC-FM-80EFADA	9620	4	110 lbs. 22
100"	FC-FM-100-ADA ⁺	6080	FC-FM-100-ADA-F	7635	FC-FM-100EFADA	11676	5	143 lbs. 30
120"	FC-FM-120-ADA ⁺	7315	FC-FM-120-ADA-F	9152	FC-FM-120EFADA	14001	6	182 lbs. 36

*Add K-472 For Faucet Hole Revision \$121



FC-FM-40-EFADA Shown

SERVICE SINKS

NSF Service Sinks

14 GA., 304 STAINLESS STEEL SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET



10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing 3 1/2" Basket Drain(s)



FS-FM-2219 Shown



FS-FM-2219-F Shown



FS-FM-2219EF Shown



FS-FM-2219KV Shown



FS-FM-2219FV Shown

NO FAUCET INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		Bowl Depth L W Wt.				Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Depth	L	W	Wt.	
FS-FM-2219 [†]	\$2619	FS-FM-2219-F	\$2906	FS-FM-2219EF	\$3781	FS-FM-2219KV*	\$3250	FS-FM-2219FV	\$3571	10"	23"	19 1/2"	62 lbs.	10
FS-FM-2721 [†]	2759	FS-FM-2721-F	3047	FS-FM-2721EF	3922	FS-FM-2721KV*	3390	FS-FM-2721FV	3712	12"	27"	21 1/2"	77 lbs.	13

[†]Add K-472 For Faucet Hole Revision **\$121**

*FS-WM-2219KV & FS-WM-2721KV Has 8" Bowl Depth

14 GA., 304 STAINLESS STEEL A.D.A. SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET



5" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



FS-FM-1-ADA Shown

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCET		Bowl Depth L W Wt.				Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Depth	L	W	Wt.	
FS-FM-1-ADA [†]	\$3983	FS-FM-1-ADA-F	\$4338	FS-FM-1-EFADA	\$5145	6"	40"	19-1/2"	72 lbs.	15

[†]Add K-472 For Faucet Hole Revision **\$121**

16 GA., 304 STAINLESS STEEL SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET



10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



FC-FM-2219 Shown



FC-FM-2219-F Shown




FC-FM-2219EF Shown



FC-FM-2219KV Shown



FC-FM-2219FV Shown



Toe-Push Valve

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCET		KNEE OPERATED FAUCET		TOE-PUSH OPERATED FAUCETS		Bowl Depth L W Wt.				Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Depth	L	W	Wt.	
FC-FM-2219 [†]	\$2371	FC-FM-2219-F	\$2659	FC-FM-2219EF	\$3534	FC-FM-2219KV*	\$3003	FC-FM-2219FV	\$2915	10"	23"	19 1/2"	57 lbs.	10
FC-FM-2721 [†]	2475	FC-FM-2721-F	2763	FC-FM-2721EF	3637	FC-FM-2721KV*	3106	FC-FM-2721FV	3018	12"	27"	21 1/2"	70 lbs.	13

[†]Add K-472 For Faucet Hole Revision **\$121**

*FC-WM-2219KV & FC-WM-2721KV Has 8" Bowl Depth

16 GA., 304 STAINLESS STEEL A.D.A. SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET



5" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



FC-FM-1-EFADA Shown

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCET		Bowl Depth L W Wt.				Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Depth	L	W	Wt.	
FC-FM-1-ADA [†]	\$3794	FC-FM-1-ADA-F	\$4149	FC-FM-1-EFADA	\$4957	6"	27"	21 1/2"	66 lbs.	13

[†]Add K-472 For Faucet Hole Revision **\$121**

MULTI-STATIONS

Square Corner Multi-Stations

 = Ships Via UPS

16 GA., 304 STAINLESS STEEL MULTI-STATIONS W/STAINLESS STEEL LEGS & FLANGED FEET

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



19-FM-40 Shown



19-FM-40-F Shown



19-FM-40EF Shown



19-FM-40KV Shown



19-FM-40FV Shown



Toe-Push Valve

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
23"	19-FM-23 [†]	\$2185	19-FM-23-F	\$2433	19-FM-23EF	\$3415	19-FM-23KV	\$2883	19-FM-23FV	\$2795	1	50 lbs.	10
40"	19-FM-40 [†]	3270	19-FM-40-F	3765	19-FM-40EF	5595	19-FM-40KV	4532	19-FM-40FV	4371	2	60 lbs.	15
60"	19-FM-60 [†]	3890	19-FM-60-F	4634	19-FM-60EF	7380	19-FM-60KV	5784	19-FM-60FV	5455	3	70 lbs.	18
80"	19-FM-80 [†]	4278	19-FM-80-F	5269	19-FM-80EF	9035	19-FM-80KV	6908	19-FM-80FV	6463	4	90 lbs.	22
100"	19-FM-100 [†]	5109	19-FM-100-F	6348	19-FM-100EF	10925	19-FM-100KV	8267	19-FM-100FV	7602	5	120 lbs.	30
120"	19-FM-120 [†]	6391	19-FM-120-F	7878	19-FM-120EF	13370	19-FM-120KV	10180	19-FM-120FV	9284	6	155 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121



16 GAUGE, 304 STAINLESS STEEL A.D.A. MULTI-STATIONS WITH TUBULAR SUPPORTS



5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)




19-FM-40-ADA Shown



19-FM-40-ADA_F Shown



19-FM-40-EFADA Shown



Hands-Free Electronic Faucet

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	19-FM-40-ADA [†]	\$3270	19-FM-40-ADA-F	\$3948	19-FM-40EFADA	\$5505	2	60 lbs.	15
60"	19-FM-60-ADA [†]	3890	19-FM-60-ADA-F	4955	19-FM-60EFADA	7230	3	70 lbs.	18
80"	19-FM-80-ADA [†]	4278	19-FM-80-ADA-F	5802	19-FM-80EFADA	8930	4	100 lbs.	22
100"	19-FM-100-ADA [†]	5109	19-FM-100-ADA-F	6884	19-FM-100EFADA	10820	5	130 lbs.	30
120"	19-FM-120-ADA [†]	6391	19-FM-120-ADA-F	8521	19-FM-120EFADA	13191	6	165 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121

SERVICE SINKS

Square Corner Service Sinks

16 GAUGE, 304 STAINLESS STEEL SERVICE SINKS W/STAINLESS STEEL LEGS & FLANGED FEET



12" Bowl Depth (Excludes Knee Valve Units) • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



WSS-14-21-FM Shown



WSS-14-21-FM-F Shown



WSS-14-21EF-FM Shown



WSS-14-21KV-FM Shown



WSS-14-21FV-FM Shown



Toe-Push Valve

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		L	W	Wt.	Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price				
WSS-14-21-FM [†]	\$2277	WSS-14-21-FM-F	\$2525	WSS-14-21EF-FM	\$3440	WSS-14-21KV-FM*	\$2909	WSS-14-21FV-FM	\$2820	18"	17-1/2"	45 lbs.	8
WSS-16-25-FM [†]	2472	WSS-16-25-FM-F	2720	WSS-16-25EF-FM	3635	WSS-16-25KV-FM*	3104	WSS-16-25FV-FM	3016	22"	22"	52 lbs.	10

[†]Add **K-472** For Faucet Hole Revision **\$121**

*Knee Valve Unit Has 8" Bowl Depth



16 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS



5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)




19-FM-1-ADA Shown



19-FM-1-ADA_F Shown



19-FM-1-EFADA Shown



Hands-Free Electronic Faucet

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCET		L	W	Wt.	Cu. Ft.
Model #	Price	Model #	Price	Model #	Price				
19-FM-1-ADA [†]	\$3177	19-FM-1-ADA-F [†]	\$3465	19-FM-1-EFADA	\$4285	40"	19 1/2"	60 lbs.	15

[†]Add **K-472** For Faucet Hole Revision **\$121**

MULTI-STATION HAND SINK ACCESSORIES & MODIFICATIONS



K-159



K-161-LU



K-101



TA-19



K-6

Model	Description	Price	Model	Description	Price
K-6	3 1/2" Drain (1 1/2" I.P.S.)	\$44 ea.	K-316-LU	Wrist Handles	114 pair
K-13	Stainless Steel Soap Dispenser	392 ea.	K-411	Strainer Plate for 3-1/2" Drain	22 ea.
K-101	8" Swing Spout Splash Mt. Faucet	215 ea.	K-1118	Extra H.D. 8" Splash Mounted Faucet	366 ea.
K-121	Single Hole, Splash Mounted 3-1/2" Gooseneck Spout	134 ea.	K-508	Special Sizing Charge (Larger Size Cut Down To Smaller Size)	N/C
K-159	Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.)	248 ea.	K-508	Special Sizing Charge (Larger Size Cut Down To Smaller Size)	N/C
K-161-LU	Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.) with wrist handles	355 ea.	TA-19	Adjustable Stainless Steel Flanged Bullet Foot	56 ea.

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

REGALINE

Deep Drawn Sinks

ALL MODELS INCLUDE
STAINLESS STEEL LEGS
& BULLET FEET



Deep Drawn Bowls Are Seamless And
Drawn Out of a Single Sheet of Steel

Features and Benefits

- 3" Large Radius Corners
- Easy to Clean
- Satin Finish
- No Welded Seams



SPEC-LINE "94" Series

- 14 ga. 304 Stainless Steel
- Stainless Steel Adjustable Cross Bracing on Front & Rear; Welded On Sides
- 16 ga. 304 Stainless Steel Legs & Bullet Feet
- 11" Backsplash
- 14" Deep Sink Bowls

THE ONLY
14 GAUGE
Deep Drawn
SINK!

STANDARD "93" Series

- 16 ga. 304 Stainless Steel
- Stainless Steel Welded Side Cross Bracing
- Stainless Steel Legs and Bullet Feet
- 8" Backsplash
- 12" Deep Sink Bowls

SUPERSAVER "9" Series

- 18 ga. 304 Stainless Steel
- Stainless Steel Welded Side Cross Bracing
- Stainless Steel Legs and Bullet Feet
- 8" Backsplash
- 12" Deep Sink Bowls

ONE, TWO, THREE AND FOUR COMPARTMENTS with No Drainboards



94 Series Shown

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			
Bowl Size	O.A. Length	# of Comp.	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.
16" x 20"	25"	One	94-1-24	\$3686	77	93-1-24	\$2395	62	9-1-24	\$2197	54	20
	44"	Two	94-2-36	4782	109	93-2-36	3283	76	9-2-36	3009	66	20
	62"	Three	94-3-54	5909	142	93-3-54	4156	107	9-3-54	3810	95	28
	*81"	Four	94-4-72	7555	225	93-4-72	5374	176	9-4-72	4932	155	44
20" x 20"	29"	One	94-21-20	4026	92	93-21-20	2610	80	9-21-20	2571	61	20
	52"	Two	94-22-40	5250	116	93-22-40	3612	92	9-22-40	3312	79	23
	74"	Three	94-23-60	6759	232	93-23-60	4789	188	9-23-60	4389	169	44
	*97"	Four	94-24-80	8495	285	93-24-80	6117	210	9-24-80	5626	192	56
18" x 24"	27"	One	94-61-18	4187	95	93-61-18	2807	84	9-61-18	2592	78	24
	48"	Two	94-62-36	5370	165	93-62-36	3781	144	9-62-36	3492	132	26
	68"	Three	94-63-54	6839	249	93-63-54	4921	203	9-63-54	4535	188	36
	89"	Four	94-64-72	8524	312	93-64-72	6212	264	9-64-72	5738	255	56
24" x 24"	33"	One	94-41-24	4313	97	93-41-24	3025	85	9-41-24	2775	80	23
	60"	Two	94-42-48	6241	174	93-42-48	4558	145	9-42-48	4180	133	31
	*86"	Three	94-43-72	7862	252	93-43-72	5968	213	9-43-72	5474	200	56
	*113"	Four	94-44-96	9772	347	93-44-96	7659	302	9-44-96	7018	281	74
20" x 28"	29"	One	94-81-20	4754	134	93-81-20	3148	94	9-81-20	2877	82	27
	52"	Two	94-82-40	6256	176	93-82-40	4624	150	9-82-40	4237	138	45
	74"	Three	94-83-60	8099	255	93-83-60	6172	225	9-83-60	5657	216	65
	*97"	Four	94-84-80	10335	345	93-84-80	7981	310	9-84-80	7307	287	78



REGALINE

Deep Drawn Sinks



94 Series
Shown

ONE COMPARTMENT WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	54"	18"	94-1-24-18RL	\$3953	97	93-1-24-18RL	\$3439	82	9-1-24-18RL	\$3261	71	29
	66"	24"	94-1-24-24RL	4110	118	93-1-24-24RL	3549	95	9-1-24-24RL	3281	95	33
	90"	36"	94-1-24-36RL	4519	164	93-1-24-36RL	3807	134	9-1-24-36RL	3484	134	48
20" x 20"	58"	18"	94-21-20-18RL	4342	95	93-21-20-18RL	3767	78	9-21-20-18RL	3425	78	26
	70"	24"	94-21-20-24RL	4480	117	93-21-20-24RL	3800	92	9-21-20-24RL	3500	92	34
	94"	36"	94-21-20-36RL	5082	168	93-21-20-36RL	4035	147	9-21-20-36RL	3890	147	50
18" x 24"	56"	18"	94-61-18-18RL	4490	160	93-61-18-18RL	3931	138	9-61-18-18RL	3599	138	29
	68"	24"	94-61-18-24RL	4625	179	93-61-18-24RL	3965	150	9-61-18-24RL	3673	150	43
	92"	36"	94-61-18-36RL	5204	210	93-61-18-36RL	4194	180	9-61-18-36RL	4056	180	67
24" x 24"	74"	24"	94-41-24-24RL	5193	213	93-41-24-24RL	4615	185	9-41-24-24RL	4285	185	48
	98"	36"	94-41-24-36RL	6081	252	93-41-24-36RL	4797	210	9-41-24-36RL	4482	210	64
20" x 28"	58"	18"	94-81-20-18RL	5142	173	93-81-20-18RL	4657	150	9-81-20-18RL	4335	150	46
	70"	24"	94-81-20-24RL	5282	186	93-81-20-24RL	4797	165	9-81-20-24RL	4477	165	55
	94"	36"	94-81-20-36RL	6647	225	93-81-20-36RL	4943	195	9-81-20-36RL	4591	195	73

Weights and Cubes are approximate



94 Series
Shown

ONE COMPARTMENT WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	40"	18"	94-1-24-18RorL	\$3805	93	93-1-24-18RorL	\$3284	75	9-1-24-18RorL	\$3081	65	20
	46"	24"	94-1-24-24RorL	3870	98	93-1-24-24RorL	3324	80	9-1-24-24RorL	3111	73	24
	58"	36"	94-1-24-36RorL	4218	114	93-1-24-36RorL	3674	90	9-1-24-36RorL	3389	78	26
20" x 20"	44"	18"	94-21-20-18RorL	4178	98	93-21-20-18RorL	3639	80	9-21-20-18RorL	3304	71	20
	50"	24"	94-21-20-24RorL	4243	104	93-21-20-24RorL	3668	86	9-21-20-24RorL	3339	77	23
	62"	36"	94-21-20-36RorL	4753	127	93-21-20-36RorL	3773	107	9-21-20-36RorL	3417	91	31
18" x 24"	42"	18"	94-61-18-18RorL	4325	100	93-61-18-18RorL	3806	84	9-61-18-18RorL	3484	75	24
	48"	24"	94-61-18-24RorL	4394	106	93-61-18-24RorL	3834	92	9-61-18-24RorL	3513	84	27
	60"	36"	94-61-18-36RorL	4890	130	93-61-18-36RorL	3934	109	9-61-18-36RorL	3588	95	38
24" x 24"	54"	24"	94-41-24-24RorL	4958	126	93-41-24-24RorL	4411	105	9-41-24-24RorL	4026	92	28
	66"	36"	94-41-24-36RorL	5725	149	93-41-24-36RorL	4510	126	9-41-24-36RorL	4131	110	42
20" x 28"	44"	18"	94-81-20-18RorL	4852	139	93-81-20-18RorL	4446	116	9-81-20-18RorL	4079	107	36
	50"	24"	94-81-20-24RorL	4935	146	93-81-20-24RorL	4532	122	9-81-20-24RorL	4157	113	46
	62"	36"	94-81-20-36RorL	6230	170	93-81-20-36RorL	4617	142	9-81-20-36RorL	4259	133	54

Weights and Cubes are approximate

See pages 33 and 34 for faucets, accessories, and modifications.

REGALINE

Deep Drawn Sinks



TWO COMPARTMENTS WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	72"	18"	94-2-36-18RL	\$5320	141	93-2-36-18RL	\$4514	118	9-2-36-18RL	\$4117	100	40
	85"	24"	94-2-36-24RL	5445	156	93-2-36-24RL	4597	130	9-2-36-24RL	4184	110	46
	109"	36"	94-2-36-36RL	6021	212	93-2-36-36RL	5195	169	9-2-36-36RL	4677	144	58
20" x 20"	81"	18"	94-22-40-18RL	5999	176	93-22-40-18RL	5104	147	9-22-40-18RL	4561	125	44
	93"	24"	94-22-40-24RL	6099	220	93-22-40-24RL	5162	184	9-22-40-24RL	4599	162	50
	117"	36"	94-22-40-36RL	6670	273	93-22-40-36RL	5477	237	9-22-40-36RL	4854	215	72
18" x 24"	77"	18"	94-62-36-18RL	6099	247	93-62-36-18RL	5231	206	9-62-36-18RL	4707	181	50
	89"	24"	94-62-36-24RL	6199	277	93-62-36-24RL	5285	241	9-62-36-24RL	4742	226	58
	113"	36"	94-62-36-36RL	6748	341	93-62-36-36RL	5585	297	9-62-36-36RL	4985	271	96
24" x 24"	101"	24"	94-42-48-24RL	7384	339	93-42-48-24RL	6534	295	9-42-48-24RL	5920	259	65
	125"	36"	94-42-48-36RL	7929	391	93-42-48-36RL	6766	339	9-42-48-36RL	6635	314	96
20" x 28"	81"	18"	94-82-40-18RL	7018	251	93-82-40-18RL	6819	219	9-82-40-18RL	6471	194	64
	93"	24"	94-82-40-24RL	7332	294	93-82-40-24RL	6966	253	9-82-40-24RL	6615	228	73
	117"	36"	94-82-40-36RL	7828	333	93-82-40-36RL	7106	287	9-82-40-36RL	6736	261	96

Weights and Cubes are approximate



TWO COMPARTMENTS WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	58"	18"	94-2-36-18RorL	\$5142	108	93-2-36-18RorL	\$4347	88	9-2-36-18RorL	\$3987	72	26
	64"	24"	94-2-36-24RorL	5231	115	93-2-36-24RorL	4413	96	9-2-36-24RorL	4030	80	34
	76"	36"	94-2-36-36RorL	5500	158	93-2-36-36RorL	4492	132	9-2-36-36RorL	4090	115	42
20" x 20"	66"	18"	94-22-40-18RorL	5815	118	93-22-40-18RorL	4950	96	9-22-40-18RorL	4438	83	30
	72"	24"	94-22-40-24RorL	5884	136	93-22-40-24RorL	4975	114	9-22-40-24RorL	4457	95	39
	84"	36"	94-22-40-36RorL	6203	163	93-22-40-36RorL	5057	140	9-22-40-36RorL	4518	123	46
18" x 24"	62"	18"	94-62-36-18RorL	5920	147	93-62-36-18RorL	5076	128	9-62-36-18RorL	4589	115	40
	68"	24"	94-62-36-24RorL	5988	160	93-62-36-24RorL	5104	139	9-62-36-24RorL	4605	126	44
	80"	36"	94-62-36-36RorL	6298	200	93-62-36-36RorL	5182	174	9-62-36-36RorL	4662	158	53
24" x 24"	80"	24"	94-42-48-24RorL	7080	229	93-42-48-24RorL	6266	194	9-42-48-24RorL	5719	172	53
	92"	36"	94-42-48-36RorL	7510	261	93-42-48-36RorL	6744	235	9-42-48-36RorL	6429	194	60
20" x 28"	66"	18"	94-82-40-18RorL	6968	213	93-82-40-18RorL	6673	183	9-82-40-18RorL	6269	167	60
	72"	24"	94-82-40-24RorL	7050	227	93-82-40-24RorL	6755	195	9-82-40-24RorL	6349	176	64
	84"	36"	94-82-40-36RorL	7438	266	93-82-40-36RorL	6975	227	9-82-40-36RorL	6402	207	76

Weights and Cubes are approximate

See pages 33 and 34 for faucets, accessories, and modifications.



REGALINE

Deep Drawn Sinks



THREE COMPARTMENTS WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

14 Ga. 304 S/S
14" Water Level

16 Ga. 304 S/S
12" Water Level

18 Ga. 304 S/S
12" Water Level

Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.
16" x 20"	91"	18"	94-3-54-18RL	\$6307	230	93-3-54-18RL	\$5403	189	9-3-54-18RL	\$4173	182	49
	103"	24"	94-3-54-24RL	6440	248	93-3-54-24RL	5485	197	9-3-54-24RL	4243	190	55
	127"	36"	94-3-54-36RL	7061	275	93-3-54-36RL	5821	239	9-3-54-36RL	5485	208	96
20" x 20"	103"	18"	94-23-60-18RL	7430	248	93-23-60-18RL	6407	203	9-23-60-18RL	5747	198	59
	115"	24"	94-23-60-24RL	7648	276	93-23-60-24RL	6573	220	9-23-60-24RL	5887	195	65
	139"	36"	94-23-60-36RL	8249	408	93-23-60-36RL	6811	387	9-23-60-36RL	6076	364	89
18" x 24"	97"	18"	94-63-54-18RL	7488	323	93-63-54-18RL	6493	289	9-63-54-18RL	5855	226	62
	109"	24"	94-63-54-24RL	7702	334	93-63-54-24RL	6650	304	9-63-54-24RL	5994	233	85
	133"	36"	94-63-54-36RL	8280	418	93-63-54-36RL	6887	367	9-63-54-36RL	6170	325	96
24" x 24"	*127"	24"	94-43-72-24RL	9126	390	93-43-72-24RL	8224	331	9-43-72-24RL	7458	318	98
	*151"	36"	94-43-72-36RL	9790	448	93-43-72-36RL	8405	393	9-43-72-36RL	7949	345	110
20" x 28"	103"	18"	94-83-60-18RL	9234	358	93-83-60-18RL	8260	315	9-83-60-18RL	7869	277	83
	115"	24"	94-83-60-24RL	9368	394	93-83-60-24RL	8401	346	9-83-60-24RL	8003	305	95
	139"	36"	94-83-60-36RL	10070	451	93-83-60-36RL	8602	398	9-83-60-36RL	8141	350	109

* Requires Two Faucets

Weights and Cubes are approximate



THREE COMPARTMENTS WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

14 Ga. 304 S/S
14" Water Level

16 Ga. 304 S/S
12" Water Level

18 Ga. 304 S/S
12" Water Level

Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.
16" x 20"	77"	18"	94-3-54-18RorL	\$6157	214	93-3-54-18RorL	\$5258	173	9-3-54-18RorL	\$4033	167	42
	83"	24"	94-3-54-24RorL	6222	222	93-3-54-24RorL	5298	188	9-3-54-24RorL	4071	177	45
	95"	36"	94-3-54-36RorL	6575	243	93-3-54-36RorL	5652	220	9-3-54-36RorL	5098	190	51
20" x 20"	89"	18"	94-23-60-18RorL	7263	234	93-23-60-18RorL	6236	207	9-23-60-18RorL	5608	184	52
	95"	24"	94-23-60-24RorL	7311	245	93-23-60-24RorL	6263	205	9-23-60-24RorL	5626	193	55
	107"	36"	94-23-60-36RorL	7725	252	93-23-60-36RorL	6468	216	9-23-60-36RorL	5692	208	60
18" x 24"	83"	18"	94-63-54-18RorL	7328	296	93-63-54-18RorL	6324	271	9-63-54-18RorL	5719	255	54
	89"	24"	94-63-54-24RorL	7376	308	93-63-54-24RorL	6349	281	9-63-54-24RorL	5738	269	58
	101"	36"	94-63-54-36RorL	7774	318	93-63-54-36RorL	6553	300	9-63-54-36RorL	5798	287	65
24" x 24"	*107"	24"	94-43-72-24RorL	8894	342	93-43-72-24RorL	7984	312	9-43-72-24RorL	7295	298	68
	*119"	36"	94-43-72-36RorL	9612	365	93-43-72-36RorL	8051	339	9-43-72-36RorL	7742	320	96
20" x 28"	89"	18"	94-83-60-18RorL	8973	281	93-83-60-18RorL	8055	232	9-83-60-18RorL	7700	225	79
	95"	24"	94-83-60-24RorL	9052	296	93-83-60-24RorL	8135	273	9-83-60-24RorL	7776	268	86
	107"	36"	94-83-60-36RorL	9367	308	93-83-60-36RorL	8211	287	9-83-60-36RorL	7824	277	89

* Requires Two Faucets

Weights and Cubes are approximate

See pages 33 and 34 for faucets, accessories, and modifications.

REGALINE

Deep Drawn Sinks



FOUR COMPARTMENTS WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level				
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.	
16" x 20"	110"	18"	94-4-72-18RL	\$7897	210	93-4-72-18RL	\$6806	183	9-4-72-18RL	\$6313	175	58	
	122"	24"	94-4-72-24RL	8044	275	93-4-72-24RL	6909	252	9-4-72-24RL	6398	241	64	
	146"	36"	94-4-72-36RL	8632	313	93-4-72-36RL	7119	287	9-4-72-36RL	6775	274	86	
20" x 20"	126"	18"	94-24-80-18RL	9213	293	93-24-80-18RL	7929	268	9-24-80-18RL	7119	259	87	
	138"	24"	94-24-80-24RL	9306	312	93-24-80-24RL	8030	286	9-24-80-24RL	7182	275	95	
	162"	36"	94-24-80-36RL	9974	351	93-24-80-36RL	8251	322	9-24-80-36RL	7555	308	111	
18" x 24"	118"	18"	94-64-72-18RL	9217	358	93-64-72-18RL	7972	346	9-64-72-18RL	7185	336	82	
	130"	24"	94-64-72-24RL	9307	372	93-64-72-24RL	8069	355	9-64-72-24RL	7250	344	90	
	154"	36"	94-64-72-36RL	9954	409	93-64-72-36RL	8283	392	9-64-72-36RL	7611	378	106	
24" x 24"	154"	24"	94-44-96-24RL	10995	395	93-44-96-24RL	10356	361	9-44-96-24RL	9171	348	106	
	178"	36"	94-44-96-36RL	11787	431	93-44-96-36RL	10593	398	9-44-96-36RL	9971	382	122	
20" x 28"	126"	18"	94-84-80-18RL	11177	382	93-84-80-18RL	10580	361	9-84-80-18RL	9988	350	97	
	138"	24"	94-84-80-24RL	11319	402	93-84-80-24RL	10722	374	9-84-80-24RL	10129	361	106	
	162"	36"	94-84-80-36RL	12160	442	93-84-80-36RL	10931	411	9-84-80-36RL	10248	395	124	

ALL UNITS REQUIRE TWO FAUCETS

Weights and Cubes are approximate



FOUR COMPARTMENTS WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level				
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.	
16" x 20"	95"	18"	94-4-72-18RorL	\$7614	202	93-4-72-18RorL	\$6536	165	9-4-72-18RorL	\$6077	158	52	
	101"	24"	94-4-72-24RorL	7683	216	93-4-72-24RorL	6580	186	9-4-72-24RorL	6105	175	54	
	113"	36"	94-4-72-36RorL	8227	260	93-4-72-36RorL	6786	238	9-4-72-36RorL	6491	227	60	
20" x 20"	111"	18"	94-24-80-18RorL	8991	299	93-24-80-18RorL	7770	241	9-24-80-18RorL	6463	229	61	
	117"	24"	94-24-80-24RorL	9041	320	93-24-80-24RorL	7797	250	9-24-80-24RorL	7018	239	82	
	129"	36"	94-24-80-36RorL	9576	341	93-24-80-36RorL	7902	267	9-24-80-36RorL	7105	250	90	
18" x 24"	103"	18"	94-64-72-18RorL	9003	339	93-64-72-18RorL	7819	329	9-64-72-18RorL	6669	318	72	
	109"	24"	94-64-72-24RorL	9052	351	93-64-72-24RorL	7847	338	9-64-72-24RorL	7089	329	76	
	121"	36"	94-64-72-36RorL	9571	369	93-64-72-36RorL	7951	353	9-64-72-36RorL	7168	341	84	
24" x 24"	133"	24"	94-44-96-24RorL	10694	354	93-44-96-24RorL	10131	336	9-44-96-24RorL	8974	327	92	
	145"	36"	94-44-96-36RorL	11058	376	93-44-96-36RorL	10257	355	9-44-96-36RorL	9669	344	100	
20" x 28"	111"	18"	94-84-80-18RorL	10917	348	93-84-80-18RorL	10372	329	9-84-80-18RorL	9790	317	87	
	117"	24"	94-84-80-24RorL	10997	364	93-84-80-24RorL	10451	337	9-84-80-24RorL	9873	329	91	
	129"	36"	94-84-80-36RorL	11699	382	93-84-80-36RorL	10534	355	9-84-80-36RorL	9915	347	100	

ALL UNITS REQUIRE TWO FAUCETS

Weights and Cubes are approximate

See pages 33 and 34 for faucets, accessories, and modifications.



SPECIALTY SINKS

Specialty Sinks

Corner Sinks

16 Gauge, 304 Stainless Steel

- Welded Cross-Bracing
- Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet



94-K3-11D Shown

REQUIRES
TWO FAUCETS

MINI
CORNER

OPTIONAL:

5/8" Thick Poly-Vance Cutting Boards Available
(See Grid For Proper Model)

Six Deep Drawn Combinations To Choose From!

Model #	Bowl Sizes	Wall Dim.	Drbd. Dim.	Price	Approx. Wt.	Approx. Cubes	Optional Poly-Vance Cutting Boards
94-K6-18D	1) 20" x 20" x 12" 2) 16" x 20" x 12"	61" x 61"	18"	\$7246	231 lbs.	71	K-2E \$281
94-K2-24D	3) 20" x 20" x 12"	71" x 71"	24"	7437	265 lbs.	99	K-2E 281
94-K4-24D	3) 24" x 24" x 12"	79" x 79"	24"	7931	338 lbs.	114	K-2F 281
94-K8-30D	1) 20" x 20" x 12" 2) 20" x 28" x 12"	86" x 86"	30"	8443	350 lbs.	131	K-2E 281
94-K3-11D	1) 14" x 14" x 12" 2) 14" x 16" x 12"	54" x 54"	17"	4965	215 lbs.	60	K-2H 281
94-K5-11D	1) 14" x 14" x 10" 2) 10" x 14" x 10"	42" x 42"	11"	5379	180 lbs.	37	K-2H 281

FABRICATED SPECIALTY SINKS

Convenience Store Sinks

Our Solution....to Your Limited Space Problem
In Six Feet or less... you can WASH, RINSE & SANITIZE

- 18 Gauge Stainless Steel
- Stainless Steel Legs
- Welded Cross Bracing
- Stainless Steel Adjustable Bullet Feet

All Sinks Feature
TWO Drainboards



Model #	Bowl Size	# of Comp.	Drbd. Size	O.A. Length	Price	Approx. Wt.	Approx. Cu.
K7-CS-21	10" x 14" x 10"	3	12"	58"	\$2653	85 lbs.	27
K7-CS-22	10" x 14" x 10"	3	18"	70"	2727	120 lbs.	39
K7-CS-29	14" x 16" x 12"	3	12"	70"	2906	138 lbs.	39
K7-CS-32	12" x 20" x 12"	3	12"	64"	3372	130 lbs.	35

Super Size Sinks 16 Gauge, 304 Stainless Steel

Model #	Bowl Size	# of Comp.	Drbd. Size	Overall Size L x W	Price	Approx. Wt.	Approx. Cu.
K7-3-1432-18RL*	14" x 32" x 12"	3	18"	78" x 36"	\$7064	290 lbs.	50
K7-3-2030-24RL	20" x 30" x 14"	3	24"	108" x 36"	10114	345 lbs.	78
K7-3-2430-24RL	24" x 30" x 14"	3	24"	120" x 36"	10515	380 lbs.	86
K7-3-3024-24RL	30" x 24" x 14"	3	24"	138" x 30"	10884	395 lbs.	84
K7-3-3030-24RL	30" x 30" x 14"	3	24"	138" x 36"	11400	420 lbs.	98

*12" Deep Bowls For 14 Gauge Units Add -14 At End Of Model Number & Add \$588 List.



- Fabricated Design
- 16 ga. 304 Series
- 14" Deep Bowls
- Tile Edge Splash
- Full Skirt Design
- Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet
- Space Saving - Reduced Overall Lengths

Meat & Platter Sink

16 Gauge, 304 Stainless Steel

- Two 18" Drainboards
- 91" x 35 1/2"

Bowl Sizes:

- 1 - 24" x 30" Bowl
- 2 - 15" x 32" Bowls

- 351 lbs. 59 Cu. Ft.



18-K5-56 \$10679

Heavy Duty Extra Long Faucet

Required Faucet For Meat & Platter Sink



- Splash Mount
- 18" Swing Spout
- 8" O.C.
- T&S Equivalent: 5f-8WLX18

K-211 \$610

Units Can Be Customized With Modifications & Accessories!
See Pages 33 & 34. Other Sizes Available. Call For Pricing.

FABRICATED

Fabricated Sinks



Fabricated Bowls are Welded Together at the Seams & Polished

Features and Benefits

- 3/4" Radius Corners
- Economical Savings
- Satin Finish



SPEC-LINE 14 GAUGE FABRICATED SINKS

- 14 Ga. 304 Stainless Steel
- Continuous Apron Design
- Stainless Steel Legs & Adjustable Stainless Steel Bullet Feet
- 14" Deep Bowls
- All Welded Super-Sturdy Cross-Bracing

FS Series: 1 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FS-1-1620	21"	26"	\$2265	60	12
	FS-1-1620-18RorL	36.5"	26"	2434	80	20
	FS-1-1620-18RL	52"	26"	2645	100	27
18" x 18"	FS-1-1818	23"	24"	2310	60	11
	FS-1-1818-18RorL	38.5"	24"	2598	75	17
18" x 24"	FS-1-1824	23"	30"	2511	78	16
	FS-1-1824-18RorL	38.5"	30"	2874	92	25
	FS-1-1824-24RorL	44.5"	30"	3016	105	28
	FS-1-1824-18RL	54"	30"	3087	175	34
	FS-1-1824-24RL	66"	30"	3222	198	40
24" x 24"	FS-1-2424	29"	30"	2888	90	19
	FS-1-2424-18RorL	44.5"	30"	3247	110	28
	FS-1-2424-24RorL	50.5"	30"	3284	119	34
	FS-1-2424-18RL	60"	30"	3351	185	37
	FS-1-2424-24RL	72"	30"	4043	209	44
30" x 24"	FS-1-3024	35"	30"	3320	115	23
	FS-1-3024-24RorL	56.5"	30"	3894	132	35
	FS-1-3024-24RL	78"	30"	4186	150	47
36" x 24"	FS-1-3624	41"	30"	3753	125	26
	FS-1-3624-24RorL	62.5"	30"	4330	143	39
	FS-1-3624-24RL	84"	30"	5630	165	51

FS Series: 3 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FS-3-1620	53"	26"	\$4573	140	27
	FS-3-1620-18RorL	68.5"	26"	5089	160	35
	FS-3-1620-18RL	84"	26"	5585	155	36
	FS-3-1620-24RL	96"	26"	6008	235	47
	FS-3-1620-36RL	120"	26"	6217	280	59
18" x 18"	FS-3-1818	59"	24"	4764	130	25
	FS-3-1818-18RorL	75"	24"	5198	150	31
	FS-3-1818-18RL	90"	24"	5774	170	52
18" x 24"	FS-3-1824	59"	30"	4937	158	36
	FS-3-1824-18RorL	74.5"	30"	5545	174	46
	FS-3-1824-24RorL	80.5"	30"	5716	187	49
	FS-3-1824-18RL	90"	30"	6339	310	54
	FS-3-1824-24RL	102"	30"	6783	375	61
24" x 24"	FS-3-2424 [†]	77"	30"	5557	329	47
	FS-3-2424-18RorL [†]	92.5"	30"	6199	353	56
	FS-3-2424-24RorL [†]	98.5"	30"	6350	369	59
	FS-3-2424-18RL [†]	108"	30"	7001	382	64
	FS-3-2424-24RL [†]	120"	30"	7145	405	71

[†] Requires Two Sets of Faucets

FS Series: 2 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FS-2-1620	37"	26"	\$3256	100	20
	FS-2-1620-18RorL	52.5"	26"	3536	120	27
	FS-2-1620-18RL	68"	26"	3625	143	34
18" x 18"	FS-2-1818	41"	24"	3320	98	18
	FS-2-1818-18RorL	56.5"	24"	3572	110	26
	FS-2-1818-18RL	72"	24"	3753	125	30
18" x 24"	FS-2-1824	41"	30"	3493	149	26
	FS-2-1824-18RorL	56.5"	30"	3851	169	35
	FS-2-1824-24RorL	62.5"	30"	4285	190	39
	FS-2-1824-18RL	72"	30"	4403	220	44
	FS-2-1824-24RL	84"	30"	5097	240	51
24" x 24"	FS-2-2424	53"	30"	3847	179	33
	FS-2-2424-18RorL	68.5"	30"	4711	200	42
	FS-2-2424-24RorL	74.5"	30"	4827	220	46
	FS-2-2424-18RL	84"	30"	5080	245	51
	FS-2-2424-24RL	96"	30"	5443	270	58
30" x 24"	FS-2-3024	65"	30"	4764	265	40
	FS-2-3024-24RorL	86.5"	30"	5630	300	52
	FS-2-3024-24RL	108"	30"	5918	320	64



SUPER STURDY
CROSS BRACING

Optional Front Cross-Bracing for FS Series Sinks

FC-CB-1 \$34 per foot

Stainless Steel Leg with Bullet foot

K-475 \$68 per leg

Stainless Steel Sink Covers

See Page 33

Removable 12" Side Splashes

For FS & FC Series Sinks
Accommodates Left & right Sides

K-700F-24 \$480 ea.

For sinks with 24" front-to-back bowls

K-700F-18 \$457 ea.

For sinks with 18" front-to-back bowls

K-700 \$457 ea.

(For all other sink sizes)



**Additional Sizes Available.
See Modifications & Accessories on Pages 33 & 34**



SUPER STURDY
CROSS BRACING



FABRICATED

Fabricated Sinks

16 GAUGE FABRICATED SINKS

- 16 Ga. 304 Stainless Steel
- 14" Deep Bowls
- All Welded Super-Sturdy Cross-Bracing
- Tile Edge Splash
- Stainless Steel Legs & Adjustable Stainless Steel Bullet Feet

FC Series: 1 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FC-1-1620	21"	26"	\$1183	50	12
	FC-1-1620-18RorL	36.5"	26"	1894	65	20
	FC-1-1620-18RL	52"	26"	1957	80	27
18" x 18"	FC-1-1818	23"	24"	1156	60	11
	FC-1-1818-18RorL	38.5"	24"	1840	65	17
	FC-1-1818-18RL	54"	24"	1873	70	16
	FC-1-1818-24RorL	45"	24"	2106	90	25
	FC-1-1818-24RL	66"	24"	2176	100	28
18" x 24"	FC-1-1824	23"	30"	1344	67	34
	FC-1-1824-18RorL	38.5"	30"	2039	105	40
	FC-1-1824-24RorL	45"	30"	2146	115	19
	FC-1-1824-18RL	54"	30"	2107	120	28
	FC-1-1824-24RL	66"	30"	2184	130	34
24" x 24"	FC-1-2424	29"	30"	1429	90	19
	FC-1-2424-18RorL	44.5"	30"	2168	118	44
	FC-1-2424-24RorL	50.5"	30"	2349	123	32
	FC-1-2424-18RL	60"	30"	2300	135	35
	FC-1-2424-24RL	72"	30"	2426	145	45

FC Series: 2 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
15" x 15"	FC-2-1515	35"	21"	\$2006	78	11
16" x 20"	FC-2-1620	37"	26"	2308	85	20
	FC-2-1620-18RorL	52.5"	26"	2703	100	27
	FC-2-1620-18RL	68"	26"	2780	118	34
18" x 18"	FC-2-1818	41"	24"	2172	83	22
	FC-2-1818-18RorL	56.5"	24"	2514	90	30
	FC-2-1818-18RL	72"	24"	2662	105	37
	FC-2-1818-24RL	84"	24"	2860	118	43
18" x 24"	FC-2-1824	41"	30"	2334	115	27
	FC-2-1824-18RorL	56.5"	30"	2651	130	37
	FC-2-1824-24RorL	62.5"	30"	2899	140	40
	FC-2-1824-18RL	72"	30"	2981	145	45
24" x 24"	FC-2-2424	53"	30"	2545	138	34
	FC-2-2424-18RorL	68.5"	30"	3119	155	44
	FC-2-2424-24RorL	74.5"	30"	3236	195	47
	FC-2-2424-18RL	84"	30"	3173	210	53
	FC-2-2424-24RL	96"	30"	3318	225	60

Fabricated Corner Sink

16 Gauge, 304 Stainless Steel

FC-K6-18D \$5220



- Welded Cross-Bracing
- S/S Legs & Bullet Feet
- Requires 2 Faucets (Not Included)
- 3 - 18" x 18" x 14" Bowls
- 2 - 18" x 18" Drainboards
- Wall Dimension: 57" x 57"
- 248 lbs. 66 Cu. Ft.

FC Series: 3 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
15" x 15"	FC-3-1515	50"	21"	\$2292	110	25
	FC-3-1515-15RorL	62.5"	21"	2458	120	31
	FC-3-1515-15RL	75"	21"	2526	130	52
16" x 20"	FC-3-1620	53"	26"	2789	120	27
	FC-3-1620-18RorL	68.5"	26"	2980	135	35
	FC-3-1620-18RL	84"	26"	3147	150	36
	FC-3-1620-24RL	96"	26"	3368	205	47
	FC-3-1620-36RL	120"	26"	3850	240	59
18" x 18"	FC-3-1818	59"	24"	2688	120	46
	FC-3-1818-18RorL	74.5"	24"	2857	128	49
	FC-3-1818-24RorL	80.5"	24"	2949	136	54
	FC-3-1818-18RL	90"	24"	2892	143	46
	FC-3-1818-24RL	102"	24"	3028	150	52
18" x 24"	FC-3-1824	59"	30"	2742	135	56
	FC-3-1824-18RorL	74.5"	30"	3234	142	59
	FC-3-1824-24RorL	80.5"	30"	3372	150	64
	FC-3-1824-18RL	90"	30"	3621	265	56
	FC-3-1824-24RL	102"	30"	3800	300	63
24" x 24"	†FC-3-2424	79"	30"	3035	175	48
	†FC-3-2424-18RorL	92.5"	30"	3955	310	58
	†FC-3-2424-24RorL	98.5"	30"	4124	330	61
	†FC-3-2424-24RL	120"	30"	4209	350	74
	†FC-3-2424-18RL	108"	30"	4085	330	67
20" x 28"	FC-3-2028-24RL	108"	34"	4673	315	75
20" x 30"	FC-3-2030-20RL	100"	36"	4244	315	73
	FC-3-2030-30RL	120"	36"	5252	370	81
24" x 30"	†FC-3-2430	77"	36"	3611	200	55
	†FC-3-2430-24RorL	99"	36"	4204	175	69
	†FC-3-2430-24RL	120"	36"	6231	400	84
	†FC-3-2430-30RorL	105"	36"	5515	425	74
	†FC-3-2430-30RL	132"	36"	6419	445	92
	†FC-3-2430-36RorL	111"	36"	5721	450	78
	†FC-3-2430-36RL	144"	36"	6506	490	101
30" x 24"	†FC-3-3024	95"	30"	4207	200	57
	†FC-3-3024-24RorL	117"	30"	5495	375	70
	†FC-3-3024-24RL	138"	30"	6304	400	82
	†FC-3-3024-30RorL	123"	30"	5759	425	73
	†FC-3-3024-30RL	150"	30"	6523	445	88
	†FC-3-3024-36RorL	129"	30"	5877	450	76
	†FC-3-3024-36RL	162"	30"	6753	450	95
30" x 30"	†FC-3-3030	95"	36"	5760	240	67
	†FC-3-3030-24RL	138"	36"	9748	470	96
	†FC-3-3030-30RL	150"	36"	10191	515	104
	†FC-3-3030-36RL	162"	36"	10303	560	112

FC Series: 4 Compartment Sinks

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
18" x 18"	FC-4-1818-18RL†	108"	24"	\$4634	270	51
18" x 24"	FC-4-1824-18RL†	108"	30"	5161	325	62
24" x 24"	FC-4-2424-24RL†	144"	30"	6063	355	80

† Requires Two Sets of Faucets

Additional Sizes Available. See Modifications & Accessories on Pages 33 & 34

BUDGET SINKS

Budget Line Scullery Sinks

 = Ship Via UPS



18" - 21" Wide Sink Bowls Are 14" Deep

24" Wide Sink Bowls Are 13" Deep

Includes 3 1/2" Basket Drain & 8" O.C. Faucet Holes

1 COMPARTMENT SINKS

Size	L	Wt.	Cu. Ft.	"400" Series (430 S/S)		"600" Series (300 S/S)	
				Model #	Price	Model #	Price
18" x 18"	18"	44 lbs.	8	 4-81-18	\$1030	 6-81-18	\$1182
21" x 18"	18"	47 lbs.	9	 4-1-18	1048	 6-1-18	1220
21" x 24"	24"	53 lbs.	12	4-1-24	1067	6-1-24	1336
21" x 36"	36"	66 lbs.	16	4-1-36	1220	6-1-36	1373
24" x 24"	24"	54 lbs.	12	4-41-24	1295	6-41-24	1431
24" x 36"	36"	69 lbs.	17	4-41-36	1386	6-41-36	1528

3 COMPARTMENT SINKS

Size	L	Wt.	Cu. Ft.	"400" Series (430 S/S)		"600" Series (300 S/S)	
				Model #	Price	Model #	Price
21" x 36"	36"	78 lbs.	16	4-3-36	\$1622	6-3-36	\$1813
21" x 48"	48"	91 lbs.	21	4-3-48	1758	6-3-48	2081
21" x 54"	54"	98 lbs.	24	4-3-54	1830	6-3-54	2136
** 21" x 72"	72"	115 lbs.	31	4-3-72	2368	6-3-72	2672
** 24" x 60"	60"	108 lbs.	27	4-43-60	2290	6-43-60	2577
** 24" x 72"	72"	118 lbs.	32	4-43-72	2445	6-43-72	2789

2 COMPARTMENT SINKS

Size	L	Wt.	Cu. Ft.	"400" Series (430 S/S)		"600" Series (300 S/S)	
				Model #	Price	Model #	Price
21" x 36"	36"	73 lbs.	16	4-2-36	\$1508	6-2-36	\$1698
21" x 48"	48"	86 lbs.	21	4-2-48	1642	6-2-48	1868
21" x 60"	60"	98 lbs.	26	4-2-60	2081	6-2-60	2176
24" x 48"	48"	88 lbs.	22	4-42-48	1813	6-42-48	2003
24" x 60"	60"	108 lbs.	27	4-42-60	2196	6-42-60	2482

4 COMPARTMENT SINKS

Size	L	Wt.	Cu. Ft.	"400" Series (430 S/S)		"600" Series (300 S/S)	
				Model #	Price	Model #	Price
†** 21" x 48"	48"	95 lbs.	21	4-4-48	\$1948	6-4-48	\$2251
** 21" x 60"	60"	113 lbs.	26	4-4-60	2482	6-4-60	2663
21" x 72"	72"	120 lbs.	21	4-4-72	2672	6-4-72	2865

† Quick-Drain Omitted In This Size ** Requires Two Faucets

For Residential Finish & Packaging, Add K-350 \$360

BUDGET SINK ACCESSORIES

All Budget Sink Accessories Ship Via UPS



Drainboards

- Drainboards 36" & Larger Supplied With Legs
- Sides & End Of Drainboard Turned Up with 2" Hemmed Edges Along Top

Model #	Size	Approx. Wt.	Approx. Cu. Ft.	Price
N-5-818	18" x 18"	13 lbs.	1	\$390
N-5-18	21" x 18"	15 lbs.	1	419
N-5-24	21" x 24"	18 lbs.	1	486
N-5-30	21" x 30"	22 lbs.	2	548
N-5-36	21" x 36"	25 lbs.	2	877
N-5-48	21" x 48"	28 lbs.	3	1049
N-54-24	24" x 24"	20 lbs.	1	522
N-54-36	24" x 36"	25 lbs.	2	922
N-54-48	24" x 48"	30 lbs.	3	1092

Stainless Steel Sink Covers

For One Compartment Budget Sinks

Model #	Size	Price
LSC-81	18" x 18"	\$437
LSC-24	21" x 24"	437
LSC-242	24" x 24"	437
LSC-36	24" x 36"	437



Stores Conveniently On Side Of Sink

MOBILE & SILVER SOAK SINKS




Mobile Sinks

34" Working Height

A Multi-Purpose Unit.

Move it where the ACTION is! A must for the large food preparation type installation.

Model #	Bowl Size	Price	Approx. Wt.
9-FMS-20	22" x 22" x 8"	\$4010	50 lbs.
9-FMS-12	22" x 22" x 12"	4393	50 lbs.



Optional Chute
9-SS-1 \$463



Optional Bumpers
9-SS-2 \$218

Silver Soak Sinks

20" Working Height

UNIVERSAL BOWL SIZE.

Accommodates 19 3/4" x 19 3/4" Dishwasher Baskets

Model #	Bowl Size	Price	Approx. Wt.
9-FSS-20	22" x 22" x 8"	\$3831	42 lbs.



Silver Soak Sinks with Detachable Chute

20" Working Height

Required for the Scullery operation that promotes clean sanitary flatware.


Model #	Bowl Size	Price	Approx. Wt.
9-FSC-20	22" x 22" x 8"	\$4202	50 lbs.

Shown with
Optional Bumpers



SINK MODS

Sink Modifications & Accessories



K-37
Anti-Siphon Vacuum
Breaker Holes



K-72
Leg-To-Wall
Brace



K-460A
Disposal Cone w/
Control Bracket &
Faucet Holes



K-461A
Install Collar
w/ Control Bracket

MODIFICATIONS

K-4	Support Bracket for Lever Waste Drain Handle	\$122 ea.
K-23	Sink Legs Welded To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated. (Top Is Not Welded To Legs)	401 per sink
K-23A	Sink Legs Welded To Leg Gussets Under Sink Top & To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated	506 per sink
K-24	Shell Crating	296
K-37	Anti-Siphon Vacuum Breaker Holes	121
K-57	Welded field Joint (Welded in field by others)	267 per sink
K-76	Paint on Sound Deadening	534
K-77	Splash Cutout (Pipe Chase)	189
K-106	Mirror Highlite Edge for Sink	415
K-440	Waste Trough with 2" deep removable basket	914
K-447	High Backsplash up to 18"	189 lin. ft.
K-448	High Backsplash up to 13"	152 lin. ft.
K-450	Extend Drainboard Length (Drainboards over 36" Are Not Creased or Pitched.)	385 lin. ft.
K-451	Drainboard Corner Turn	1342 ea.
K-452	Control Bracket 8" x 12"	267 ea.
K-452S	Splash Mounted Control Bracket 8" x 12"	303 ea.
K-453	Control Bracket 14" x 16"	287 ea.
K-453S	Splash Mounted Control Bracket 14" x 16"	335 ea.
K-454	Sidesplash	415 ea.
K-456	Scrap Block Installed	390
K-460	Installation of Disposal Cone with 8" x 12" Control Bracket, Faucet Holes (Cone supplied by others)	798 ea.

K-460A	Installation of Disposal Cone with 14" x 16" Control Bracket, Faucet Holes (Cone supplied by others)	\$848 ea.
K-461	Install Collar with 8" x 12" control bracket (Collar by others)	798
K-461A	Install Collar with 14" x 16" control bracket (Collar by others)	848
K-470	Modify Bowl Depth	173 ea.
K-472	Faucet Hole Revision	121 ea.
K-473	Working Height Revision	101 ea.
K-476	Punch for Over Flow Holes (Holes Only. N/C when ordering K-15)	55 ea.
K-479	Undershelf Under Drainboard	240 lin. ft.
K-480	Stainless Steel 12" Wide Shelf (min. of 3 ft.)	251 lin. ft.
K-480A	Stainless Steel 15" Wide Shelf (min. of 3 ft.)	360 lin. ft.
K-490	Provision for Pot Washer (For "Wells-PW-106" only)	968 ea.
K-491	Provision for Hatco Heater	190 ea.
K-495	Turn Down Backsplash (Includes 2 Brackets. See K-397 Add'l Sets)	166
K-498	Tubular Overshelf 12" wide (Min. 3 Ft.)	379 lin. ft.
K-499	Stainless Steel Pot Rack	300 lin. ft.
K-500	Stainless Steel Apron to Cover Sink Bowls	942 ea.
K-500A	17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles	1095 ea.
K-508	Special Sizing Charge (Larger size cut down to smaller size)	N/C ea.
K-508A	Special Modification Charge	254 ea.
K-510	Prepare Sink for Undercounter Dishwasher (24" drainboard or larger)	137 per sink
K-520	Poly Board/Stainless Steel Cover Holder	647 ea.
K-550	Stainless Steel Tubular Rack Storage	200 lin. ft.
K-ROD	Weld support rods for poly sink cover in corners of sink bowl	483 ea.

ACCESSORIES

K-30	Faucet Wall Mounting Bracket	\$339 ea.
K-72	Leg To Wall Brace	297
K-350	Residential Finish & Packaging	360 ea.
K-397	Wall Bracket for Sink (Includes 2 Brackets with K-495 Mod.)	81 ea.
K-457	Replacement Rubber Scrap Block (See K-456 for install cost)	119 ea.
K-474	16 ga., '304' Series S/S Leg with S/S Foot	109 ea.
K-475	S/S Leg with S/S Foot	68 ea.
K-477	Replacement Leg Clamp for Adjustable Cross-Bracing	18 ea.
K-477C	Replacement Corner Leg Clamp for Adjustable Cross-Bracing	26 ea.
K-478	Stainless Steel Bullet Foot	27 ea.
K-488	Flanged S/S Bullet Foot	58 ea.
K-493	16 ga., '304' Series S/S Welded Leg Assembly with S/S Feet	363 ea.
K-494	S/S Welded Leg Assembly with S/S Feet	322 ea.
K-497	Galv. Welded Leg Assembly with Plastic Feet	216 ea.
K-497A	Galv. Individual Legs with Plastic Feet	78 set/4
K-496	Leg Assembly For Grease Interceptor w/ Adj. Cross-Bracing & S/S Feet (For Grease Interceptors with 15" Ht. or less. Consult factory for larger Grease Interceptors)	417 ea.
K-610	Perforated Stainless Steel Sink Grid (Specify Bowl Size)	727 ea.

SINK COVERS

Choose Model # & Add The Proper Letter In Place Of The Underscore (_).
Example: K-2A or FC-455H

Bowl Size	FOR DEEP DRAWN BOWLS		FOR FABRICATED BOWLS	
	Poly Covers Model K-2_ \$281	S/S Covers Model K-455_ \$471	Poly Covers Model K-2_ \$281	S/S Covers Model FC-455_ \$471
16" x 20"	C	C	CF	C
20" x 20"	E	E	EF	E
24" x 24"	F	F	FF	F
10" x 14"	A	A	AF	A
20" x 28"	G	G	GF	G
14" x 16"	B	B	BF	B
18" x 24"	D	D	DF	D
18" x 18"	Not Available	Not Available	JF	J
20" x 24"	Not Available	Not Available	PF	P
24" x 36"	Not Available	Not Available	RF	R
20" x 30"	Not Available	Not Available	SF	S
24" x 30"	Not Available	Not Available	TF	T
15" x 15"	Not Available	Not Available	MF	M
14" x 14"	H	H	HF	H
12" x 20"	I	I	IF	I

Custom Covers Available. Consult Factory.

K-ROD Welded Support Rods for Poly Sink Covers in Corners of Sink Bowl (Replaces Standard Support Clips) **\$483 per bowl**

Tubular KD Wall Mounted Drainage Shelves

Model #	Size	Price
DT-6R-36	3"	\$987
DT-6R-48	4"	1142
DT-6R-60	5"	1282
DT-6R-72	6"	1405

- Stainless Steel
- 15" Deep
- 1-5/8" Diameter Stainless Steel Tubing



FAUCETS & DRAINS

For Sinks & Dishtables

All Items On This Page
Ship Via UPS

EXTRA HEAVY DUTY FAUCETS

PRERINSE FAUCETS Wall Bracket Included

**SPEC-LINE
HEAVY DUTY
Splash Mounted
Prerinse Faucet**
DTA-53 \$864

12" Add-A-Faucet for
DTA-53 Prerinse
Faucets
K-117 \$338

**Deck Mounted
Prerinse Faucet**
K-115 \$1199

**Splash Mounted
Prerinse Faucet**
K-116 \$1199

**Replacement Hose
Handle Not Included**

K-113 \$164

**Replacement
Spray
Head &
Handle**

K-114 \$186

12" Add-A-Faucet for
K-115 & K-116
Prerinse
Faucets
K-117-TS \$526

POPULAR SPLASH MOUNTED FAUCETS

Model #	Spout Size	T&S Equivalent	Price
K-11	14"	5F-8WLX14	\$274
K-101	8"	5F-8WLX08	215
K-105	14"	B-0230 w/1063X	415
K-112	12"	B-0231	301
K-119	16"	B-0230 W/064X	360
K-211	18"	5f-8WLX18	610

Interchangeable with T&S Brand Faucets. Carton Pricing Available

**Heavy Duty
14" Swing Spout**
K-111 \$578

**Wrist Handles for Extra Heavy Duty
& Standard 8" O.C. Faucets**
Splash Mounted K-416-LU \$119

12" Swing Spout Faucet



Standard
K-1 \$234

T&S Equivalent
SF-8WLX12

Heavy Duty 8" Swing Spout Faucet



Standard
K-1118 \$366

T&S Equivalent
B-1126

Heavy Duty Wall Mounted Service Faucet*

8" O.C.

K-240
\$877

Faucet Wall Mounting Bracket

K-30
\$339

For use when no backsplash is
available to mount faucet

Low Flow Aerator

.5 GPM

K-08
\$26

Faucet Mounting Kit for K-1, K-11, K-101, K-116, K-119, K-211 & DTA-53

K-06
\$93 (Set of 2)

Replacement Cartridges for K-1, K-11, K-101

K-00B
\$103 (Set of 2)

Repair Kit can only be used on
faucets purchased after 12/03

Replacement Cartridges for K-105 & K-112

K-07 \$125 (Set of 2)

Vacuum Breaker Repair Kit for K-240

K-03 \$122

Replacement Spouts

Model	Spout Size/Style	Price
K-101SP	8" Swing Spout	\$66
K-1SP	12" Swing Spout	79
K-11SP	14" Swing Spout	86
K-211SP	18" Swing Spout	184

Continuous Waste For 3 Compartment Sink

K-351
\$338

1-1/2" Dia.

For Use with 2 & 3
Compartment Sinks

Chrome Plated P-Trap

**Heavy Gauge
(17 Gauge)**

7-PS-10 \$128

**Standard Gauge
(22 Gauge)**

7-PS-14 \$113

Replacement Floor Mop Sink Drain

K-16 \$169

Replacement Drains Assembly

K-6 \$44

Basket

K-310 \$27

Strainer Plate
for 3-1/2" Drain

K-410 \$24

Twist Handle Operated Drain

K-5 \$265

Twist Drain
Support Bracket
K-4 \$122

Twist Handle Operated Drain with Overflow

K-15 \$469

SPEC-LINE Twist Handle Operated Drain

K-40 \$869

All
Stainless Steel

Replacement "O" Rings for Twist Handle Operated Drains

For K-5 & K-15 Drains

K-05

\$18

Washer for
Twist Handle

Stopper
Washer

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

*K-240 Service Faucet Does Not Meet Federal Lead Free Standards As It Is Not Intended For Potable Water.



FLOOR TROUGHS

Floor Troughs & Floor Drains

Consult Factory For Additional Sizes
Custom Sizes Available - Call For Pricing.

Ship Via UPS

- 14 Gauge 304 Stainless Steel
- Stainless Steel Or Fiberglass Grating
- Pitched Towards Waste
- Subway Grating Constructed From 3/16" X 1" Bars
- Grating Is Spaced 9/16" (Inside Clearance) Between Bars To Prevent Casters From Getting Trapped
- Includes 4" Od. - 3" Long Plumbing Sleeve
- Includes Stainless Steel Strainer Basket With Handle

	With S/S Grate	Price	Approx. Weight	With Fiberglass Grate	Price	Approx. Weight	Size W x L x D
12" Width	FTG-1224	\$2938	46 lbs.	FFTG-1224	\$2835	34 lbs.	12" x 24" x 4"
	FTG-1230	3028	56 lbs.	FFTG-1230	2918	37 lbs.	12" x 30" x 4"
	FTG-1236	3122	66 lbs.	FFTG-1236	3001	40 lbs.	12" x 36" x 4"
	FTG-1242	3324	76 lbs.	FFTG-1242	3184	43 lbs.	12" x 42" x 4"
	FTG-1248	3858	86 lbs.	FFTG-1248	3669	46 lbs.	12" x 48" x 4"
	FTG-1254	4187	96 lbs.	FFTG-1254	3968	49 lbs.	12" x 54" x 4"
	FTG-1260	4627	106 lbs.	FFTG-1260	4365	52 lbs.	12" x 60" x 4"
	FTG-1272	5318	116 lbs.	FFTG-1272	4995	55 lbs.	12" x 72" x 4"
	FTG-1284	6245	126 lbs.	FFTG-1284	5835	81 lbs.	12" x 84" x 4"
	FTG-1296*	6429	146 lbs.	FFTG-1296*	6003	90 lbs.	12" x 96" x 4"
	FTG-12108*	6980	166 lbs.	FFTG-12108*	6503	99 lbs.	12" x 108" x 4"
	FTG-12120*	8453	180 lbs.	FFTG-12120*	7835	108 lbs.	12" x 120" x 4"
18" Width	FTG-1824	3304	62 lbs.	FFTG-1824	3168	43 lbs.	18" x 24" x 4"
	FTG-1830	3488	74 lbs.	FFTG-1830	3336	47 lbs.	18" x 30" x 4"
	FTG-1836	3674	86 lbs.	FFTG-1836	3501	54 lbs.	18" x 36" x 4"
	FTG-1842	3931	98 lbs.	FFTG-1842	3738	61 lbs.	18" x 42" x 4"
	FTG-1848	4365	110 lbs.	FFTG-1848	4129	69 lbs.	18" x 48" x 4"
	FTG-1854	4918	122 lbs.	FFTG-1854	4631	76 lbs.	18" x 54" x 4"
	FTG-1860	5392	134 lbs.	FFTG-1860	5058	83 lbs.	18" x 60" x 4"
	FTG-1872	5903	146 lbs.	FFTG-1872	5524	90 lbs.	18" x 72" x 4"
	FTG-1884	7166	165 lbs.	FFTG-1884	6669	111 lbs.	18" x 84" x 4"
	FTG-1896*	7348	187 lbs.	FFTG-1896*	6834	125 lbs.	18" x 96" x 4"
	FTG-18108*	8453	208 lbs.	FFTG-18108*	7835	138 lbs.	18" x 108" x 4"
	FTG-18120*	9739	229 lbs.	FFTG-18120*	9004	150 lbs.	18" x 120" x 4"
24" Width	FTG-2424	4002	69 lbs.	FFTG-2424	3295	52 lbs.	24" x 24" x 4"
	FTG-2430	4167	81 lbs.	FFTG-2430	3585	59 lbs.	24" x 30" x 4"
	FTG-2436	4751	104 lbs.	FFTG-2436	3669	68 lbs.	24" x 36" x 4"
	FTG-2442	5002	118 lbs.	FFTG-2442	3960	75 lbs.	24" x 42" x 4"
	FTG-2448	5501	131 lbs.	FFTG-2448	4167	83 lbs.	24" x 48" x 4"
	FTG-2454	6003	145 lbs.	FFTG-2454	4668	95 lbs.	24" x 54" x 4"
	FTG-2460	6170	162 lbs.	FFTG-2460	5169	102 lbs.	24" x 60" x 4"
	FTG-2472	7172	195 lbs.	FFTG-2472	5668	119 lbs.	24" x 72" x 4"
	FTG-2484	7835	218 lbs.	FFTG-2484	6752	137 lbs.	24" x 84" x 4"
	FTG-2496*	8669	243 lbs.	FFTG-2496*	6920	153 lbs.	24" x 96" x 4"
	FTG-24108*	9840	274 lbs.	FFTG-24108*	8001	168 lbs.	24" x 108" x 4"
	FTG-24120*	10504	310 lbs.	FFTG-24120*	9169	188 lbs.	24" x 120" x 4"

*96" or Longer Troughs Come with Two Drains

Floor Trough Accessories & Modifications



Cut-Out View of Anti-Splash

FT-1 \$108 lin. ft.
Optional Anti-Splash Guard
(Factory Installed)



FT-2 \$58 ea.
Replacement Stainless Steel
Strainer Basket with Handle

FT-3 \$117 lin. ft.
Modify Trough Depth
(2" to 6" Deep)

FT-4 \$246 per hole
Modify Drain Outlet Size
(Allow 2" to 8" Dia)

FT-5 \$125 lin. ft.
Grate Upgrade to A.D.A.

FT-6 No Charge
Modify Length of Trough
(Select Next Larger Size)


Floor Drains



Includes
Strainer Basket

Model #	Grate (Not Included)	Approx. Weight	Price	Size W x L x D
FDR-1212	Stainless Steel	26 lbs.	\$1470	12" x 12" x 4"

FD-1
Optional Stainless
Steel Grate **\$641**



Floor Water Receptacle



- 14 Gauge 304 Stainless Steel
- Includes Stainless Steel Subway Grating constructed from 3/16" x 1" bars

Model #	Size W x L x D	Price	Approx. Weight
FRG-24	12" x 24" x 2"	\$2839	44 lbs.
FRG-36	12" x 36" x 2"	3237	63 lbs.
FRG-48	12" x 48" x 2"	3751	82 lbs.

TABLES

Flat Top W/ Undershef

Stainless Steel TOP
Stainless Steel UNDERSHELF
Stainless Steel LEGS



Take Our Tables To
New Heights!

ADJUSTABLE TABLE HEIGHT UPGRADE


(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershef
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900

\$4653 ea.

Up to 40 1/2"
Max. Ht.
From Floor



VSS Series
Countertop Edge

Ship Via UPS



SS, MS, SAG Series
Bull Nose Edge

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Shipping Weight	Cubic Feet
24” WIDE	2’	 VSS-242	\$1709	 SS-242	\$1142	 MS-242	\$1058	 SAG-242	\$1027	31 lbs.	3
	30”	 VSS-240	1838	 SS-240	1267	 MS-240	1169	 SAG-240	1120	49 lbs.	4
	3’	 VSS-243	1901	 SS-243	1335	 MS-243	1235	 SAG-243	1183	64 lbs.	5
	4’	 VSS-244	1957	 SS-244	1393	 MS-244	1282	 SAG-244	1215	79 lbs.	6
	5’	VSS-245	2086	SS-245	1517	MS-245	1389	SAG-245	1316	92 lbs.	8
	6’	VSS-246	2212	SS-246	1644	MS-246	1502	SAG-246	1411	109 lbs.	9
	7’	VSS-247	2735	SS-247	2254	MS-247	2067	SAG-247	1740	130 lbs.	11
	8’	VSS-248	2893	SS-248	2416	MS-248	2211	SAG-248	1871	145 lbs.	12
	9’	VSS-249	3400	SS-249	3105	MS-249	2964	SAG-249	2666	161 lbs.	14
	10’	VSS-2410	3620	SS-2410	3323	MS-2410	3036	SAG-2410	2882	261 lbs.	26
	11’	VSS-2411	3931	SS-2411	3562	MS-2411	3241	SAG-2411	3056	293 lbs.	29
	12’	VSS-2412	4010	SS-2412	3639	MS-2412	3321	SAG-2412	3135	308 lbs.	32
30” WIDE	2’	 VSS-302	1838	 SS-302	1267	 MS-302	1169	 SAG-302	1120	55 lbs.	4
	30”	 VSS-300	1913	 SS-300	1345	 MS-300	1242	 SAG-300	1166	65 lbs.	5
	3’	 VSS-303	1979	 SS-303	1413	 MS-303	1303	 SAG-303	1246	72 lbs.	6
	4’	 VSS-304	2060	 SS-304	1498	 MS-304	1371	 SAG-304	1295	89 lbs.	8
	5’	VSS-305	2214	SS-305	1647	MS-305	1512	SAG-305	1419	107 lbs.	9
	6’	VSS-306	2454	SS-306	1724	MS-306	1555	SAG-306	1538	126 lbs.	11
	7’	VSS-307	2828	SS-307	2245	MS-307	2055	SAG-307	1808	148 lbs.	13
	8’	VSS-308	2944	SS-308	2485	MS-308	2333	SAG-308	2027	166 lbs.	15
	9’	VSS-309	3728	SS-309	3360	MS-309	3060	SAG-309	2862	176 lbs.	17
	10’	VSS-3010	3945	SS-3010	3578	MS-3010	3276	SAG-3010	3083	287 lbs.	32
	11’	VSS-3011	4232	SS-3011	3871	MS-3011	3531	SAG-3011	3302	324 lbs.	35
	12’	VSS-3012	4311	SS-3012	3952	MS-3012	3613	SAG-3012	3378	339 lbs.	37
36” WIDE	3’	VSS-363	2358	SS-363	1663	MS-363	1565	SAG-363	1443	88 lbs.	7
	4’	VSS-364	2406	SS-364	1709	MS-364	1615	SAG-364	1493	98 lbs.	9
	5’	VSS-365	2585	SS-365	1888	MS-365	1775	SAG-365	1656	118 lbs.	11
	6’	VSS-366	2773	SS-366	2059	MS-366	1937	SAG-366	1813	138 lbs.	13
	7’	VSS-367	3386	SS-367	2791	MS-367	2636	SAG-367	2505	164 lbs.	16
	8’	VSS-368	3597	SS-368	2996	MS-368	2823	SAG-368	2704	184 lbs.	18
	9’	VSS-369	4380	SS-369	3999	MS-369	3740	SAG-369	3515	190 lbs.	20
	10’	VSS-3610	4595	SS-3610	4215	MS-3610	3959	SAG-3610	3735	308 lbs.	38
	11’	VSS-3611	4936	SS-3611	4565	MS-3611	4274	SAG-3611	4004	358 lbs.	41
	12’	VSS-3612	5016	SS-3612	4638	MS-3612	4350	SAG-3612	4081	373 lbs.	45
48” WIDE	4’	VSS-484	4403	SS-484	3418	NOT AVAILABLE				158 lbs.	12
	5’	VSS-485	4765	SS-485	3776					184 lbs.	15
	6’	VSS-486	5118	SS-486	4125					218 lbs.	17
	7’	VSS-487	6567	SS-487	5581					260 lbs.	20
	8’	VSS-488	7014	SS-488	6022					290 lbs.	23
	9’	VSS-489	8130	SS-489	7080					322 lbs.	44
	10’	VSS-4810	8269	SS-4810	7218					522 lbs.	49
	11’	VSS-4811	8407	SS-4811	7356					601 lbs.	54
	12’	VSS-4812	8547	SS-4812	7495					616 lbs.	58

Featuring as Standard: "THE PROVEN"
Original ADVANCE TABCO Adjustable
Undershelf with Die Cast Leg Clamp



VLG Series
Countertop Edge



GLG, MG, AG Series
Bull Nose Edge



TABLES

Flat Top W/ Undershelf

Stainless Steel TOP
Galvanized UNDERSHELF
Galvanized LEGS

Spec-Line			Premium		Standard		Super Saver		Approx. Shipping Weight	Approx. Cubic Feet	
14 Ga. 304 S/S			14 Ga. 304 S/S		16 Ga. 304 S/S		16 Ga. 430 S/S				
Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
24" WIDE	2'	 VLG-242	\$1371	 GLG-242	\$819	 MG-242	\$781	 AG-242	\$729	31 lbs.	3
	30"	 VLG-240	1467	 GLG-240	904	 MG-240	849	 AG-240	793	49 lbs.	4
	3'	 VLG-243	1532	 GLG-243	973	 MG-243	915	 AG-243	859	64 lbs.	5
	4'	 VLG-244	1560	 GLG-244	987	 MG-244	933	 AG-244	877	79 lbs.	6
	5'	VLG-245	1647	GLG-245	1082	MG-245	1010	AG-245	925	92 lbs.	8
	6'	VLG-246	1751	GLG-246	1175	MG-246	1093	AG-246	987	109 lbs.	9
	7'	VLG-247	2137	GLG-247	1600	MG-247	1568	AG-247	1261	130 lbs.	11
	8'	VLG-248	2259	GLG-248	1719	MG-248	1679	AG-248	1436	145 lbs.	12
	9'	VLG-249	2584	GLG-249	2140	MG-249	2008	AG-249	1923	161 lbs.	14
	10'	VLG-2410	2806	GLG-2410	2354	MG-2410	2228	AG-2410	2140	261 lbs.	26
	11'	VLG-2411	3033	GLG-2411	2511	MG-2411	2354	AG-2411	2148	293 lbs.	29
	12'	VLG-2412	3115	GLG-2412	2591	MG-2412	2433	AG-2412	2229	308 lbs.	32
30" WIDE	2'	 VLG-302	1467	 GLG-302	904	 MG-302	849	 AG-302	793	55 lbs.	4
	30"	 VLG-300	1505	 GLG-300	936	 MG-300	880	 AG-300	812	65 lbs.	5
	3'	 VLG-303	1570	 GLG-303	1001	 MG-303	945	 AG-303	879	72 lbs.	6
	4'	 VLG-304	1611	 GLG-304	1040	 MG-304	975	 AG-304	895	89 lbs.	8
	5'	VLG-305	1728	GLG-305	1147	MG-305	1073	AG-305	979	107 lbs.	9
	6'	VLG-306	1844	GLG-306	1256	MG-306	1175	AG-306	1058	125 lbs.	11
	7'	VLG-307	2231	GLG-307	1691	MG-307	1592	AG-307	1326	148 lbs.	13
	8'	VLG-308	2388	GLG-308	1846	MG-308	1731	AG-308	1536	166 lbs.	15
	9'	VLG-309	2828	GLG-309	2314	MG-309	2168	AG-309	1951	176 lbs.	17
	10'	VLG-3010	3044	GLG-3010	2526	MG-3010	2389	AG-3010	2171	287 lbs.	32
	11'	VLG-3011	3245	GLG-3011	2772	MG-3011	2549	AG-3011	2305	324 lbs.	35
	12'	VLG-3012	3326	GLG-3012	2794	MG-3012	2629	AG-3012	2388	339 lbs.	37
36" WIDE	3'	VLG-363	1890	GLG-363	1176	MG-363	1136	AG-363	1036	88 lbs.	7
	4'	VLG-364	1939	GLG-364	1219	MG-364	1185	AG-364	1111	98 lbs.	9
	5'	VLG-365	2087	GLG-365	1371	MG-365	1329	AG-365	1255	118 lbs.	11
	6'	VLG-366	2228	GLG-366	1492	MG-366	1443	AG-366	1371	138 lbs.	13
	7'	VLG-367	2686	GLG-367	2016	MG-367	1966	AG-367	1889	164 lbs.	16
	8'	VLG-368	2815	GLG-368	2141	MG-368	2081	AG-368	2008	184 lbs.	18
	9'	VLG-369	3357	GLG-369	2792	MG-369	2715	AG-369	2472	190 lbs.	20
	10'	VLG-3610	3577	GLG-3610	3014	MG-3610	2932	AG-3610	2680	308 lbs.	38
	11'	VLG-3611	3809	GLG-3611	3268	MG-3611	3147	AG-3611	2852	358 lbs.	41
	12'	VLG-3612	3891	GLG-3612	3345	MG-3612	3221	AG-3612	2928	373 lbs.	45
48" WIDE	4'	VLG-484	3929	GLG-484	2946	NOT AVAILABLE				158 lbs.	12
	5'	VLG-485	4275	GLG-485	3295					184 lbs.	15
	6'	VLG-486	4557	GLG-486	3299					218 lbs.	17
	7'	VLG-487	5834	GLG-487	4851					260 lbs.	20
	8'	VLG-488	6125	GLG-488	5136					290 lbs.	23
	9'	VLG-489	7185	GLG-489	6139					322 lbs.	44
	10'	VLG-4810	7328	GLG-4810	6278					522 lbs.	49
	11'	VLG-4811	7466	GLG-4811	6418					601 lbs.	54
	12'	VLG-4812	7604	GLG-4812	6554					616 lbs.	58

TABLES

Flat Top W/ Open Base

Stainless Steel TOP
Stainless Steel LEGS

NSF

Take Our Tables To
New Heights!

ADJUSTABLE TABLE HEIGHT UPGRADE


(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershelf
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900

\$4653 ea.

Up to 40 1/2"
Max. Ht.
From Floor



TVSS Series
Countertop Edge



TSS, TMS, TSAG Series
Bullnose Edge

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Approx. Shipping Weight	Approx. Cubic Feet
24" WIDE	2' TVSS-242	\$1834	TSS-242	\$1264	TMS-242	\$1182	TSAG-242	\$1147	25 lbs.	3
	30" TVSS-240	1957	TSS-240	1393	TMS-240	1290	TSAG-240	1243	42 lbs.	4
	3' TVSS-243	2027	TSS-243	1460	TMS-243	1355	TSAG-243	1307	53 lbs.	5
	4' TVSS-244	2083	TSS-244	1516	TMS-244	1404	TSAG-244	1339	64 lbs.	6
	5' TVSS-245	2210	TSS-245	1642	TMS-245	1512	TSAG-245	1431	74 lbs.	8
	6' TVSS-246	2340	TSS-246	1769	TMS-246	1628	TSAG-246	1533	85 lbs.	9
	7' TVSS-247	2856	TSS-247	2373	TMS-247	2193	TSAG-247	1865	103 lbs.	11
	8' TVSS-248	3019	TSS-248	2538	TMS-248	2339	TSAG-248	1993	114 lbs.	12
	9' TVSS-249	3532	TSS-249	3238	TMS-249	2952	TSAG-249	2792	130 lbs.	14
	10' TVSS-2410	3751	TSS-2410	3456	TMS-2410	3168	TSAG-2410	3014	227 lbs.	26
	11' TVSS-2411	4060	TSS-2411	3693	TMS-2411	3376	TSAG-2411	3187	251 lbs.	29
	12' TVSS-2412	4142	TSS-2412	3771	TMS-2412	3453	TSAG-2412	3264	266 lbs.	32
30" WIDE	2' TVSS-302	1889	TSS-302	1322	TMS-302	1229	TSAG-302	1189	47 lbs.	4
	30" TVSS-300	2037	TSS-300	1471	TMS-300	1366	TSAG-300	1300	52 lbs.	5
	3' TVSS-303	2102	TSS-303	1536	TMS-303	1427	TSAG-303	1370	59 lbs.	6
	4' TVSS-304	2190	TSS-304	1624	TMS-304	1493	TSAG-304	1421	72 lbs.	8
	5' TVSS-305	2342	TSS-305	1775	TMS-305	1635	TSAG-305	1542	85 lbs.	9
	6' TVSS-306	2577	TSS-306	1930	TMS-306	1769	TSAG-306	1663	93 lbs.	11
	7' TVSS-307	2956	TSS-307	2475	TMS-307	2283	TSAG-307	1931	113 lbs.	13
	8' TVSS-308	3066	TSS-308	2735	TMS-308	2512	TSAG-308	2148	126 lbs.	15
	9' TVSS-309	3860	TSS-309	3492	TMS-309	3189	TSAG-309	2995	150 lbs.	17
	10' TVSS-3010	4074	TSS-3010	3707	TMS-3010	3407	TSAG-3010	3215	261 lbs.	32
	11' TVSS-3011	4366	TSS-3011	4001	TMS-3011	3660	TSAG-3011	3431	268 lbs.	35
	12' TVSS-3012	4443	TSS-3012	4079	TMS-3012	3738	TSAG-3012	3507	283 lbs.	37
36" WIDE	3' TVSS-363	2483	TSS-363	1787	TMS-363	1688	TSAG-363	1568	75 lbs.	7
	4' TVSS-364	2532	TSS-364	1834	TMS-364	1738	TSAG-364	1622	82 lbs.	9
	5' TVSS-365	2711	TSS-365	2009	TMS-365	1897	TSAG-365	1779	96 lbs.	11
	6' TVSS-366	2900	TSS-366	2189	TMS-366	2059	TSAG-366	1937	108 lbs.	13
	7' TVSS-367	3511	TSS-367	2906	TMS-367	2750	TSAG-367	2632	127 lbs.	16
	8' TVSS-368	3721	TSS-368	3123	TMS-368	2952	TSAG-368	2822	140 lbs.	18
	9' TVSS-369	4512	TSS-369	4129	TMS-369	3873	TSAG-369	3646	165 lbs.	20
	10' TVSS-3610	4726	TSS-3610	4346	TMS-3610	4090	TSAG-3610	3865	261 lbs.	38
	11' TVSS-3611	5066	TSS-3611	4685	TMS-3611	4403	TSAG-3611	4138	290 lbs.	41
	12' TVSS-3612	5144	TSS-3612	4772	TMS-3612	4487	TSAG-3612	4215	305 lbs.	45
48" WIDE	4' TVSS-484	4527	TSS-484	3537	NOT AVAILABLE				128 lbs.	12
	5' TVSS-485	4892	TSS-485	3905					148 lbs.	15
	6' TVSS-486	5236	TSS-486	4248					170 lbs.	17
	7' TVSS-487	6693	TSS-487	5703					206 lbs.	20
	8' TVSS-488	7133	TSS-488	6148					228 lbs.	23
	9' TVSS-489	8255	TSS-489	7214					260 lbs.	44
	10' TVSS-4810	8395	TSS-4810	7352					454 lbs.	49
	11' TVSS-4811	8532	TSS-4811	7491					517 lbs.	54
	12' TVSS-4812	8673	TSS-4812	7630					532 lbs.	58

TABLES

Flat Top W/ Open Base



TGLG, TMG, TAG Series
Bullnose Edge



TVLG Series
Countertop Edge



Stainless Steel TOP
Galvanized LEGS

Spec-Line			Premium		Standard		Super Saver		Approx. Shipping Weight	Approx. Cubic Feet	
14 Ga. 304 S/S			14 Ga. 304 S/S		16 Ga. 304 S/S		16 Ga. 430 S/S				
Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
24" WIDE	2'	 TVLG-242	\$1493	 TGLG-242	\$939	 TMG-242	\$903	 TAG-242	\$852	25 lbs.	3
	30"	 TVLG-240	1591	 TGLG-240	1029	 TMG-240	975	 TAG-240	915	42 lbs.	4
	3'	 TVLG-243	1653	 TGLG-243	1093	 TMG-243	1036	 TAG-243	982	53 lbs.	5
	4'	TVLG-244	1683	TGLG-244	1113	TMG-244	1050	TAG-244	998	64 lbs.	6
	5'	TVLG-245	1775	TGLG-245	1205	TMG-245	1131	TAG-245	1048	74 lbs.	8
	6'	TVLG-246	1874	TGLG-246	1293	TMG-246	1215	TAG-246	1113	85 lbs.	9
	7'	TVLG-247	2262	TGLG-247	1727	TMG-247	1691	TAG-247	1385	103 lbs.	11
	8'	TVLG-248	2381	TGLG-248	1840	TMG-248	1804	TAG-248	1563	114 lbs.	12
	9'	TVLG-249	2715	TGLG-249	2403	TMG-249	2137	TAG-249	2049	130 lbs.	14
	10'	TVLG-2410	2932	TGLG-2410	2623	TMG-2410	2351	TAG-2410	2267	227 lbs.	26
	11'	TVLG-2411	3164	TGLG-2411	2645	TMG-2411	2491	TAG-2411	2277	251 lbs.	29
	12'	TVLG-2412	3242	TGLG-2412	2721	TMG-2412	2570	TAG-2412	2354	266 lbs.	32
30" WIDE	2'	 TVLG-302	\$1514	 TGLG-302	952	 TMG-302	906	 TAG-302	860	47 lbs.	4
	30"	 TVLG-300	1629	 TGLG-300	1058	 TMG-300	1005	 TAG-300	938	52 lbs.	5
	3'	TVLG-303	1692	TGLG-303	1126	TMG-303	1073	TAG-303	1003	59 lbs.	6
	4'	TVLG-304	1734	TGLG-304	1168	TMG-304	1096	TAG-304	1020	72 lbs.	8
	5'	TVLG-305	1852	TGLG-305	1275	TMG-305	1193	TAG-305	1103	85 lbs.	9
	6'	TVLG-306	1971	TGLG-306	1381	TMG-306	1293	TAG-306	1182	93 lbs.	11
	7'	TVLG-307	2357	TGLG-307	1813	TMG-307	1710	TAG-307	1446	113 lbs.	13
	8'	TVLG-308	2513	TGLG-308	1973	TMG-308	1855	TAG-308	1660	126 lbs.	15
	9'	TVLG-309	2959	TGLG-309	2437	TMG-309	2295	TAG-309	2087	150 lbs.	17
	10'	TVLG-3010	3175	TGLG-3010	2661	TMG-3010	2512	TAG-3010	2305	261 lbs.	32
	11'	TVLG-3011	3378	TGLG-3011	2842	TMG-3011	2679	TAG-3011	2432	268 lbs.	35
	12'	TVLG-3012	3460	TGLG-3012	2923	TMG-3012	2756	TAG-3012	2511	283 lbs.	37
36" WIDE	3'	TVLG-363	2012	TGLG-363	1295	TMG-363	1257	TAG-363	1185	75 lbs.	7
	4'	TVLG-364	2060	TGLG-364	1344	TMG-364	1308	TAG-364	1240	82 lbs.	9
	5'	TVLG-365	2211	TGLG-365	1493	TMG-365	1451	TAG-365	1379	96 lbs.	11
	6'	TVLG-366	2354	TGLG-366	1615	TMG-366	1568	TAG-366	1493	108 lbs.	13
	7'	TVLG-367	2812	TGLG-367	2142	TMG-367	2086	TAG-367	2011	127 lbs.	16
	8'	TVLG-368	2941	TGLG-368	2264	TMG-368	2201	TAG-368	2106	140 lbs.	18
	9'	TVLG-369	3487	TGLG-369	2926	TMG-369	2846	TAG-369	2598	165 lbs.	20
	10'	TVLG-3610	3705	TGLG-3610	3145	TMG-3610	3064	TAG-3610	2813	261 lbs.	38
	11'	TVLG-3611	3945	TGLG-3611	3401	TMG-3611	3276	TAG-3611	2980	290 lbs.	41
	12'	TVLG-3612	4024	TGLG-3612	3479	TMG-3612	3356	TAG-3612	3063	305 lbs.	45
48" WIDE	4'	TVLG-484	4031	TGLG-484	3067	NOT AVAILABLE				128 lbs.	12
	5'	TVLG-485	4403	TGLG-485	3418					148 lbs.	15
	6'	TVLG-486	4772	TGLG-486	3700					170 lbs.	17
	7'	TVLG-487	5962	TGLG-487	4976					206 lbs.	20
	8'	TVLG-488	6243	TGLG-488	5256					228 lbs.	23
	9'	TVLG-489	7313	TGLG-489	6266					260 lbs.	44
	10'	TVLG-4810	7453	TGLG-4810	6406					454 lbs.	49
	11'	TVLG-4811	7594	TGLG-4811	6544					517 lbs.	54
	12'	TVLG-4812	7732	TGLG-4812	6684					532 lbs.	58

TABLES

1-1/2" Rear Splash W/ Undershef

Stainless Steel TOP
Stainless Steel UNDERSHELF
Stainless Steel LEGS

Take Our Tables To New Heights!

ADJUSTABLE TABLE HEIGHT UPGRADE


(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershef
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900

\$4653 ea.

Up to 40 1/2"
Max. Ht.
From Floor



FSS, FMS, SFG Series
Bullnose Edge

NSF

Premium

Standard

Super Saver

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2' FSS-242	\$1243	FMS-242	\$1156	SFG-242	\$1127	31 lbs.	3
	30" FSS-240	1370	FMS-240	1262	SFG-240	1216	49 lbs.	4
	3' FSS-243	1431	FMS-243	1329	SFG-243	1287	64 lbs.	5
	4' FSS-244	1492	FMS-244	1377	SFG-244	1318	79 lbs.	6
	5' FSS-245	1622	FMS-245	1486	SFG-245	1411	92 lbs.	8
	6' FSS-246	1746	FMS-246	1596	SFG-246	1508	109 lbs.	9
	7' FSS-247	2352	FMS-247	2163	SFG-247	1839	130 lbs.	11
	8' FSS-248	2512	FMS-248	2305	SFG-248	1973	145 lbs.	12
	9' FSS-249	3208	FMS-249	2926	SFG-249	2773	161 lbs.	14
	10' FSS-2410	3430	FMS-2410	3145	SFG-2410	2983	261 lbs.	26
	11' FSS-2411	3666	FMS-2411	3344	SFG-2411	3158	293 lbs.	29
	12' FSS-2412	3742	FMS-2412	3423	SFG-2412	3240	308 lbs.	32
30" WIDE	2' FSS-302	1293	FMS-302	1206	SFG-302	1169	55 lbs.	4
	30" FSS-300	1443	FMS-300	1339	SFG-300	1284	65 lbs.	5
	3' FSS-303	1508	FMS-303	1407	SFG-303	1344	72 lbs.	6
	4' FSS-304	1595	FMS-304	1471	SFG-304	1394	89 lbs.	8
	5' FSS-305	1751	FMS-305	1608	SFG-305	1516	107 lbs.	9
	6' FSS-306	1907	FMS-306	1746	SFG-306	1637	125 lbs.	11
	7' FSS-307	2454	FMS-307	2256	SFG-307	1910	148 lbs.	13
	8' FSS-308	2706	FMS-308	2491	SFG-308	2122	166 lbs.	15
	9' FSS-309	3471	FMS-309	3165	SFG-309	2973	176 lbs.	17
	10' FSS-3010	3683	FMS-3010	3379	SFG-3010	3187	287 lbs.	32
	11' FSS-3011	3971	FMS-3011	3633	SFG-3011	3406	324 lbs.	35
	12' FSS-3012	4056	FMS-3012	3712	SFG-3012	3482	339 lbs.	37
36" WIDE	3' FSS-363	1761	FMS-363	1666	SFG-363	1544	88 lbs.	7
	4' FSS-364	1808	FMS-364	1710	SFG-364	1593	98 lbs.	9
	5' FSS-365	1986	FMS-365	1874	SFG-365	1756	118 lbs.	11
	6' FSS-366	2157	FMS-366	2037	SFG-366	1913	138 lbs.	13
	7' FSS-367	2889	FMS-367	2735	SFG-367	2602	164 lbs.	16
	8' FSS-368	3102	FMS-368	2924	SFG-368	2799	184 lbs.	18
	9' FSS-369	4103	FMS-369	3842	SFG-369	3618	190 lbs.	20
	10' FSS-3610	4318	FMS-3610	4060	SFG-3610	3840	223 lbs.	38
	11' FSS-3611	4664	FMS-3611	4376	SFG-3611	4107	350 lbs.	41
	12' FSS-3612	4746	FMS-3612	4457	SFG-3612	4190	365 lbs.	45

Units 8 ft. and larger furnished with 6 legs. **SPECIAL LENGTHS:** Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).



Adjustable Single and Double
Table Mounted Overshelves
See Pages 72.



For Adjustable Components
Featuring Potracks & Overshelves
10", 12" 15" & 18"
See Page 78 & 79.





Featuring as Standard: "THE PROVEN"
Original ADVANCE TABCO Adjustable Undershelf
with Die Cast Leg Clamp



FLG, FMG, FAG Series
Bullnose Edge

Stainless Steel TOP
Galvanized UNDERSHELF
Galvanized LEGS


TABLES

1-1/2" Rear Splash W/ Undershelf



	Premium			Standard		Super Saver		Approx. Shipping Weight	Approx. Cubic Feet
	14 Ga. 304 S/S			16 Ga. 304 S/S		16 Ga. 430 S/S			
	Length	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2'	FLG-242 	\$915	FMG-242 	\$879	FAG-242 	\$825	31 lbs.	3
	30"	FLG-240 	1005	FMG-240 	945	FAG-240 	893	49 lbs.	4
	3'	FLG-243 	1073	FMG-243 	1012	FAG-243 	954	64 lbs.	5
	4'	FLG-244 	1090	FMG-244 	1029	FAG-244 	968	79 lbs.	6
	5'	FLG-245	1181	FMG-245	1106	FAG-245	1026	92 lbs.	8
	6'	FLG-246	1267	FMG-246	1189	FAG-246	1090	109 lbs.	9
	7'	FLG-247	1701	FMG-247	1671	FAG-247	1363	130 lbs.	11
	8'	FLG-248	1814	FMG-248	1779	FAG-248	1538	145 lbs.	12
	9'	FLG-249	2249	FMG-249	2113	FAG-249	2023	161 lbs.	14
	10'	FLG-2410	2462	FMG-2410	2330	FAG-2410	2241	261 lbs.	26
	11'	FLG-2411	2621	FMG-2411	2462	FAG-2411	2296	293 lbs.	29
	12'	FLG-2412	2701	FMG-2412	2543	FAG-2412	2332	308 lbs.	32
30" WIDE	2'	FLG-302 	933	FMG-302 	882	FAG-302 	837	55 lbs.	4
	30"	FLG-300 	1031	FMG-300 	981	FAG-300 	911	65 lbs.	5
	3'	FLG-303 	1099	FMG-303 	1044	FAG-303 	979	72 lbs.	6
	4'	FLG-304 	1137	FMG-304 	1071	FAG-304 	987	89 lbs.	8
	5'	FLG-305	1250	FMG-305	1175	FAG-305	1074	107 lbs.	9
	6'	FLG-306	1355	FMG-306	1267	FAG-306	1156	125 lbs.	11
	7'	FLG-307	1791	FMG-307	1688	FAG-307	1423	148 lbs.	13
	8'	FLG-308	1948	FMG-308	1831	FAG-308	1635	166 lbs.	15
	9'	FLG-309	2416	FMG-309	2268	FAG-309	2055	176 lbs.	17
	10'	FLG-3010	2631	FMG-3010	2491	FAG-3010	2275	287 lbs.	32
	11'	FLG-3011	2816	FMG-3011	2659	FAG-3011	2405	324 lbs.	35
	12'	FLG-3012	2896	FMG-3012	2735	FAG-3012	2490	339 lbs.	37
36" WIDE	3'	FLG-363	1275	FMG-363	1240	FAG-363	1166	88 lbs.	7
	4'	FLG-364	1323	FMG-364	1288	FAG-364	1211	98 lbs.	9
	5'	FLG-365	1471	FMG-365	1427	FAG-365	1349	118 lbs.	11
	6'	FLG-366	1592	FMG-366	1544	FAG-366	1471	138 lbs.	13
	7'	FLG-367	2119	FMG-367	2059	FAG-367	1987	164 lbs.	16
	8'	FLG-368	2238	FMG-368	2180	FAG-368	2103	184 lbs.	18
	9'	FLG-369	2898	FMG-369	2822	FAG-369	2576	190 lbs.	20
	10'	FLG-3610	3116	FMG-3610	2948	FAG-3610	2792	223 lbs.	38
	11'	FLG-3611	3377	FMG-3611	3247	FAG-3611	2955	350 lbs.	41
	12'	FLG-3612	3456	FMG-3612	3330	FAG-3612	3035	365 lbs.	45

SIDE SPLASH



TA-30 1 1/2" Side Splash \$92 ea.
TA-31 5" Side Splash 173 ea.
TA-32 10 1/2" Side Splash 339 ea.

K.D. ALUMINUM PAN RACK SLIDES

6 Slides - 2" Spacing
Mounted on Tables (min. length 3")

TA-44
\$644



Glass Rack Slides
3 Slides - 7 1/2" Spacing
TA-45 \$588

WORKTABLE CASTERS

When Used with Galvanized Legs

TA-25G-4 \$394/set of 4

TA-25G-6 590/set of 6

5" Swivels with rubber wheels
Each set with 2 brakes. Legs
maintain 35-1/2" working height

TA-25B \$193 For Brakes on all wheels for
TA-25SG-4 or TA-25G-6

TA-25C X.H.D. Urethane wheels
\$34 each caster

See Page 66 For More Casters



3 TIER DRAWERS




Stainless
Steel

TA-38
\$3705

20" x 20" x 5"
Drawer Inserts with
Ball Bearing Slides

URN TROUGH



TA-64
\$156/lin.ft.

See pages 59-66 for Additional Accessories & Modifications

TABLES

1-1/2" Rear Splash W/ Open Base

Stainless Steel TOP
Stainless Steel LEGS



Take Our Tables To
New Heights!

ADJUSTABLE TABLE HEIGHT UPGRADE


(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershelf
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900

\$4653 ea.

Up to 40 1/2"
Max. Ht.
From Floor



TFSS, TFMS, TSFG Series
Bullnose Edge

Premium

Standard

Super Saver

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2' TFSS-242	\$1366	TFMS-242	\$1284	TSFG-242	\$1267	25 lbs.	3
	30" TFSS-240	1492	TFMS-240	1389	TSFG-240	1342	42 lbs.	4
	3' TFSS-243	1560	TFMS-243	1455	TSFG-243	1409	53 lbs.	5
	4' TFSS-244	1615	TFMS-244	1502	TSFG-244	1434	64 lbs.	6
	5' TFSS-245	1740	TFMS-245	1608	TSFG-245	1533	74 lbs.	8
	6' TFSS-246	1870	TFMS-246	1721	TSFG-246	1633	85 lbs.	9
	7' TFSS-247	2472	TFMS-247	2287	TSFG-247	1966	103 lbs.	11
	8' TFSS-248	2638	TFMS-248	2434	TSFG-248	2092	114 lbs.	12
	9' TFSS-249	3340	TFMS-249	3059	TSFG-249	2898	130 lbs.	14
	10' TFSS-2410	3561	TFMS-2410	3270	TSFG-2410	3116	227 lbs.	26
	11' TFSS-2411	3795	TFMS-2411	3477	TSFG-2411	3291	251 lbs.	29
	12' TFSS-2412	3875	TFMS-2412	3557	TSFG-2412	3353	266 lbs.	32
30" WIDE	2' TFSS-302	1419	TFMS-302	1329	TSFG-302	1290	47 lbs.	4
	30" TFSS-300	1523	TFMS-300	1462	TSFG-300	1405	52 lbs.	5
	3' TFSS-303	1633	TFMS-303	1530	TSFG-303	1468	59 lbs.	6
	4' TFSS-304	1719	TFMS-304	1593	TSFG-304	1517	72 lbs.	8
	5' TFSS-305	1874	TFMS-305	1731	TSFG-305	1638	85 lbs.	9
	6' TFSS-306	2029	TFMS-306	1806	TSFG-306	1761	93 lbs.	11
	7' TFSS-307	2577	TFMS-307	2380	TSFG-307	2031	113 lbs.	13
	8' TFSS-308	2823	TFMS-308	2609	TSFG-308	2245	126 lbs.	15
	9' TFSS-309	3598	TFMS-309	3296	TSFG-309	3103	150 lbs.	17
	10' TFSS-3010	3809	TFMS-3010	3510	TSFG-3010	3319	242 lbs.	32
	11' TFSS-3011	4106	TFMS-3011	3760	TSFG-3011	3536	268 lbs.	35
	12' TFSS-3012	4188	TFMS-3012	3843	TSFG-3012	3616	283 lbs.	37
36" WIDE	3' TFSS-363	1885	TFMS-363	1789	TSFG-363	1671	70 lbs.	7
	4' TFSS-364	1931	TFMS-364	1838	TSFG-364	1712	77 lbs.	9
	5' TFSS-365	2107	TFMS-365	1994	TSFG-365	1876	91 lbs.	11
	6' TFSS-366	2284	TFMS-366	2157	TSFG-366	2037	103 lbs.	13
	7' TFSS-367	3014	TFMS-367	2856	TSFG-367	2732	122 lbs.	16
	8' TFSS-368	3222	TFMS-368	3045	TSFG-368	2923	135 lbs.	18
	9' TFSS-369	4234	TFMS-369	3970	TSFG-369	3752	160 lbs.	20
	10' TFSS-3610	4450	TFMS-3610	4192	TSFG-3610	3968	253 lbs.	38
	11' TFSS-3611	4794	TFMS-3611	4509	TSFG-3611	4242	282 lbs.	41
	12' TFSS-3612	4875	TFMS-3612	4590	TSFG-3612	4318	297 lbs.	45

Units 8 ft. and larger furnished with 6 legs. SPECIAL LENGTHS: Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).

SELECTED SPEC-LINE UPGRADES

TA-3	Stainless Steel Hat Channel & Gusset	\$54 /lin. ft.
TA-94	16 ga. S/S 304 Undershelf. (any size)	54 /lin. ft.
TA-95	16 ga. S/S 304 Legs	127 /table
TA-23	Legs Welded to Undershelf or Cross-Rails, Shipped Set Up & Crated.	401 /table
TA-23A	Table Legs Welded To Leg Gussets & Undershelf or Cross-Bracing, Shipped Set Up & Crated.	506 /table

WORKTABLE CASTERS

Maintains the 35-1/2" Working Height

TA-25	Castors for Open Base Tables (2 w/ Brakes)	\$394 /set of 4
TA-25A	Castors for Open Base Tables (2 w/ Brakes)	590 /set of 6
TA-25B	Set of Casters with Brakes on All	193 /set (Add to Above)
TA-25C	Upgrade Caster w/ Heavy Duty Urethane Wheels	34 ea. (Add to Above)

See Page 66 for More Caster Options



TFLG, TFMG, TFAG Series
Bullnose Edge



TABLES

1-1/2" Rear Splash W/ Open Base

Stainless Steel TOP
Galvanized LEGS

		Premium		Standard		Super Saver			
		14 Ga. 304 S/S		16 Ga. 304 S/S		16 Ga. 430 S/S		Approx. Shipping Weight	Approx. Cubic Feet
Length	Model #	Price	Model #	Price	Model #	Price			
24" WIDE	2'	 TFLG-242	\$1256	 TFMG-242	\$1003	 TFAG-242	\$947	25 lbs.	3
	30"	 TFLG-240	1128	 TFMG-240	1071	 TFAG-240	1013	42 lbs.	4
	3'	 TFLG-243	1193	 TFMG-243	1133	 TFAG-243	1080	53 lbs.	5
	4'	TFLG-244	1213	TFMG-244	1150	TFAG-244	1096	64 lbs.	6
	5'	TFLG-245	1298	TFMG-245	1229	TFAG-245	1146	74 lbs.	8
	6'	TFLG-246	1393	TFMG-246	1318	TFAG-246	1213	85 lbs.	9
	7'	TFLG-247	1827	TFMG-247	1791	TFAG-247	1485	103 lbs.	11
	8'	TFLG-248	1939	TFMG-248	1901	TFAG-248	1663	114 lbs.	12
	9'	TFLG-249	2373	TFMG-249	2247	TFAG-249	2157	130 lbs.	14
	10'	TFLG-2410	2592	TFMG-2410	2460	TFAG-2410	2378	227 lbs.	26
	11'	TFLG-2411	2747	TFMG-2411	2592	TFAG-2411	2473	251 lbs.	29
	12'	TFLG-2412	2827	TFMG-2412	2668	TFAG-2412	2531	266 lbs.	32
30" WIDE	2'	 TFLG-302	1050	 TFMG-302	1006	 TFAG-302	962	47 lbs.	4
	30"	 TFLG-300	1156	 TFMG-300	1104	 TFAG-300	1034	52 lbs.	5
	3'	 TFLG-303	1219	 TFMG-303	1169	 TFAG-303	1103	59 lbs.	6
	4'	TFLG-304	1261	TFMG-304	1192	TFAG-304	1113	72 lbs.	8
	5'	TFLG-305	1371	TFMG-305	1293	TFAG-305	1202	85 lbs.	9
	6'	TFLG-306	1482	TFMG-306	1393	TFAG-306	1284	93 lbs.	11
	7'	TFLG-307	1913	TFMG-307	1812	TFAG-307	1545	113 lbs.	13
	8'	TFLG-308	2069	TFMG-308	1954	TFAG-308	1760	126 lbs.	15
	9'	TFLG-309	2543	TFMG-309	2403	TFAG-309	2192	150 lbs.	17
	10'	TFLG-3010	2759	TFMG-3010	2623	TFAG-3010	2405	242 lbs.	32
	11'	TFLG-3011	2948	TFMG-3011	2789	TFAG-3011	2542	268 lbs.	35
	12'	TFLG-3012	3027	TFMG-3012	2864	TFAG-3012	2621	283 lbs.	37
36" WIDE	3'	TFLG-363	1410	TFMG-363	1357	TFAG-363	1288	70 lbs.	7
	4'	TFLG-364	1443	TFMG-364	1410	TFAG-364	1335	77 lbs.	9
	5'	TFLG-365	1593	TFMG-365	1550	TFAG-365	1479	91 lbs.	11
	6'	TFLG-366	1710	TFMG-366	1671	TFAG-366	1593	103 lbs.	13
	7'	TFLG-367	2242	TFMG-367	2189	TFAG-367	2112	122 lbs.	16
	8'	TFLG-368	2361	TFMG-368	2302	TFAG-368	2229	135 lbs.	18
	9'	TFLG-369	3079	TFMG-369	2952	TFAG-369	2703	160 lbs.	20
	10'	TFLG-3610	3245	TFMG-3610	3168	TFAG-3610	2922	253 lbs.	38
	11'	TFLG-3611	3505	TFMG-3611	3379	TFAG-3611	3087	282 lbs.	41
	12'	TFLG-3612	3581	TFMG-3612	3461	TFAG-3612	3164	297 lbs.	45

QUICK METRIC CONVERSION TABLE

CONVERT FROM

Inches
Meters
Meters
Centimeters
Millimeters
Cubic Inches

INTO

Cubic Feet
Inches
Feet
Inches
Inches
Gallons

MULTIPLY BY

L x W x H divided by 1728
39.37
3.28
0.3937
0.03937
L x W x H Divided By 231

TABLES

10" & 5" Rear Splash W/ Undershef

Stainless Steel TOP
Stainless Steel UNDERSHELF
Stainless Steel LEGS

Take Our Tables To
New Heights!


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershef
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$4653 ea.

Up to 40 1/2"
Max. Ht.
From Floor



VKS Series
10" Back Splash
Countertop Edge



KSS, KMS, SKG Series
5" Back Splash
Bullnose Edge



NSF

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S


16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Shipping Weight	Feet
24" WIDE	2'	 VKS-242	\$2155	 KSS-242	\$1474	 KMS-242	\$1394	 SKG-242	\$1325	50 lbs.	5
	30"	 VKS-240	2284	 KSS-240	1602	 KMS-240	1505	 SKG-240	1487	55 lbs.	6
	3'	 VKS-243	2352	 KSS-243	1672	 KMS-243	1570	 SKG-243	1551	66 lbs.	7
	4'	VKS-244	2412	KSS-244	1738	KMS-244	1628	SKG-244	1589	81 lbs.	9
	5'	VKS-245	2536	KSS-245	1871	KMS-245	1746	SKG-245	1683	95 lbs.	12
	6'	VKS-246	2662	KSS-246	2008	KMS-246	1870	SKG-246	1785	113 lbs.	14
	7'	VKS-247	3174	KSS-247	2577	KMS-247	2401	SKG-247	2112	135 lbs.	16
	8'	VKS-248	3335	KSS-248	2743	KMS-248	2555	SKG-248	2242	150 lbs.	18
	9'	VKS-249	3880	KSS-249	3493	KMS-249	3218	SKG-249	3059	165 lbs.	21
	10'	VKS-2410	4100	KSS-2410	3712	KMS-2410	3437	SKG-2410	3270	268 lbs.	28
	11'	VKS-2411	4406	KSS-2411	3968	KMS-2411	3661	SKG-2411	3452	301 lbs.	36
	12'	VKS-2412	4488	KSS-2412	4051	KMS-2412	3740	SKG-2412	3528	316 lbs.	39
30" WIDE	2'	 VKS-302	2211	 KSS-302	1523	 KMS-302	1427	 SKG-302	1434	56 lbs.	6
	30"	 VKS-300	2360	 KSS-300	1686	 KMS-300	1573	 SKG-300	1550	70 lbs.	7
	3'	VKS-303	2428	KSS-303	1749	KMS-303	1642	SKG-303	1618	77 lbs.	9
	4'	VKS-304	2511	KSS-304	1840	KMS-304	1712	SKG-304	1671	92 lbs.	11
	5'	VKS-305	2664	KSS-305	2003	KMS-305	1868	SKG-305	1789	111 lbs.	14
	6'	VKS-306	2816	KSS-306	2169	KMS-306	2012	SKG-306	1901	129 lbs.	17
	7'	VKS-307	3277	KSS-307	2673	KMS-307	2491	SKG-307	2092	153 lbs.	20
	8'	VKS-308	3526	KSS-308	2940	KMS-308	2735	SKG-308	2394	171 lbs.	22
	9'	VKS-309	4205	KSS-309	3752	KMS-309	3445	SKG-309	3256	289 lbs.	25
	10'	VKS-3010	4424	KSS-3010	3968	KMS-3010	3671	SKG-3010	3473	294 lbs.	40
	11'	VKS-3011	4710	KSS-3011	4276	KMS-3011	3945	SKG-3011	3693	331 lbs.	43
	12'	VKS-3012	4791	KSS-3012	4353	KMS-3012	4024	SKG-3012	3771	346 lbs.	47
36" WIDE	3'	VKS-363	2811	KSS-363	2117	KMS-363	1971	SKG-363	1813	92 lbs.	10
	4'	VKS-364	2858	KSS-364	2163	KMS-364	2014	SKG-364	1865	101 lbs.	14
	5'	VKS-365	3041	KSS-365	2439	KMS-365	2275	SKG-365	2027	121 lbs.	17
	6'	VKS-366	3227	KSS-366	2620	KMS-366	2437	SKG-366	2189	142 lbs.	20
	7'	VKS-367	3840	KSS-367	3123	KMS-367	2902	SKG-367	2873	169 lbs.	23
	8'	VKS-368	4048	KSS-368	3343	KMS-368	3106	SKG-368	3070	189 lbs.	27
	9'	VKS-369	4847	KSS-369	4471	KMS-369	4116	SKG-369	3912	260 lbs.	30
	10'	VKS-3610	5068	KSS-3610	4687	KMS-3610	4333	SKG-3610	4129	315 lbs.	46
	11'	VKS-3611	5411	KSS-3611	5046	KMS-3611	4658	SKG-3611	4397	358 lbs.	51
12'	VKS-3612	5493	KSS-3612	5129	KMS-3612	4738	SKG-3612	4479	373 lbs.	55	

Units 8 ft. and larger furnished with 6 leg SPECIAL LENGTHS: Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).



PATENT
PENDING

NSF

Revolutionary SHD Series Drawer with Integral Drawer Slides

- Stainless Steel Front & Sides
- Self Closing Drawer with Noise Control
- Drawer "Safety Stop" Tab
- Removable Stainless Steel Insert
- Units can be Stacked to Create Tier Drawers

Model #	Insert Size	Price
SHD-2015	20" x 15" x 5"	\$984
SHD-1520	15" x 20" x 5"	984
SHD-2020	20" x 20" x 5"	1051

DELUXE SERIES

- Stainless Steel Front
- Ball Bearing Slides
- Removable Insert



Stainless Steel			Galvanized		
Model #	Insert Size	Price	Model #	Insert Size	Price
SS-2015	20" x 15" x 5"	\$539	GZ-2015	20" x 15" x 5"	\$383
SS-1520	15" x 20" x 5"	539	GZ-1520	15" x 20" x 5"	383
SS-2020	20" x 20" x 5"	584	GZ-2020	20" x 20" x 5"	418

See Pages 64-65 For More Drawer Details and More Drawer Options!



Featuring as Standard: "THE PROVEN"
Original ADVANCE TABCO Adjustable Undershef
with Die Cast Leg Clamp



TABLES

10" & 5" Rear Splash W/ Undershef

Stainless Steel TOP
Galvanized UNDERSHELF
Galvanized LEGS



VKG Series
10" Back Splash
Countertop Edge



KLG, KMG, KAG Series
5" Back Splash
Bullnose Edge

Spec-Line


Premium

Standard

Super Saver

	14 Ga. 304 S/S			14 Ga. 304 S/S			16 Ga. 304 S/S			16 Ga. 430 S/S			Approx. Shipping Weight	Approx. Cubic Feet
Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price				
24" WIDE	2' VKG-242	\$1888	KLG-242	\$1089	KMG-242	\$1063	KAG-242	\$1006					50 lbs.	5
	30" VKG-240	1987	KLG-240	1182	KMG-240	1147	KAG-240	1074					55 lbs.	6
	3' VKG-243	2054	KLG-243	1246	KMG-243	1213	KAG-243	1137					66 lbs.	7
	4' VKG-244	2086	KLG-244	1282	KMG-244	1241	KAG-244	1142					81 lbs.	9
	5' VKG-245	2190	KLG-245	1371	KMG-245	1329	KAG-245	1219					95 lbs.	12
	6' VKG-246	2290	KLG-246	1471	KMG-246	1421	KAG-246	1292					113 lbs.	14
	7' VKG-247	2699	KLG-247	1871	KMG-247	1812	KAG-247	1589					135 lbs.	16
	8' VKG-248	2828	KLG-248	1994	KMG-248	1953	KAG-248	1769					150 lbs.	18
	9' VKG-249	3245	KLG-249	2472	KMG-249	2372	KAG-249	2267					165 lbs.	21
	10' VKG-2410	3463	KLG-2410	2680	KMG-2410	2591	KAG-2410	2490					268 lbs.	28
	11' VKG-2411	3720	KLG-2411	2783	KMG-2411	2743	KAG-2411	2645					301 lbs.	36
	12' VKG-2412	3795	KLG-2412	2896	KMG-2412	2820	KAG-2412	2721					316 lbs.	39
30" WIDE	2' VKG-302	1906	KLG-302	1105	KMG-302	1074	KAG-302	1013					56 lbs.	6
	30" VKG-300	2019	KLG-300	1215	KMG-300	1182	KAG-300	1096					70 lbs.	7
	3' VKG-303	2008	KLG-303	1285	KMG-303	1246	KAG-303	1161					77 lbs.	9
	4' VKG-304	2141	KLG-304	1328	KMG-304	1288	KAG-304	1181					92 lbs.	11
	5' VKG-305	2265	KLG-305	1441	KMG-305	1393	KAG-305	1264					111 lbs.	14
	6' VKG-306	2386	KLG-306	1560	KMG-306	1506	KAG-306	1347					129 lbs.	17
	7' VKG-307	2799	KLG-307	1957	KMG-307	1895	KAG-307	1660					153 lbs.	20
	8' VKG-308	2977	KLG-308	2123	KMG-308	2051	KAG-308	1876					171 lbs.	22
	9' VKG-309	3508	KLG-309	2636	KMG-309	2531	KAG-309	2428					195 lbs.	25
	10' VKG-3010	3725	KLG-3010	2852	KMG-3010	2747	KAG-3010	2645					294 lbs.	40
	11' VKG-3011	3945	KLG-3011	3054	KMG-3011	2932	KAG-3011	2827					331 lbs.	43
	12' VKG-3012	4024	KLG-3012	3133	KMG-3012	3014	KAG-3012	2901					346 lbs.	47
36" WIDE	3' VKG-363	2439	KLG-363	1622	KMG-363	1565	KAG-363	1486					92 lbs.	10
	4' VKG-364	2494	KLG-364	1671	KMG-364	1600	KAG-364	1536					101 lbs.	14
	5' VKG-365	2651	KLG-365	1834	KMG-365	1775	KAG-365	1666					121 lbs.	17
	6' VKG-366	2798	KLG-366	1966	KMG-366	1896	KAG-366	1765					142 lbs.	20
	7' VKG-367	3291	KLG-367	2302	KMG-367	2220	KAG-367	2086					169 lbs.	23
	8' VKG-368	3425	KLG-368	2584	KMG-368	2499	KAG-368	2350					189 lbs.	27
	9' VKG-369	4073	KLG-369	3188	KMG-369	3063	KAG-369	2962					260 lbs.	30
	10' VKG-3610	4288	KLG-3610	3406	KMG-3610	3279	KAG-3610	3182					315 lbs.	46
	11' VKG-3611	4550	KLG-3611	3639	KMG-3611	3500	KAG-3611	3386					358 lbs.	51
	12' VKG-3612	4627	KLG-3612	3720	KMG-3612	3578	KAG-3612	3464					373 lbs.	55


SIDE SPLASH



TA-30 1 1/2" Side Splash \$92 ea.
TA-31 5" Side Splash 173 ea.
TA-32 10 1/2" Side Splash 339 ea.

K.D. ALUMINUM PAN RACK SLIDES

6 Slides - 2" Spacing
Mounted on Tables (min. length 3')



TA-44
\$644

Glass Rack Slides
3 Slides - 7 1/2" Spacing
TA-45 \$588

WORKTABLE CASTERS

When Used with Galvanized Legs

TA-25G-4 \$394/set of 4
TA-25G-6 \$590/set of 6

5" Swivels with rubber wheels
Each set with 2 brakes. Legs
maintain 35-1/2" working height

TA-25B \$193 For Brakes on all
wheels for TA-25SG-4 or TA-25G-6

TA-25C X.H.D. Urethane wheels
\$34 each caster

See Page 66 For More Casters



3 TIER DRAWERS




Stainless Steel

TA-38
\$3705

20" x 20" x 5"
Drawer Inserts with
Ball Bearing Slides

URN TROUGH



TA-64
\$156/lin.ft.

See pages 59-66 for Additional Accessories & Modifications

TABLES

10" & 5" Rear Splash W/ Open Base

Stainless Steel TOP
Stainless Steel LEGS



**Take Our Tables To
New Heights!**


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershelf
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$4653 ea.

Up to 40 1/2"
Max. Ht.
From Floor



TVKS Series
10" Back Splash
Countertop Edge



TKSS, TKMS,
TSKG Series
5" Back Splash
Bullnose Edge

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2' TVKS-242	\$2283	TKSS-242	\$1595	TKMS-242	\$1517	TSKG-242	\$1517	43 lbs.	5
	30" TVKS-240	2406	TKSS-240	1728	TKMS-240	1629	TSKG-240	1611	49 lbs.	6
	3' TVKS-243	2474	TKSS-243	1794	TKMS-243	1692	TSKG-243	1677	55 lbs.	7
	4' TVKS-244	2534	TKSS-244	1864	TKMS-244	1746	TSKG-244	1708	67 lbs.	9
	5' TVKS-245	2661	TKSS-245	1993	TKMS-245	1870	TSKG-245	1805	77 lbs.	12
	6' TVKS-246	2788	TKSS-246	2132	TKMS-246	1991	TSKG-246	1906	89 lbs.	14
	7' TVKS-247	3298	TKSS-247	2696	TKMS-247	2519	TSKG-247	2231	107 lbs.	16
	8' TVKS-248	3459	TKSS-248	2867	TKMS-248	2676	TSKG-248	2363	119 lbs.	18
	9' TVKS-249	4008	TKSS-249	3621	TKMS-249	3345	TSKG-249	3188	135 lbs.	21
	10' TVKS-2410	4228	TKSS-2410	3843	TKMS-2410	3566	TSKG-2410	3406	234 lbs.	28
	11' TVKS-2411	4543	TKSS-2411	4101	TKMS-2411	3794	TSKG-2411	3578	258 lbs.	36
	12' TVKS-2412	4617	TKSS-2412	4180	TKMS-2412	3871	TSKG-2412	3656	273 lbs.	39
30" WIDE	2' TVKS-302	2339	TKSS-302	1646	TKMS-302	1562	TSKG-302	1562	48 lbs.	6
	30" TVKS-300	2489	TKSS-300	1806	TKMS-300	1698	TSKG-300	1676	55 lbs.	7
	3' TVKS-303	2553	TKSS-303	1873	TKMS-303	1765	TSKG-303	1738	62 lbs.	9
	4' TVKS-304	2637	TKSS-304	1975	TKMS-304	1839	TSKG-304	1791	75 lbs.	11
	5' TVKS-305	2791	TKSS-305	2130	TKMS-305	1990	TSKG-305	1912	89 lbs.	14
	6' TVKS-306	2944	TKSS-306	2290	TKMS-306	2137	TSKG-306	2031	97 lbs.	17
	7' TVKS-307	3403	TKSS-307	2798	TKMS-307	2609	TSKG-307	2302	118 lbs.	20
	8' TVKS-308	3649	TKSS-308	3061	TKMS-308	2856	TSKG-308	2516	131 lbs.	22
	9' TVKS-309	4342	TKSS-309	3882	TKMS-309	3582	TSKG-309	3389	150 lbs.	25
	10' TVKS-3010	4553	TKSS-3010	4101	TKMS-3010	3796	TSKG-3010	3612	249 lbs.	40
	11' TVKS-3011	4843	TKSS-3011	4408	TKMS-3011	4074	TSKG-3011	3823	276 lbs.	43
	12' TVKS-3012	4922	TKSS-3012	4489	TKMS-3012	4155	TSKG-3012	3901	291 lbs.	47
36" WIDE	3' TVKS-363	2934	TKSS-363	2238	TKMS-363	2091	TSKG-363	1937	80 lbs.	10
	4' TVKS-364	2980	TKSS-364	2287	TKMS-364	2141	TSKG-364	1987	85 lbs.	14
	5' TVKS-365	3162	TKSS-365	2569	TKMS-365	2396	TSKG-365	2148	99 lbs.	17
	6' TVKS-366	3347	TKSS-366	2745	TKMS-366	2567	TSKG-366	2304	112 lbs.	20
	7' TVKS-367	3963	TKSS-367	3249	TKMS-367	3028	TSKG-367	2994	131 lbs.	23
	8' TVKS-368	4173	TKSS-368	3468	TKMS-368	3232	TSKG-368	3196	145 lbs.	27
	9' TVKS-369	4978	TKSS-369	4597	TKMS-369	4247	TSKG-369	4037	165 lbs.	30
	10' TVKS-3610	5201	TKSS-3610	4813	TKMS-3610	4466	TSKG-3610	4256	268 lbs.	46
	11' TVKS-3611	5544	TKSS-3611	5180	TKMS-3611	4792	TSKG-3611	4528	298 lbs.	51
	12' TVKS-3612	5620	TKSS-3612	5254	TKMS-3612	4870	TSKG-3612	4608	313 lbs.	55

Units 8 ft. and larger furnished with 6 legs. SPECIAL LENGTHS: Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).

SELECTED SPEC-LINE UPGRADES

TA-3	Stainless Steel Hat Channel & Gusset	\$54 /lin. ft.
TA-94	16 ga. S/S 304 Undershelf. (any size)	54 /lin. ft.
TA-95	16 ga. S/S 304 Legs	127 /table
TA-23	Legs Welded to Undershelf or Cross-Rails, Shipped Set Up & Crated.	401 /table
TA-23A	Table Legs Welded To Leg Gussets & Undershelf or Cross-Bracing, Shipped Set Up & Crated.	506 /table

WORKTABLE CASTERS

Maintains the 35-1/2" Working Height

TA-25	Castors for Open Base Tables (2 w/ Brakes)	\$394 /set of 4
TA-25A	Castors for Open Base Tables (2 w/ Brakes)	590 /set of 6
TA-25B	Set of Casters with Brakes on All	193 /set (Add to Above)
TA-25C	Upgrade Caster w/ Heavy Duty Urethane Wheels	34 ea. (Add to Above)

See Page 66 for More Caster Options



TVKG Series
10" Back Splash
Countertop Edge



TKLG, TKMG, TKAG Series
5" Back Splash
Bullnose Edge



TABLES

10" & 5" Rear Splash W/ Open Base

Stainless Steel TOP
Galvanized LEGS

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2' TVKG-242	\$2009	TKLG-242	\$1211	TKMG-242	\$1183	TKAG-242	\$1130	43 lbs.	5
	30" TVKG-240	2112	TKLG-240	1300	TKMG-240	1275	TKAG-240	1202	49 lbs.	6
	3' TVKG-243	2178	TKLG-243	1370	TKMG-243	1339	TKAG-243	1262	55 lbs.	7
	4' TVKG-244	2210	TKLG-244	1404	TKMG-244	1363	TKAG-244	1293	67 lbs.	9
	5' TVKG-245	2305	TKLG-245	1493	TKMG-245	1451	TKAG-245	1345	77 lbs.	12
	6' TVKG-246	2416	TKLG-246	1593	TKMG-246	1544	TKAG-246	1418	89 lbs.	14
	7' TVKG-247	2820	TKLG-247	1993	TKMG-247	1932	TKAG-247	1708	107 lbs.	16
	8' TVKG-248	2956	TKLG-248	2122	TKMG-248	2055	TKAG-248	1895	119 lbs.	18
	9' TVKG-249	3379	TKLG-249	2598	TKMG-249	2505	TKAG-249	2402	135 lbs.	21
	10' TVKG-2410	3591	TKLG-2410	2813	TKMG-2410	2721	TKAG-2410	2621	234 lbs.	28
	11' TVKG-2411	3847	TKLG-2411	2979	TKMG-2411	2876	TKAG-2411	2775	258 lbs.	36
	12' TVKG-2412	3925	TKLG-2412	3058	TKMG-2412	2954	TKAG-2412	2852	273 lbs.	39
30" WIDE	2' TVKG-302	2028	TKLG-302	1225	TKMG-302	1202	TKAG-302	1136	48 lbs.	6
	30" TVKG-300	2143	TKLG-300	1339	TKMG-300	1300	TKAG-300	1216	55 lbs.	7
	3' TVKG-303	2210	TKLG-303	1407	TKMG-303	1370	TKAG-303	1287	62 lbs.	9
	4' TVKG-304	2264	TKLG-304	1450	TKMG-304	1410	TKAG-304	1298	75 lbs.	11
	5' TVKG-305	2386	TKLG-305	1565	TKMG-305	1516	TKAG-305	1390	89 lbs.	14
	6' TVKG-306	2512	TKLG-306	1683	TKMG-306	1630	TKAG-306	1475	97 lbs.	17
	7' TVKG-307	2923	TKLG-307	2083	TKMG-307	2014	TKAG-307	1786	118 lbs.	20
	8' TVKG-308	3102	TKLG-308	2245	TKMG-308	2177	TKAG-308	2000	131 lbs.	22
	9' TVKG-309	3642	TKLG-309	2764	TKMG-309	2665	TKAG-309	2560	150 lbs.	25
	10' TVKG-3010	3856	TKLG-3010	2980	TKMG-3010	2881	TKAG-3010	2775	249 lbs.	40
	11' TVKG-3011	4074	TKLG-3011	3185	TKMG-3011	3064	TKAG-3011	2955	276 lbs.	43
	12' TVKG-3012	4155	TKLG-3012	3262	TKMG-3012	3145	TKAG-3012	3035	291 lbs.	47
36" WIDE	3' TVKG-363	2569	TKLG-363	1673	TKMG-363	1628	TKAG-363	1612	80 lbs.	10
	4' TVKG-364	2610	TKLG-364	1721	TKMG-364	1673	TKAG-364	1660	85 lbs.	14
	5' TVKG-365	2771	TKLG-365	1955	TKMG-365	1897	TKAG-365	1789	99 lbs.	17
	6' TVKG-366	2922	TKLG-366	2086	TKMG-366	2016	TKAG-366	1889	112 lbs.	20
	7' TVKG-367	3413	TKLG-367	2428	TKMG-367	2351	TKAG-367	2210	131 lbs.	23
	8' TVKG-368	3549	TKLG-368	2708	TKMG-368	2620	TKAG-368	2463	145 lbs.	27
	9' TVKG-369	4200	TKLG-369	3321	TKMG-369	3194	TKAG-369	3096	165 lbs.	30
	10' TVKG-3610	4416	TKLG-3610	3536	TKMG-3610	3413	TKAG-3610	3308	268 lbs.	46
	11' TVKG-3611	4678	TKLG-3611	3771	TKMG-3611	3631	TKAG-3611	3520	298 lbs.	51
	12' TVKG-3612	4754	TKLG-3612	3847	TKMG-3612	3707	TKAG-3612	3592	313 lbs.	55

Put a Sink in Your Table!



* Only Installed In Tables 30" Wide or Wider

** Bowls Are Turned with 16" F to B on 24" Wide Tables

† K-50 Swing Spout Faucet (Double Bowl)

Size	Single Bowl		Double Bowl	
	Model#	Price	Model#	Price
10" x 14" x 5"	TA-11Q	\$1088	TA-11Q-2	\$1988
10" x 14" x 10"	TA-11F	1171	TA-11F-2†	2240
16" x 20" x 8"	TA-11A**	1225	TA-11A-2**	2277
16" x 20" x 12"	TA-11B**	1369	TA-11B-2**	2513
16" x 20" x 14"	TA-11V**	1591	TA-11V-2**	2699
20" x 20" x 8"	TA-11C**	1292	TA-11C-2**	2499
20" x 20" x 12"	TA-11D*	1470	TA-11D-2*	2645
20" x 20" x 14"	TA-11W**	1717	TA-11W-2**	2825
14" x 16" x 12"	TA-11J	1232	TA-11J-2	2305
18" x 24" x 14"	TA-11L	1412	TA-11L-2	2538
18" x 18" x 14"	TA-11N	1395	TA-11N-2	2517
20" x 24" x 14"	TA-11P	1499	TA-11P-2	2692
20" x 30" x 14"	TA-11S*	1635	TA-11S-2*	3048
24" x 24" x 14"	TA-11E*	1541	TA-11E-2*	2896
24" x 30" x 14"	TA-11T*	1683	TA-11T-2*	3207
24" x 36" x 14"	TA-11R*	1738	TA-11R-2*	3255

POLY-VANCE 5/8" THICK CUTTING BOARDS

Model #	Description	Price
K-2A	Cutting Board For 10"x14" Bowls	\$281 ea.
K-2B	Cutting Board For 14"x16" Bowls	281 ea.
K-2C	Cutting Board For 16"x20" Bowls	281 ea.
K-2D	Cutting Board For 18"x24" Bowls	281 ea.
K-2E	Cutting Board For 20"x20" Bowls	281 ea.
K-2F	Cutting Board For 24"x24" Bowls	281 ea.
K-2J	Cutting Board For 18"x18" Bowls	281 ea.
K-2K	Cutting Board For 30"x24" Bowls	281 ea.

For Faucets & Accessories - See Page 33-34

TABLES

Enclosed Base Tables

FLAT TOP UNITS



***Please add "M" after model number when adding Fixed Mid Shelf & refer to prices below**

Open Base

Sliding Doors

Hinged Doors

	Length	Model #	w/ Fixed Mid-Shelf (Add "M")		Model #	# of Doors	w/ Fixed Mid-Shelf (Add "M")		Model #	# of Doors	w/ Fixed Mid-Shelf (Add "M")		Approx. Cubic Feet			
24" WIDE	3'	EB-SS-243	\$2716	M	\$3243	NOT AVAILABLE				HB-SS-243	2	\$4286	M	\$4814	30	
	4'	EB-SS-244	2818	M	3341	CB-SS-244	2	\$3878	M	\$4404	HB-SS-244	2	4492	M	5015	38
	5'	EB-SS-245	3017	M	3603	CB-SS-245	2	4167	M	4757	HB-SS-245	2	4789	M	5375	47
	6'	EB-SS-246	3216	M	3878	CB-SS-246	2	4468	M	5131	HB-SS-246	4	5080	M	5741	56
	7'	EB-SS-247	3501	M	4237	CB-SS-247	4	5108	M	5846	HB-SS-247	4	5717	M	6456	66
	8'	EB-SS-248	3679	M	4472	CB-SS-248	4	5519	M	6317	HB-SS-248	4	6135	M	6930	74
	9'	EB-SS-249	4169	M	5094	CB-SS-249	4	6186	M	7113	HB-SS-249	4	6803	M	7730	83
	10'	EB-SS-2410	4360	M	5283	CB-SS-2410	4	6379	M	7299	HB-SS-2410	4	6991	M	7916	92
12'	EB-SS-2412	6024	M	6759	CB-SS-2412	4	7809	M	8884	HB-SS-2412	6	9445	M	10618	109	
30" WIDE	3'	EB-SS-303	2864	M	3464	NOT AVAILABLE				HB-SS-303	2	4435	M	4980	35	
	4'	EB-SS-304	2966	M	3568	CB-SS-304	2	4025	M	4625	HB-SS-304	2	4633	M	5235	45
	5'	EB-SS-305	3189	M	3878	CB-SS-305	2	4343	M	5030	HB-SS-305	2	4963	M	5651	55
	6'	EB-SS-306	3417	M	4180	CB-SS-306	2	4666	M	5430	HB-SS-306	4	5284	M	6047	66
	7'	EB-SS-307	3650	M	4499	CB-SS-307	4	5249	M	6101	HB-SS-307	4	5865	M	6715	76
	8'	EB-SS-308	4031	M	4979	CB-SS-308	4	5748	M	6698	HB-SS-308	4	6362	M	7311	87
	9'	EB-SS-309	4445	M	5551	CB-SS-309	4	6458	M	7568	HB-SS-309	4	7077	M	8191	97
	10'	EB-SS-3010	4632	M	5740	CB-SS-3010	4	6647	M	7755	HB-SS-3010	4	7266	M	8381	107
12'	EB-SS-3012	6386	M	7118	CB-SS-3012	4	8642	M	9994	HB-SS-3012	6	9941	M	11111	128	
36" WIDE	3'	EB-SS-363	3069	M	3735	NOT AVAILABLE				HB-SS-363	2	4752	M	5414	41	
	4'	EB-SS-364	3168	M	3834	CB-SS-364	2	4293	M	4961	HB-SS-364	2	4954	M	5616	53
	5'	EB-SS-365	3407	M	4181	CB-SS-365	2	4636	M	5413	HB-SS-365	2	5298	M	6075	65
	6'	EB-SS-366	3808	M	4687	CB-SS-366	2	4983	M	5859	HB-SS-366	4	5644	M	6521	77
	7'	EB-SS-367	3896	M	4883	CB-SS-367	4	5608	M	6597	HB-SS-367	4	6264	M	7257	90
	8'	EB-SS-368	4306	M	5340	CB-SS-368	4	6144	M	7179	HB-SS-368	4	6795	M	7830	102
	9'	EB-SS-369	4761	M	6057	CB-SS-369	4	6913	M	8210	HB-SS-369	4	7574	M	8867	114
	10'	EB-SS-3610	4952	M	6249	CB-SS-3610	4	7099	M	8399	HB-SS-3610	4	7763	M	9059	126
	12'	EB-SS-3612	6512	M	7666	CB-SS-3612	4	9167	M	10637	HB-SS-3612	6	10767	M	12071	151

1-1/2" BACKSPLASH UNITS

Open Base

Sliding Doors

Hinged Doors

		w/ Fixed Mid-Shelf				# of		w/ Fixed Mid-Shelf		# of		w/ Fixed Mid-Shelf		Approx. Cubic				
Length		Model #		(Add "M")		Model #		Doors		(Add "M")		Model #		Doors		(Add "M")		Feet
24'' WIDE	3'	EF-SS-243	\$2716	M	\$3243	NOT AVAILABLE				HF-SS-243	2	\$4286	M	\$4814		30		
	4'	EF-SS-244	2818	M	3341	CF-SS-244	2	\$3878	M	\$4404	HF-SS-244	2	4492	M	5015		38	
	5'	EF-SS-245	3017	M	3603	CF-SS-245	2	4167	M	4757	HF-SS-245	2	4789	M	5375		47	
	6'	EF-SS-246	3216	M	3878	CF-SS-246	2	4468	M	5131	HF-SS-246	4	5080	M	5741		56	
	7'	EF-SS-247	3501	M	4237	CF-SS-247	4	5108	M	5846	HF-SS-247	4	5717	M	6456		66	
	8'	EF-SS-248	3679	M	4472	CF-SS-248	4	5519	M	6317	HF-SS-248	4	6135	M	6930		74	
	9'	EF-SS-249	4169	M	5094	CF-SS-249	4	6186	M	7113	HF-SS-249	4	6803	M	7730		83	
	10'	EF-SS-2410	4360	M	5283	CF-SS-2410	4	6379	M	7299	HF-SS-2410	4	6991	M	7916		92	
12'	EF-SS-2412	6024	M	6759	CF-SS-2412	4	7809	M	8884	HF-SS-2412	6	9445	M	10618		109		
30'' WIDE	3'	EF-SS-303	2864	M	3464	NOT AVAILABLE				HF-SS-303	2	4435	M	5033		35		
	4'	EF-SS-304	2966	M	3568	CF-SS-304	2	4025	M	4625	HF-SS-304	2	4633	M	5235		45	
	5'	EF-SS-305	3189	M	3878	CF-SS-305	2	4343	M	5030	HF-SS-305	2	4963	M	5651		55	
	6'	EF-SS-306	3415	M	4180	CF-SS-306	2	4666	M	5430	HF-SS-306	4	5284	M	6047		66	
	7'	EF-SS-307	3650	M	4499	CF-SS-307	4	5249	M	6101	HF-SS-307	4	5865	M	6715		76	
	8'	EF-SS-308	4031	M	4979	CF-SS-308	4	5748	M	6698	HF-SS-308	4	6362	M	7311		87	
	9'	EF-SS-309	4445	M	5551	CF-SS-309	4	6458	M	7568	HF-SS-309	4	7077	M	8185		97	
	10'	EF-SS-3010	4632	M	5740	CF-SS-3010	4	6647	M	7755	HF-SS-3010	4	7266	M	8375		107	
12'	EF-SS-3012	6386	M	7118	CF-SS-3012	4	8642	M	9994	HF-SS-3012	6	9941	M	11111		128		

(Approx. Shipping Weight Is 50 Lbs. Per Lineal Foot)

Call For Installation of Buyout Equipment!

FOR 36" WIDE 1-1/2" SPLASH UNITS: Use 36" Flat Top Price and Replace "B" with "F" (Example: EB-SS-364 would change to read EF-SS-364)

***Please add "M" after model number when adding Fixed Mid Shelf & refer to prices below**

Heavy Duty Bolt-On Style Legs On All Enclosed Base Tables!



TABLES

Enclosed Base Tables

5" BACKSPLASH UNITS



Open Base

Sliding Doors

Hinged Doors

	Length	Model #	w/ Fixed Mid-Shelf (Add "M")		Model #	# of Doors	w/ Fixed Mid-Shelf (Add "M")		Model #	# of Doors	w/ Fixed Mid-Shelf (Add "M")		Approx. Cubic Feet			
24" WIDE	3'	EK-SS-243	\$2802	M	\$3274	NOT AVAILABLE		HK-SS-243	2	\$4376	M	\$4904	30			
	4'	EK-SS-244	2904	M	3373	CK-SS-244	2	\$3962	M	\$4492	HK-SS-244	2	4579	M	5104	38
	5'	EK-SS-245	3108	M	3641	CK-SS-245	2	4263	M	4854	HK-SS-245	2	4875	M	5473	47
	6'	EK-SS-246	3316	M	3922	CK-SS-246	2	4572	M	5277	HK-SS-246	4	5184	M	5850	56
	7'	EK-SS-247	3610	M	4213	CK-SS-247	4	5213	M	5955	HK-SS-247	4	5829	M	6574	66
	8'	EK-SS-248	3795	M	4529	CK-SS-248	4	5631	M	6427	HK-SS-248	4	6253	M	7048	74
	9'	EK-SS-249	4303	M	5168	CK-SS-249	4	6319	M	7239	HK-SS-249	4	6932	M	7858	83
	10'	EK-SS-2410	4494	M	5355	CK-SS-2410	4	6508	M	7431	HK-SS-2410	4	7122	M	8048	92
12'	EK-SS-2412	6170	M	7115	CK-SS-2412	4	8506	M	9535	HK-SS-2412	6	9630	M	10768	109	
30" WIDE	3'	EK-SS-303	3044	M	3551	NOT AVAILABLE		HK-SS-303	2	4519	M	5122	35			
	4'	EK-SS-304	3150	M	3651	CK-SS-304	2	4109	M	4708	HK-SS-304	2	4725	M	5326	45
	5'	EK-SS-305	3312	M	4002	CK-SS-305	2	4439	M	5130	HK-SS-305	2	5053	M	5745	55
	6'	EK-SS-306	3459	M	4224	CK-SS-306	2	4768	M	5535	HK-SS-306	4	5382	M	6148	66
	7'	EK-SS-307	3755	M	4610	CK-SS-307	4	5359	M	6207	HK-SS-307	4	5979	M	7811	76
	8'	EK-SS-308	4148	M	5093	CK-SS-308	4	5862	M	6810	HK-SS-308	4	6863	M	7862	87
	9'	EK-SS-309	4573	M	5742	CK-SS-309	4	6591	M	7705	HK-SS-309	4	7208	M	8313	97
	10'	EK-SS-3010	4767	M	5865	CK-SS-3010	4	6783	M	7890	HK-SS-3010	4	7395	M	8655	107
12'	EK-SS-3012	6510	M	7455	CK-SS-3012	4	9083	M	10293	HK-SS-3012	6	10418	M	11558	128	
36" WIDE	3'	EK-SS-363	3158	M	3818	NOT AVAILABLE		HK-SS-363	2	4838	M	5502	41			
	4'	EK-SS-364	3259	M	3920	CK-SS-364	2	4384	M	5047	HK-SS-364	2	5043	M	5704	53
	5'	EK-SS-365	3484	M	4331	CK-SS-365	2	4741	M	5511	HK-SS-365	2	5393	M	6167	65
	6'	EK-SS-366	3902	M	4786	CK-SS-366	2	5089	M	5966	HK-SS-366	4	5746	M	6618	77
	7'	EK-SS-367	4010	M	4992	CK-SS-367	4	5720	M	6710	HK-SS-367	4	6382	M	7367	90
	8'	EK-SS-368	4425	M	5460	CK-SS-368	4	6260	M	7294	HK-SS-368	4	7329	M	8367	102
	9'	EK-SS-369	5299	M	6135	CK-SS-369	4	7049	M	8345	HK-SS-369	4	7650	M	8943	114
	10'	EK-SS-3610	5741	M	6322	CK-SS-3610	4	7179	M	8474	HK-SS-3610	4	7837	M	9130	126
12'	EK-SS-3612	6767	M	8015	CK-SS-3612	4	9737	M	10965	HK-SS-3612	6	11096	M	12299	151	

(approx. shipping weight is 75 lbs. per lineal foot)

For Enclosed Base Tables Over 12' Add The Following:

TA-65	Open Base Units	\$499 /lin. ft.
TA-66	Sliding Door Units	727 /lin. ft.
TA-67	Hinged Door Units	770 /lin. ft.

We Recommend a Welded Field Joint For Units Over 12'

TA-57 \$257 ea.

(Units over 14' require a Welded or Bolted Field Joint)

ENCLOSED BASE MODIFICATIONS & ACCESSORIES

ADJUSTABLE MID SHELVES FOR ENCLOSED BASE TABLES

TA-255P	Four 5" Heavy Duty Bolt-On Casters	\$636 set/4
TA-255AP	Six 5" Heavy Duty Bolt-On Casters	928 set/6
TA-19L	Replacement Bolt-on Leg w/ Flanged Foot	76 ea.
TA-46	Door Lock	286 ea.
TA-54	Removable Kick Plate	155 /lin. ft.
TA-130	Cutlery Dispenser Holder	226 /lin. ft.
TA-135	Plate Shelf	270 /lin. ft.



CASH-1 \$1078 ea.
Undermount Cash Drawer




TA-20L \$66 ea.
Replacement Bolt-On Leg

TA-116 ADJUSTABLE ENCLOSED BASE CABINET MID SHELF \$800 Per Section

Add To Price of Enclosed Base Table with Fixed Mid Shelf (M).

Shelves Over 36" In Length Require Multiple Sections With Center Partition.

For Partial Shelves Add to Price of Shelf on Page 66.



MULTI-STATIONS

NSF Multi-Stations



= Ships Via UPS

14 GA., 304 STAINLESS STEEL SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



FS-FM-40 Shown



FS-FM-40-F Shown



FS-FM-40EF Shown



FS-FM-40KV Shown



FS-FM-40FV Shown



Toe-Push Valve

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Cu. Ft.	
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
40"	FS-FM-40 ⁺	\$4507	FS-FM-40-F	\$5002	FS-FM-40EF	\$6837	FS-FM-40KV	\$5773	FS-FM-40FV	\$6088	2	72 lbs.	15
60"	FS-FM-60 ⁺	5068	FS-FM-60-F	5812	FS-FM-60EF	8558	FS-FM-60KV	6766	FS-FM-60FV	6963	3	84 lbs.	18
80"	FS-FM-80 ⁺	5780	FS-FM-80-F	6771	FS-FM-80EF	10433	FS-FM-80KV	8056	FS-FM-80FV	8306	4	120 lbs.	22
100"	FS-FM-100 ⁺	6487	FS-FM-100-F	7726	FS-FM-100EF	12303	FS-FM-100KV	9394	FS-FM-100FV	9644	5	156 lbs.	30
120"	FS-FM-120 ⁺	8171	FS-FM-120-F	9658	FS-FM-120EF	15150	FS-FM-120KV	11560	FS-FM-120FV	11960	6	198 lbs.	36

*Add K-472 For Faucet Hole Revision \$121

14 GA., 304 STAINLESS STEEL A.D.A. SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	FS-FM-40-ADA ⁺	\$4507	FS-FM-40-ADA-F	\$5005	FS-FM-40EFADA	\$6622	2	72 lbs.	15
60"	FS-FM-60-ADA ⁺	5068	FS-FM-60-ADA-F	5894	FS-FM-60EFADA	8318	3	84 lbs.	18
80"	FS-FM-80-ADA ⁺	5780	FS-FM-80-ADA-F	6939	FS-FM-80EFADA	11074	4	120 lbs.	22
100"	FS-FM-100-ADA ⁺	6487	FS-FM-100-ADA-F	7987	FS-FM-100EFADA	12029	5	156 lbs.	30
120"	FS-FM-120-ADA ⁺	8171	FS-FM-120-ADA-F	10007	FS-FM-120EFADA	14856	6	198 lbs.	36

*Add K-472 For Faucet Hole Revision \$121



16 GA., 304 STAINLESS STEEL SINKS WITH STAINLESS STEEL LEGS & FLANGED FEET

new 8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Cu. Ft.	
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
40"	FC-FM-40 ⁺	\$3953	FC-FM-40-F	\$4449	FC-FM-40EF	\$6279	FC-FM-40KV	\$5055	FC-FM-40FV	\$5215	2	66 lbs.	15
60"	FC-FM-60 ⁺	4512	FC-FM-60-F	5255	FC-FM-60EF	8002	FC-FM-60KV	6076	FC-FM-60FV	6406	3	77 lbs.	18
80"	FC-FM-80 ⁺	5300	FC-FM-80-F	6292	FC-FM-80EF	9953	FC-FM-80KV	7380	FC-FM-80FV	7827	4	110 lbs.	22
100"	FC-FM-100 ⁺	6080	FC-FM-100-F	7319	FC-FM-100EF	11894	FC-FM-100KV	8572	FC-FM-100FV	9236	5	143 lbs.	30
120"	FC-FM-120 ⁺	7315	FC-FM-120-F	8802	FC-FM-120EF	14294	FC-FM-120KV	10208	FC-FM-120FV	11104	6	182 lbs.	36

*Add K-472 For Faucet Hole Revision \$121

16 GA., 304 STAINLESS STEEL A.D.A. SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	FC-FM-40-ADA ⁺	\$3954	FC-FM-40-ADA-F	\$4503	FC-FM-40EFADA	\$6120	2	66 lbs.	15
60"	FC-FM-60-ADA ⁺	4512	FC-FM-60-ADA-F	5358	FC-FM-60EFADA	7783	3	77 lbs.	18
80"	FC-FM-80-ADA ⁺	5300	FC-FM-80-ADA-F	6387	FC-FM-80EFADA	9620	4	110 lbs.	22
100"	FC-FM-100-ADA ⁺	6080	FC-FM-100-ADA-F	7635	FC-FM-100EFADA	11676	5	143 lbs.	30
120"	FC-FM-120-ADA ⁺	7315	FC-FM-120-ADA-F	9152	FC-FM-120EFADA	14001	6	182 lbs.	36

*Add K-472 For Faucet Hole Revision \$121



FC-FM-40-EFADA Shown

MULTI-STATIONS

NSF Multi-Stations



= Ships Via UPS

14 GA., 304 STAINLESS STEEL SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



FS-FM-40 Shown



FS-FM-40-F Shown



FS-FM-40EF Shown



FS-FM-40KV Shown



FS-FM-40FV Shown



Toe-Push Valve

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
40"	FS-FM-40 ⁺	\$4507	FS-FM-40-F	\$5002	FS-FM-40EF	\$6837	FS-FM-40KV	\$5773	FS-FM-40FV	\$6088	2	72 lbs. 15
60"	FS-FM-60 ⁺	5068	FS-FM-60-F	5812	FS-FM-60EF	8558	FS-FM-60KV	6766	FS-FM-60FV	6963	3	84 lbs. 18
80"	FS-FM-80 ⁺	5780	FS-FM-80-F	6771	FS-FM-80EF	10433	FS-FM-80KV	8056	FS-FM-80FV	8306	4	120 lbs. 22
100"	FS-FM-100 ⁺	6487	FS-FM-100-F	7726	FS-FM-100EF	12303	FS-FM-100KV	9394	FS-FM-100FV	9644	5	156 lbs. 30
120"	FS-FM-120 ⁺	8171	FS-FM-120-F	9658	FS-FM-120EF	15150	FS-FM-120KV	11560	FS-FM-120FV	11960	6	198 lbs. 36

*Add K-472 For Faucet Hole Revision \$121

14 GA., 304 STAINLESS STEEL A.D.A. SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
40"	FS-FM-40-ADA ⁺	\$4507	FS-FM-40-ADA-F	\$5005	FS-FM-40EFADA	\$6622	2	72 lbs. 15
60"	FS-FM-60-ADA ⁺	5068	FS-FM-60-ADA-F	5894	FS-FM-60EFADA	8318	3	84 lbs. 18
80"	FS-FM-80-ADA ⁺	5780	FS-FM-80-ADA-F	6939	FS-FM-80EFADA	11074	4	120 lbs. 22
100"	FS-FM-100-ADA ⁺	6487	FS-FM-100-ADA-F	7987	FS-FM-100EFADA	12029	5	156 lbs. 30
120"	FS-FM-120-ADA ⁺	8171	FS-FM-120-ADA-F	10007	FS-FM-120EFADA	14856	6	198 lbs. 36

*Add K-472 For Faucet Hole Revision \$121



16 GA., 304 STAINLESS STEEL SINKS WITH STAINLESS STEEL LEGS & FLANGED FEET

new 8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
40"	FC-FM-40 ⁺	\$3953	FC-FM-40-F	\$4449	FC-FM-40EF	\$6279	FC-FM-40KV	\$5055	FC-FM-40FV	\$5215	2	66 lbs. 15
60"	FC-FM-60 ⁺	4512	FC-FM-60-F	5255	FC-FM-60EF	8002	FC-FM-60KV	6076	FC-FM-60FV	6406	3	77 lbs. 18
80"	FC-FM-80 ⁺	5300	FC-FM-80-F	6292	FC-FM-80EF	9953	FC-FM-80KV	7380	FC-FM-80FV	7827	4	110 lbs. 22
100"	FC-FM-100 ⁺	6080	FC-FM-100-F	7319	FC-FM-100EF	11894	FC-FM-100KV	8572	FC-FM-100FV	9236	5	143 lbs. 30
120"	FC-FM-120 ⁺	7315	FC-FM-120-F	8802	FC-FM-120EF	14294	FC-FM-120KV	10208	FC-FM-120FV	11104	6	182 lbs. 36

*Add K-472 For Faucet Hole Revision \$121

16 GA., 304 STAINLESS STEEL A.D.A. SINKS W/STAINLESS STEEL LEGS & FLANGED FEET

new 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
40"	FC-FM-40-ADA ⁺	\$3954	FC-FM-40-ADA-F	\$4503	FC-FM-40EFADA	\$6120	2	66 lbs. 15
60"	FC-FM-60-ADA ⁺	4512	FC-FM-60-ADA-F	5358	FC-FM-60EFADA	7783	3	77 lbs. 18
80"	FC-FM-80-ADA ⁺	5300	FC-FM-80-ADA-F	6387	FC-FM-80EFADA	9620	4	110 lbs. 22
100"	FC-FM-100-ADA ⁺	6080	FC-FM-100-ADA-F	7635	FC-FM-100EFADA	11676	5	143 lbs. 30
120"	FC-FM-120-ADA ⁺	7315	FC-FM-120-ADA-F	9152	FC-FM-120EFADA	14001	6	182 lbs. 36

*Add K-472 For Faucet Hole Revision \$121



FC-FM-40-EFADA Shown

WALL CABINETS

15" WIDE STAINLESS STEEL WALL CABINETS

18 Gauge, 430 Stainless Steel
Includes Fixed Mid-Shelf

SLIDING
DOOR



OPEN
UNIT



HINGED
DOORS



Size L x W x H	W/ SLIDING DOORS				OPEN UNIT			W/ HINGED DOORS				Approx. Cu. Ft.
	Model #	Price	Doors	Approx. Weight	Model #	Price	Approx. Weight	Model #	Price	Doors	Approx. Weight	
36" x 15" x 32-1/2"	NOT AVAILABLE				WCO-15-36	\$3397	95 lbs.	WCH-15-36	\$5007	2	120 lbs.	17
48" x 15" x 32-1/2"	WCS-15-48	\$5096	2	155 lbs.	WCO-15-48	3913	120 lbs.	WCH-15-48	5424	2	150 lbs.	21
60" x 15" x 32-1/2"	WCS-15-60	5891	2	185 lbs.	WCO-15-60	4272	145 lbs.	WCH-15-60	6210	2	180 lbs.	26
72" x 15" x 32-1/2"	WCS-15-72	6398	2	220 lbs.	WCO-15-72	5165	180 lbs.	WCH-15-72	6362	4	240 lbs.	31
96" x 15" x 32-1/2"	WCS-15-96	8040	4	295 lbs.	WCO-15-96	5538	240 lbs.	WCH-15-96	7194	4	320 lbs.	41

STORAGE CABINETS



84" High Storage Cabinet w/ 4 Fixed Mid-Shelves

- Single Left-Hinged Door*
- 4 Fixed Stainless Steel Mid-Shelves
- Enclosed Back Panel
- Ventilation Slots

Overall Size: 25"L x 22-5/8"W x 84"H

CAB-4 \$5819
18 Gauge, 430 Stainless Steel

CAB-4-300 \$6389
18 Gauge, 300 Stainless Steel



Vented
Side Panels



WCH-15-24 Left Hinged
Shown (Standard)

Wall Mounted Chemical Storage Cabinet w/ 1 Fixed Mid-Shelf

- Left-Hinged Door*
- Vented Side Panels
- Mounting Hardware Not Included

Overall Size: 24"L x 15"W x 32-1/2"H

WCH-15-24 \$4222

18 Gauge, 430 Stainless Steel

WCH-15-24-300 \$4678

18 Gauge, 300 Stainless Steel

*Optional Right-Hand Door Swing Available - Add **CAB-R** N/C

CABINET ACCESSORIES & MODIFICATIONS



Adjustable Mid-Shelf


TA-115 \$132 per lin. ft.
Add to Price of 84" High Storage
Cabinets or Wall Cabinets



Additional Fixed Mid-Shelf

WC-SHELF \$86 per lin. ft.
For WCS, WCO, WCH Series
Wall Cabinets

K-94-SHELF \$355 ea.
For 84" High Storage Cabinet



Cabinet Door Lock

SU-27 \$286
One Per Hinged Door or
Pair of Sliding Doors

SPECIALTY TABLES

DEMO TABLE

Countertop Edge
Mirror Tilts to
Desired Position



Shown With
Optional Drawer

Model #	Table Size	Mirror Size	Wt.	Cu.	Price
VSS-DT-365	36" x 60"	24" x 48"	275 lbs.	18	\$7673
VSS-DT-366	36" x 72"	24" x 60"	305 lbs.	23	9034

CEILING MOUNTED DEMO MIRROR

- 16 ga. type 304 Stainless Steel
- 1 5/8" Tubing - 4' Posts
- 14 ga. Rainbow Uprights For Added Support
- Glass Mirror



Mirror Tilts to
Desired Position


Model #	Mirror Size	Wt.	Cu.	Price
MI-48	24" x 48"	91 lbs.	7	\$4312
MI-60	24" x 60"	115 lbs.	8	5060

PRINT REQUIRED

CORNER TABLES 14 Gauge, 304 Stainless Steel

5" Rear Splash (1" Return)

Length	24" WIDE		30" WIDE		Wt.	Cu. Ft.
	Model #	Price	Model #	Price		
5'	KTMS-245	\$6544	KTMS-305	\$6679	280 lbs.	30
6'	KTMS-246	6679	KTMS-306	6811	300 lbs.	35
7'	KTMS-247	6811	KTMS-307	6945	320 lbs.	40
8'	KTMS-248	6945	KTMS-308	7077	345 lbs.	45
9'	KTMS-249	7077	KTMS-309	7212	375 lbs.	50
10'	KTMS-2410	7212	KTMS-3010	7347	400 lbs.	55
11'	KTMS-2411	7347	KTMS-3011	7479	425 lbs.	60
12'	KTMS-2412	7613	KTMS-3012	7747	450 lbs.	65



Specify Wall Location & Dimension.
5ft. Length is Standard on One Side.

(Length can be modified, but not to
exceed 7 ft. on one wall dimension)

TA-57 \$257 Prepare Welded Field Joint

Accessories

KT-100	36" Width On Corner Tables	\$137 /lin. ft.
KT-101	Additional Length in Excess of 5'	162 /lin. ft.
KT-102	Special Sizing Charge	N/C

KT-103	Stainless Steel Underself	\$58 /lin. ft.
KT-104	Stainless Steel Cabinet Base	349 /lin. ft.
(Top Is Shipped Separately For Ease In Installation)		

WORK TABLE WITH PREP SINK & FAUCET



KMS-11B-305R
Shown

- 16 ga., 304 Stainless Steel Top
- 5" Rear Splash
- 16" x 20" x 12" Sink Bowl
- Stainless Steel Adjustable Underself
- 4 O.C. Deck Mounted Faucet & Basket Drain Included
- Stainless Steel Legs & Bullet Feet

Model #	Size	Price
KMS-11B-305L	30"x60"	\$3666
KMS-11B-305R	30"x60"	3666
KMS-11B-306L	30"x72"	3789
KMS-11B-306R	30"x72"	3789

CHOOSE
LEFT OR RIGHT
SINK POSITION

PREP TABLE WITH COUNTERTOP EDGE



- 10" Rear Splash
- Includes 1 - 16" x 20" x 8" & 1 - 16" x 20" x 4" Integrally Welded Stainless Steel Sinks
- 21" x 18" x 5/8" Poly-Vance Cutting Board
- Stainless Steel Die-Formed Drawer
- Includes K-55 4" O.C. Gooseneck Faucet.

Model #	Size	Weight	Cu. Ft.	Price
DL-30-72	30" x 72"	155 lbs.	36	\$5872
DL-30-96	30" x 96"	198 lbs.	47	6551

See Page 63 For Additional Integral Sink Sizes

MIXER TABLES

Mixer Tables



Ship Via UPS

MIXER TABLE WITH UTENSIL RACK

24" Work Height to Top of Table (Utensil Rack Has Height of 78")

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
24 x 24	MX-SS-242	\$1909	MX-GL-242	\$1655	53 lbs.	3
24 x 30	MX-SS-302	1976	MX-GL-302	1691	63 lbs.	4
30 x 30	MX-SS-300	2121	MX-GL-300	1808	70 lbs.	5
30 x 36	MX-SS-303	2150	MX-GL-303	1832	77 lbs.	6
36 x 36	MX-SS-363	2209	MX-GL-363	1891	81 lbs.	7

MX-SS-242
Shown
Mixer Not Included



MIXER TABLE WITH UNDERSHELF

24" Work Height

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
24 x 24	MT-SS-242	\$1143	MT-GL-242	\$940	45 lbs.	3
24 x 30	MT-SS-302	1201	MT-GL-302	981	50 lbs.	4
30 x 30	MT-SS-300	1361	MT-GL-300	1093	55 lbs.	5
30 x 36	MT-SS-303	1382	MT-GL-303	1124	68 lbs.	6
36 x 36	MT-SS-363	1449	MT-GL-363	1174	71 lbs.	7

MT-SS-242
Shown



BUDGET MIXER TABLES

24" Work Height

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
24 x 24	SAG-MT-242	\$1033	AG-MT-242	\$839	38 lbs.	3
24 x 30	SAG-MT-302	1085	AG-MT-302	861	41 lbs.	4
30 x 30	SAG-MT-300	1108	AG-MT-300	879	52 lbs.	5
30 x 36	SAG-MT-303	1181	AG-MT-303	923	58 lbs.	6
36 x 36	SAG-MT-363	1247	AG-MT-363	986	64 lbs.	7

AG-MT-242
Shown



MOBILE MIXER TABLES WITH TRAY SLIDES & CASTERS

28" Work Height. Tray Slides Have 2" Spacing

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
30 x 30	MT-MS-300	\$2011	MT-MG-300	\$1746	85 lbs.	9
30 x 36	MT-MS-303	2036	MT-MG-303	1776	95 lbs.	10

MT-MG-300
Shown



MIXER EQUIPMENT TABLE

28" Work Height

Size	Model #	Price	Wt.	Cu. Ft.
24" x 30"	AG-MP-30	\$1710	65 lbs.	4

Add 15" x 20" Drawer SS-1520 \$539

Shown with
Optional Drawer



CASTERS

MAINTAINS 24" WORKING HEIGHT

5" Swivels Each Set with 2 Brakes

For Use with
Stainless Steel Legs

TA-25ES \$394 set/4

For Use with
Galvanized Legs

TA-25EG \$394 set/4

WALL MOUNTED TABLES



Must Be Installed In Cinder Block Wall
Or Equal For Necessary Support



- Rolled Rim
- 1 1/2" Backsplash

Length	Model #	Price
30"	FSS-W-240	\$1452
24"	FSS-W-242	1318
36"	FSS-W-243	1452
48"	FSS-W-244	1574
60"	FSS-W-245	1719
72"	FSS-W-246	1852
84"	FSS-W-247	2495
96"	FSS-W-248	2665

24"
WIDE

Length	Model #	Price
30"	FSS-W-300	\$1528
24"	FSS-W-302	1371
36"	FSS-W-303	1572
48"	FSS-W-304	1689
60"	FSS-W-305	1856
72"	FSS-W-306	2019
84"	FSS-W-307	2598
96"	FSS-W-308	2867

30"
WIDE



Ship Via UPS

STANDS

Equipment Stands

EQUIPMENT STANDS WITH UNDERSHELF NSF

24" Working Height • 14 Ga. Type 304 Series • Up to 1000 lb. Load Capacity



Optional
Heavy Duty Casters

TA-255 Set of 4 \$539

TA-256 Set of 6 714

Each set supplied with
2 Brakes

Length	Stainless Steel				Galvanized				Wt.	Cu. Ft.
	24" WIDE	Price	30" WIDE	Price	24" WIDE	Price	30" WIDE	Price		
2'	ES-242	\$1225	ES-302	\$1281	EG-242	\$1073	EG-302	\$1098	43 lbs.	4
3'	ES-243	1359	ES-303	1436	EG-243	1184	EG-303	1227	56 lbs.	6
4'	ES-244	1489	ES-304	1597	EG-244	1330	EG-304	1366	74 lbs.	8
5'	ES-245	1624	ES-305	1763	EG-245	1407	EG-305	1504	84 lbs.	9
6'	ES-246	1757	ES-306	1919	EG-246	1518	EG-306	1638	102 lbs.	11
7'	ES-247	2192	ES-307	2943	EG-247	1860	EG-307	2555	120 lbs.	13
8'	ES-248	2241	ES-308	2993	EG-248	1908	EG-308	2606	135 lbs.	15

For 36" Wide Equipment Stands Add TA-59 291 per table

NSF



EQUIPMENT STANDS WITH UNDERSHELF & CASTERS

24" Working Height • 14 Ga. Type 304 Stainless Steel • Up to 1000 lb. Load Capacity



Includes Four Heavy Duty
TA-255 5" Swivel Casters,
Two with Brakes

Length	30" WIDE	Price	Wt.	Cu. Ft.
2'	ES-302C	\$1781	51 lbs.	4
3'	ES-303C	1933	68 lbs.	6
4'	ES-304C	2090	85 lbs.	8
5'	ES-305C	2250	102 lbs.	9
6'	ES-306C	2402	119 lbs.	11



Wood Top Cutting Board
w/ Plate Shelf*

*Must Order Cutting Board When
Ordering Plate Shelf



Stainless Steel
Cutting Surface

Optional Equipment Stand Accessories

L	Adj. S/S Cutting Surface		Adj. Wood Cutting Board		Adj. S/S Plate Shelf		Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
2'	TA-812	\$456	TA-922	\$487	TA-962	\$470	28 lbs.	1
3'	TA-813	681	TA-923	550	TA-963	532	30 lbs.	2
4'	TA-814	911	TA-924	617	TA-964	587	34 lbs.	3
5'	TA-815	1136	TA-925	683	TA-965	651	37 lbs.	3
6'	TA-816	1367	TA-926	752	TA-966	711	40 lbs.	4
7'	TA-817	1594	TA-927	884	TA-967	885	56 lbs.	5
8'	TA-818	1824	TA-928	1011	TA-968	1030	64 lbs.	5

EQUIPMENT FILLER TABLES

- Heavy Gauge Stainless Steel
- Stainless Steel Legs
- 1-1/2" Backsplash
- Stainless Steel Adjustable Bullet Feet

NSF

Open Base

Size	Model #	Price	Wt.	Cu. Ft.
12" x 24"	TFMS-122	\$877	22 lbs.	2
12" x 30"	TFMS-120	949	31 lbs.	2
12" x 36"	TFMS-123	1011	39 lbs.	2
15" x 24"	TFMS-152	964	25 lbs.	2
15" x 30"	TFMS-150	1051	33 lbs.	2
15" x 36"	TFMS-153	1111	41 lbs.	3
18" x 24"	TFMS-182	971	27 lbs.	2
18" x 30"	TFMS-180	1063	35 lbs.	3
18" x 36"	TFMS-183	1098	43 lbs.	3



All Filler Tables Must Be Placed Between
2 Other Pieces Of Equipment For Stability.

w/ Adjustable Stainless Steel Undershef

Size	Model #	Price	Wt.	Cu. Ft.
15" x 24"	TFMSU-152	\$1215	28 lbs.	2
15" x 30"	TFMSU-150	1241	36 lbs.	2
18" x 24"	TFMSU-182	1415	38 lbs.	2
18" x 30"	TFMSU-180	1349	41 lbs.	2



WOOD TOPS

Wood Top Bakers Tables

FLAT TOP - OPEN BASE STYLE



All Wood Top Bakers Tables
On Page 56 & 57 Feature
1-3/4" Thick Wood Top



= Ship Via UPS

Stainless Steel Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	TH2S-244	\$1168	80	6	TH2S-304	\$1338	100	7	TH2S-364	\$1779	115	8
5'	TH2S-245	1308	95	7	TH2S-305	1524	120	9	TH2S-365	2029	135	11
6'	TH2S-246	1456	115	9	TH2S-306	1709	140	11	TH2S-366	2283	155	13
7'	TH2S-247	1791	135	10	TH2S-307	2144	155	12	TH2S-367	2856	180	15
8'	TH2S-248	1818	155	12	TH2S-308	2389	185	14	TH2S-368	3105	215	17



Galvanized Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	TH2G-244	\$918	80	6	TH2G-304	\$1026	100	7	TH2G-364	\$1227	115	8
5'	TH2G-245	1014	95	7	TH2G-305	1157	120	9	TH2G-365	1367	135	11
6'	TH2G-246	1111	115	9	TH2G-306	1283	140	11	TH2G-366	1497	155	13
7'	TH2G-247	1353	135	10	TH2G-307	1600	155	12	TH2G-367	1966	180	15
8'	TH2G-248	1593	155	12	TH2G-308	1849	185	14	TH2G-368	1992	215	17

FLAT TOP - WITH ADJUSTABLE UNDERSHELF

Stainless Steel Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
3'	H2S-243	\$1168	75	4	H2S-303	\$1332	90	5	H2S-363	\$1758	105	6
4'	H2S-244	1242	95	6	H2S-304	1410	115	7	H2S-364	1829	135	8
5'	H2S-245	1410	110	7	H2S-305	1613	140	9	H2S-365	2103	160	11
6'	H2S-246	1574	130	9	H2S-306	1824	160	11	H2S-366	2369	185	13
7'	H2S-247	1954	150	10	H2S-307	2297	185	12	H2S-367	2988	215	15
8'	H2S-248	2200	180	12	H2S-308	2541	215	14	H2S-368	3235	255	17



Galvanized Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
3'	H2G-243	\$959	75	4	H2G-303	\$1066	90	5	H2G-363	\$1268	105	6
4'	H2G-244	1031	95	6	H2G-304	1137	115	7	H2G-364	1343	135	8
5'	H2G-245	1159	110	7	H2G-305	1292	140	9	H2G-365	1508	160	11
6'	H2G-246	1286	130	9	H2G-306	1446	160	11	H2G-366	1672	185	13
7'	H2G-247	1577	150	10	H2G-307	1829	185	12	H2G-367	2052	215	15
8'	H2G-248	1822	180	12	H2G-308	2075	215	14	H2G-368	2297	255	17

COVED TOP W/ 4" SPLASH - OPEN BASE STYLE

Features Coved Risers &
Allow For Easy Cleaning

Stainless Steel Base

Length	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt.	Cu. Ft.
4'	TBS-304	\$2622	120	12	TBS-364	\$3447	120	14
5'	TBS-305	2798	150	15	TBS-365	3689	150	18
6'	TBS-306	3283	180	18	TBS-366	4209	180	21
7'	TBS-307	3982	210	21	TBS-367	5253	210	24
8'	TBS-308	4222	240	24	TBS-368	5497	240	28


Galvanized Base

Length	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt.	Cu. Ft.
4'	TBG-304	\$1990	120	12	TBG-364	\$2622	120	14
5'	TBG-305	2130	150	15	TBG-365	2821	150	18
6'	TBG-306	2559	180	18	TBG-366	3379	180	21
7'	TBG-307	3266	210	21	TBG-367	4322	210	24
8'	TBG-308	3508	240	24	TBG-368	4566	240	28



For Special Sizes & Configurations Of
Wood Top Tables, Consult Factory.

For Additional Accessories & Modifications
See Page 59 - 65 for Details



Coved Risers &
Allow For Easy Cleaning!



WOOD TOPS

Wood Top Tables

COVED TOP W/ 4" SPLASH & ADJUSTABLE UNDERSHELF



Stainless Steel Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BS-304	\$2741	160	15	BS-364	\$3566	190	17
5'	BS-305	2948	185	18	BS-365	3838	220	21
6'	BS-306	3372	225	21	BS-366	4457	265	25
7'	BS-307	4215	240	25	BS-367	5493	290	29
8'	BS-308	4457	275	28	BS-368	5735	350	33

Galvanized Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BG-304	\$2108	160	15	BG-364	\$2741	190	17
5'	BG-305	2279	185	18	BG-365	2962	220	21
6'	BG-306	2738	225	21	BG-366	3564	265	25
7'	BG-307	3503	240	25	BG-367	4558	290	29
8'	BG-308	3747	275	28	BG-368	4803	350	33

COVED TOP W/ 4" SPLASH & 3-TIER DRAWERS



BST-306L Shown

Stainless Steel Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BST-304LorR	\$4369	365	46	BST-364LorR	\$5758	390	54
5'	BST-305LorR	4652	400	56	BST-365LorR	6045	430	66
6'	BST-306LorR	5013	440	67	BST-366LorR	6519	475	78
7'	BST-307LorR	5321	465	77	BST-367LorR	7384	505	91
8'	BST-308LorR	5562	500	87	BST-368LorR	7645	560	103

Galvanized Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BGT-304LorR	\$3785	365	46	BGT-364LorR	\$4950	390	54
5'	BGT-305LorR	3926	400	56	BGT-365LorR	5108	430	66
6'	BGT-306LorR	4386	440	67	BGT-366LorR	5642	475	78
7'	BGT-307LorR	5138	465	77	BGT-367LorR	6527	505	91
8'	BGT-308LorR	5382	500	87	BGT-368LorR	6834	560	103

COUNTERTOPS



- 16 Gauge Type 304 S/S
- #4 Satin Finish
- No-Drip "Mirror Hi-Lite Polish" Edge
- Stud Welded Hat Channel
- Sound Deadening

Countertop Shown
with Optional Side Splash
& Sink Bowl



Size	Flat Top	Price	Approx. Wt.	Approx. Cu. Ft.	5" Backsplash	Price	Approx. Wt.	Approx. Cu. Ft.	10" Backsplash	Price	Approx. Wt.	Approx. Cu. Ft.
25" x 30"	VCTC-240	\$1170	28 lbs.	4	VCTF-240	\$1314	28 lbs.	4	VKCT-240	\$1462	28 lbs.	4
25" x 36"	VCTC-243	1170	39 lbs.	5	VCTF-243	1314	39 lbs.	5	VKCT-243	1462	39 lbs.	5
25" x 48"	VCTC-244	1292	49 lbs.	6	VCTF-244	1443	49 lbs.	6	VKCT-244	1608	49 lbs.	6
25" x 60"	VCTC-245	1421	58 lbs.	8	VCTF-245	1571	58 lbs.	8	VKCT-245	1748	58 lbs.	8
25" x 72"	VCTC-246	1544	68 lbs.	9	VCTF-246	1706	68 lbs.	9	VKCT-246	1895	68 lbs.	9
25" x 84"	VCTC-247	1910	85 lbs.	11	VCTF-247	2045	85 lbs.	11	VKCT-247	2273	85 lbs.	11
25" x 96"	VCTC-248	2049	95 lbs.	12	VCTF-248	2191	95 lbs.	12	VKCT-248	2429	95 lbs.	12
25" x 120"	VCTC-2410	2804	201 lbs.	26	VCTF-2410	2988	201 lbs.	26	VKCT-2410	3318	201 lbs.	26
30" x 30"	VCTC-300	1257	38 lbs.	5	VCTF-300	1381	38 lbs.	5	VKCT-300	1535	38 lbs.	5
30" x 36"	VCTC-303	1257	45 lbs.	6	VCTF-303	1381	45 lbs.	6	VKCT-303	1535	45 lbs.	6
30" x 48"	VCTC-304	1393	57 lbs.	8	VCTF-304	1537	57 lbs.	8	VKCT-304	1719	57 lbs.	8
30" x 60"	VCTC-305	1551	69 lbs.	9	VCTF-305	1700	69 lbs.	9	VKCT-305	1889	69 lbs.	9
30" x 72"	VCTC-306	1748	76 lbs.	11	VCTF-306	1855	76 lbs.	11	VKCT-306	2062	76 lbs.	11
30" x 84"	VCTC-307	2013	95 lbs.	13	VCTF-307	2142	95 lbs.	13	VKCT-307	2382	95 lbs.	13
30" x 96"	VCTC-308	2179	107 lbs.	15	VCTF-308	2195	107 lbs.	15	VKCT-308	2631	107 lbs.	15
30" x 120"	VCTC-3010	3130	235 lbs.	32	VCTF-3010	3201	235 lbs.	32	VKCT-3010	3564	235 lbs.	32

POLY TOPS

Poly Top Bakers Tables



FLAT TOP

Tubular Base



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	TSPT-244	\$1491	TSPT-304	\$1615	77 lbs.	8
5'	TSPT-245	1633	TSPT-305	1748	89 lbs.	9
6'	TSPT-246	2181	TSPT-306	2311	117 lbs.	11
7'	TSPT-247	2431	TSPT-307	2659	130 lbs.	13
8'	TSPT-248	2680	TSPT-308	2779	141 lbs.	15
9'	TSPT-249	2832	TSPT-309	2988	180 lbs.	17
10'	TSPT-2410	3063	TSPT-3010	3146	201 lbs.	19

With Underself



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	SPT-244	\$1599	SPT-304	\$1709	89 lbs.	8
5'	SPT-245	1738	SPT-305	1852	102 lbs.	9
6'	SPT-246	2268	SPT-306	2429	125 lbs.	11
7'	SPT-247	2534	SPT-307	2754	141 lbs.	13
8'	SPT-248	2775	SPT-308	2991	168 lbs.	15
9'	SPT-249	2937	SPT-309	3092	196 lbs.	16
10'	SPT-2410	3168	SPT-3010	3250	230 lbs.	17

6" BACKSPLASH

Tubular Base



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	TSPS-244	\$1496	TSPS-304	\$1599	87 lbs.	12
5'	TSPS-245	1650	TSPS-305	1763	101 lbs.	15
6'	TSPS-246	2201	TSPS-306	2351	131 lbs.	18
7'	TSPS-247	2523	TSPS-307	2732	145 lbs.	21
8'	TSPS-248	2750	TSPS-308	2956	160 lbs.	24
9'	TSPS-249	2907	TSPS-309	3103	210 lbs.	16
10'	TSPS-2410	3087	TSPS-3010	3175	235 lbs.	17

With Underself



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	SPS-244	\$1700	SPS-304	\$1811	99 lbs.	12
5'	SPS-245	1932	SPS-305	1974	113 lbs.	15
6'	SPS-246	2504	SPS-306	2556	143 lbs.	18
7'	SPS-247	2842	SPS-307	2938	167 lbs.	21
8'	SPS-248	3074	SPS-308	3128	175 lbs.	24
9'	SPS-249	3122	SPS-309	3309	225 lbs.	25
10'	SPS-2410	3296	SPS-3010	3385	242 lbs.	28

ACCESSORIES

TA-41	Replacement Poly-Vance 5/8" Cutting Board	\$93 /sq. ft.
TA-63	Removable Shelving (In Addition To Standard Shelf)	395 /table
TA-82	Scrap Chute	251 ea.
SHD-2020	Enclosed Drawers - See Page 64 For Details	1051 ea.



TA-84C Shown

KNIFE RACKS

TA-84A	Rolled Rim Type	\$366
TA-84B	Poly Table Type	366
TA-84C	Square Edge Type	366



17 Years in a Row!


TABLE MODS

Smart Table Modifications

TOP MODIFICATIONS




TA-56
5" NSF Partition



TA-523
Drop-In Urn Trough



CDR-5
Condiment Holder



TA-84
Pass-Thru



TA-108
Grommet For Cords

CDR-5	Condiment Holder (Accommodates 5 Bins)	\$823
TA-1	Notch Backsplash For Roll Up Door w/ Pass-Thru	149
TA-3	Stainless Steel Hat Channel & Gusset Upgrade	54 /lin. ft.
TA-7	10" Partial Splash	80 /lin. ft.
TA-8	Column Notch in Rear Splash (Includes Splash)	727 ea.
TA-10	5" Partial Splash	67 /lin. ft.
TA-12	Countertop Edge	668 /table
TA-22	Square Edge Table	N/C
TA-28	Cut-Out For Cold Well. Includes Louvered Doors	1545 /cut out
TA-29	16 Ga. 304 Rear Splash Capping Strip w/Adhesive Backing	66 /lin. ft.
TA-30	1-1/2" Side Splash	92 ea.
TA-30A	1-1/2" Turn Up For Table Tops	42 /lin. ft.
TA-31	5" Side Splash	173 ea.
TA-32	10" Side Splash	339 ea.
TA-34	Top Cut-Out for Drop-In Style Units	254 /cut out
TA-34A	Top Cut-Out for Undermount Well	427 /cut out
TA-35	Splash Cut-Out	185 /cut out
TA-41	Poly-Vance 5/8" Cutting Board	93 /sq. ft.
TA-56	5" NSF Partition	465
TA-56A	18" NSF Partition	670
TA-57	Prepare Welded Field Joint (Welded in field by others)	257 ea.
TA-57A	Bolted Field Joint (Bolted in field by others)	543 ea.
TA-57B	Hairline Field Joint	728 ea.
TA-58	Stepdown to 24" Working Height	1148 ea.
TA-64	Urn Trough (Factory installation only)	156 /lin. ft.
TA-75	Mitered Edge	744 ea.
TA-76	Paint on Sound Deadening	534 /table
TA-79	Flour Trough (Factory installation only)	196 /lin. ft.
TA-82	Scrap Chute (6" dia. opening)	251
TA-84	Simple Pass-Thru	659 /lin. ft.
TA-87	Enclosed Rear Splash	92 /lin. ft.
TA-91	Poly Retaining Clips Includes TA-22 (S/S top table)	461 /table
TA-93	Wall Brackets (Includes 2. For 5" & 10 1/2" splash only)	80 /table



TA-96A	Can Opener Provision for Openers with Bolt-on Base (Customer to provide location)	\$221 ea.
TA-96B	Can Opener Surface Mount Provision with 4" S/S Tube for Openers w/o Base (Customer to provide location)	555 ea.
TA-96C	Can Opener Spacer Plate Provision for Use on Tables With Countertop Edge & Can Opener Base (Customer to provide location)	342 ea.
TA-100	Bull Nose All Sides of Worktable	N/C
TA-101	Rear Tray Lock	92 /lin. ft.
TA-106	Mirror HI-LITE Edge	415 /table
TA-107	Vacuum Breaker Holes on Tables (Includes Back-splash with 2" Return)	380
TA-108	2" Hole with Grommet for Appliance Cord	137 ea.
TA-112	Hubble Outlet	591 ea.
TA-113	Notch Top for Buyout Unit	854 ea.
TA-366A	Heavy Duty Understructure Top	335 /table
TA-502	Install Advance Tabco Drop-In Hand Sinks or Hot Food Unit In Work Table Top (Hot Food Unit Requires TA-34 Top Cut-Out & TA-27 Control Panel. Does not include wiring. Consult factory)	554 ea.
TA-503	Install Advance Tabco 7-PS-42/7-PS-43 Hand Sinks for Countertops (Includes Cut-Out)	438 ea.
TA-521	Drop-In urn Trough 1'	155 ea.
TA-522	Drop-In urn Trough 2'	308 ea.
TA-523	Drop-In urn Trough 3'	463 ea.
TA-524	Drop-In urn Trough 4'	618 ea.
TA-525	Drop-In urn Trough 5'	638 ea.
TA-526	Drop-In urn Trough 6'	676 ea.
TA-527	Drop-In urn Trough 7'	716 ea.
TA-528	Drop-In urn Trough 8'	737 ea.
TA-529	Drop-In urn Trough 9'	782 ea.
TA-550	Install Customer Supplied Buyout Items (Does not include wiring. Consult factory)	Call for Price
TA-551	Installation of Customer Supplied Hot Food Wells. (Requires TA-34 Top Cut-Out & TA-27 Control Panel. Does not include wiring. Consult factory)	825 ea.

TABLE MODS

Call For Installation of Buyout Equipment!

Smart Table Modifications

BASE MODIFICATIONS



TA-39 Louvered Hinged Doors		TA-73 Drop-Down Tray Slide		TA-74 Solid Tray Slide		TA-900 Adjustable Table Height		TA-116 Adj. Mid-Shelf	
TA-4	Removable Access Panel		\$187 /lin. ft.	TA-46	Door Locks		\$286 ea.		
TA-4A	Louvered Panel		504 /lin. ft.	TA-48	12"x12" Cut-Out in Back Panel/Undershelf for Plumbing		240		
TA-5	Curb Mounting Provision		210 ea.	TA-54	Removable Kick Plate		155 /lin. ft.		
TA-15	Provision for Built In Drawer Warmer		404 ea.	TA-55	Remove Back Panel (on Enclosed Base)		N/C		
TA-23	Legs Welded to Undershelf or Cross-Rails, Shipped Set Up & Crated.		401 /table	TA-63	Removable Shelving (In addition to standard shelf & table width)		395 /table.		
TA-23A	Table Legs Welded To Leg Gussets & Undershelf or Cross-Bracing, Shipped Set Up & Crated.		506 /table	TA-70	S/S Tubular Tray Divider (12" sections)		737 ea.		
TA-24	Shell Crating		296 /table	TA-73	Tubular Tray Slide w/Dropdown (Stationary Tray Slide Available. Factory installation only)		268 /lin. ft.		
TA-27	Control Panel (Must add TA-34A)		291 /lin. ft.	TA-74	Solid Tray Slide		368 /lin. ft.		
TA-36-HINGED	Hinged 30" Stainless Steel Door		463 /door	TA-92	12" Apron (in front of sink)		169 /lin. ft.		
TA-36-SLIDING	Sliding 30" Stainless Steel Door		463 /door	TA-92A	17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles		254 /lin. ft.		
TA-36B	1/2 Height Stainless Steel Hinge Doors		470 set/2	TA-116	Adjustable Enclosed Base Cabinet Mid Shelf- Add to Price of Enclosed Base Table with Fixed Mid Shelf (M) on Page 48 or 49. Shelves Over 36" In Length Require Multiple Sections With Center Partition. For Partial Shelves Add To Price Of Shelf On Page 66.		800 ea.		
TA-36C	Hinged door with Trash Flap		649 /ea.	TA-130	Cutlery Dispenser Holder (Undercounter Mounted)		226 /lin. ft.		
TA-37	Stainless Enclosed Base		364 /lin. ft.	TA-135	Plate Shelf (Undercounter Mounted)		270 /lin. ft.		
TA-39	24" Louvered Hinged Doors		668 /door	TA-205	Connect Cafeteria Items (Per Joint Between 2 Tables. Requires Casters)		539 /set		
TA-40	Remove Undershelf in Cabinet Base For Slide in Buyout		N/C	TA-900	Upgrade Table To Be Height Adjustable In Field (Up to 6' Only. Unit Ships Set Up)		4653 ea.		
TA-42-24	Interior Partition (2.5"x24")		214 ea.						
TA-42-30	Interior Partition (2.5"x30")		214 ea.						
TA-42-36	Interior Partition (2.5"x36")		214 ea.						
TA-43	Filler Panel (3"x30" with Flanged Feet)		456 ea.						
TA-44	K.D. Aluminum Pan Rack Slides (6 slides. Table min. lgth. 30")		644						
TA-45	K.D. Aluminum Glass Rack Slides (3 slides. Table min. lgth. 3 feet)		588						

ELECTRICAL & DATA PORT OUTLETS



TA-62
Duplex
Outlet



TA-62A
GFI Duplex
Outlet



TA-62D
GFI
Doghouse
Outlet



TA-62F
Empty
Junction
Box



TA-112
Hubble
Outlet


TA-62A	GFI Duplex Outlet & Cover Plate in a VKS or KSS (1" Deep) Splash. NEMA 5-20R	\$421 ea.	TA-62E	Upgrade Outlet to a NEMA 6-20R or Equiv.	\$322 ea.
TA-62C	GFI Duplex Outlet & Cover Plate Below Shelf Top. NEMA 5-20R	458 ea.	TA-62F	Junction Box (empty) Below Table Top. Includes 1 Gang Size, Stainless Steel Face Plate	222 ea.
TA-62D	GFI Duplex Outlet & Cover Plate in a Doghouse. NEMA 5-20R	487 ea.	TA-112	Hubble Outlet	591 ea.
			TA-622	CAT-6 Data Port Connection Provided (unless otherwise specified. Cable Not Included)	435 ea.

Email in your specifications to smartfab@advancetabco.com

MORE TABLE MODS

Smart Table Modifications

OVERSHELF & POT RACK MODIFICATIONS



TA-9A
1" Turn Up




TA-22A
Square Edge



TA-71
Heat Lamp Mounting Provision



TA-100A
Bull Nose



TA-102
24" x 24" Extension

TA-9A	Partial 1" Turn-Up for all Table Mt. Shelves	\$42 /lin. ft.
TA-22A	Square Edge on Oversheff	98
TA-26-10	Welded Wall Shelf Brackets for 10" Wide Shelf	244 /shelf
TA-26-12	Welded Wall Shelf Brackets for 12" Wide Shelf	244 /shelf
TA-26-15	Welded Wall Shelf Brackets for 15" Wide Shelf	244 /shelf
TA-26-18	Welded Wall Shelf Brackets for 18" Wide Shelf	244 /shelf
TA-47	Shelf Mounting Bracket for Existing Table	89 /shelf
TA-49	Wall Shelf 2" Offset	172 /shelf
TA-60	Special Sizing Charge for Shelves (Must Order Larger Unit to be Cut Down to Smaller Size)	N/C
TA-71	Heat Lamp Mounting Provision (Heat Lamp Installed By Others)	155 ea.
TA-71A	Heat Lamp Remote Control Bracket	305 ea.
TA-78	Additional Lin. Ft. Past 12' For Table Mt. Shelf (For ODS, OTS, TS, DS & WS Shelving only)	181 /lin. ft.
TA-77	Check Minder Shelf Provision (Factory install only)	56 /lin. ft.
TA-83	Spice Bins	236 ea.

TA-84A	Knife Rack for Rolled Rim Tables	\$366 ea.
TA-84B	Knife Rack for Poly Top Tables	366 ea.
TA-84C	Knife Rack for Square Edge Tables	366 ea.
TA-86	Stainless Steel Pot Hooks	25 ea.
TA-89	Double Sided Plated Pot Hooks (Package of 4)	65 /pack
TA-89A	Single Sided Plated Pot Hooks (Package of 4)	60 /pack
TA-98	Stainless Steel Flat Bar in lieu of Chain	296 ea.
TA-99	16 Ga. S/S 304 Upgrade for Wall & Over Shelves	25 /lin. ft.
TA-100A	Bull Nose All Sides of Shelf	N/C
TA-100R	Bull Nose Three Sides of Shelf w/ Rear Turn Up	118
TA-102	24" x 24" Extension for Microwave or Computer Shelf (Add to OTS and ODS Shelves. See page 68)	406 ea.
TA-103	24" Wide PT Shelf (36" Min Length. Mid mt only. See Pg. 73. Add to 18" Wide Shelf)	121 /lin. ft.
TA-104	Additional Length Over 12' (Add to 18" Shelf. (PA & CU Shelving Only. Max. Length is 14' as Single Piece)	261 /lin. ft.

UNDERSHELF MODIFICATIONS

TA-9	1-1/2" Turn-Up for Undershelves	\$42 /lin. ft.
TA-17	Upgrade Undersheff to a Marine Edge (Must add TA-23)	461 ea.
TA-48	12"x12" Cut-Out in Back Panel or Undersheff for Plumbing	240

TA-94	Upgrade 16 Ga. 304 S/S Undersheff	\$54 /lin. ft.
TA-94A	Upgrade 14 Ga. 304 S/S Undersheff	68 /lin. ft.
TA-366	Reinforced Understructure For Undershelves	335 /table

SIZE MODIFICATIONS

TA-33	Special Working Height	\$101
TA-59	36" Wide Equipment Stand	291 ea.
TA-6	Extra Length for Standard Tables Over 12' (Tables Over 14' Require Field Joint TA-57)	385 /lin. ft.
TA-61	Special Sizing Charge (Larger Unit Cut Down to Smaller Size)	N/C
TA-61A	Special Modification Charge	254

TA-65	Enclosed Base Units Over 12' (Open Base Table)	\$499 /lin. ft.
TA-66	Enclosed Base Units Over 12' (Sliding Door Units)	727 /lin. ft.
TA-67	Enclosed Base Units Over 12' (Hinged Door Units)	770 /lin. ft.
TA-105	Modify Enclosed Base Table w/ Drawers to 24" Width	306 /table
TA-110	Modify Enclosed Base Table w/ Drawers to 36" Width	58 /lin. ft.

LEG MODIFICATIONS

TA-16	Galvanized Leg w/ Plastic Bullet Foot (34 1/2" Total Length)	\$58 ea.
TA-16-4	Galvanized Legs w/ Plastic Bullet Feet (34 1/2" Total Length)	232 set/4
TA-16-6	Galvanized Legs w/ Plastic Bullet Feet (34 1/2" Total Length)	348 set/6
TA-19	Flanged Stainless Steel Bullet Feet (34 1/2" Total Length)	56 ea.
TA-20	Stainless Steel Leg w/ S/S Bullet Foot (34 1/2" Total Length)	67 ea.
TA-20-4	Stainless Steel Legs w/ S/S Bullet Feet (34 1/2" Total Length)	268 set/4

TA-20-6	Stainless Steel Legs w/ S/S Bullet Feet (34 1/2" Total Length)	\$402 set/6
TA-21	Stainless Steel Bullet Foot	26 ea.
TA-68	Relocate rear cross rail to center (for chairs/stools on both sides of table. For Open Base Tables Only)	111 ea.
TA-72	Leg to Wall Brace (Set per table)	297 /table
TA-95	Upgrade 16 Ga. 304 S/S Legs Only	127 /table

TABLE ACCESSORIES

Smart Table Accessories

Faucets Included Meet
Federal Lead Free Standards



COUNTERTOP INSTALLED HAND SINKS

- 4" Side Splashes
- K-52 Lead Free Compliant Deck Mounted Faucet
- Undermount Towel Dispenser
- 3-1/2" Basket Drain



7-PS-42 \$2665

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
30 lbs. 2 cu. ft. 20 gauge

- 4" Side Splashes
- Deck Mounted Lead Free Compliant Gooseneck Spout
- Undermount Towel Dispenser
- Knee Operated Valve
- 3-1/2" Basket Drain



7-PS-42A \$2665

Bowl Size: 9" x 9" x 5"
Overall Size: 17-5/8" x 13"
30 lbs. 2 cu. ft. 20 gauge

7-PS-43 \$3085

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
36 lbs. 2 cu. ft. 20 gauge



7-PS-43 Shown in Table

For Factory Installation Add **TA-503 \$438**

Can Be Purchased Separately For In-Field Installation

DROP-IN HAND SINKS & WATER STATIONS

For Custom Cut-Out Add **TA-34 \$254**

For Factory Installation Add **TA-502 \$554**

IMPROVED!
Stronger Actuator



DI-1-5SP \$1472

6" Tapered Side Splash

Splash on Rear and Both Sides
10" x 14" x 5" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
16 lbs. 2 cu. ft. 20 gauge



DI-1-10SP \$1582

6" Tapered Side Splash

Splash on Rear and Both Sides
10" x 14" x 10" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
18 lbs. 2 cu. ft. 20 gauge



DI-1-9 \$1000

Removable Electro-Polished
Stainless Steel Grill
1 1/2" IPS Basket Drain
Overall: 12" x 14"
Cut-Out Size: 11 1/4" x 13 1/4"
15 lbs. 3 cu. Ft.

Water Stations with Ice Bins

Includes K-54 8-1/4" Filler Faucet With "Push-Back" Acrylic Lever Arm (Excludes D-24-SIBL)

IMPROVED!
Stronger Actuator



Ice Bin Inside Dim.:
8" x 13 1/2" x 10 13/16"
Ice Capacity: 23 lbs.

D-24-WSIBL \$1303

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim.: 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
30 lbs. 5 cu. Ft.


IMPROVED!
Stronger Actuator



Ice Bin Inside Dim.:
13 1/2" x 18 3/4" x 10 13/16"
Ice Capacity: 50 lbs.

D-24-WSIBL2 \$1565

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim.: 18" x 21"
Cut-Out Size: 15 1/4" x 20 5/8"
47 lbs. 5 cu. Ft.



Includes Sliding
Stainless Steel Cover



D-24-SIBL \$1396

K-51 Deck Mounted Faucet
Insulated Ice Bin w/ S/S Cover
1" IPS Drain In Ice Bin
Outside Dim.: 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
Factory Installed Only
20 Gauge Galvanized Steel
30 lbs. 5 cu. Ft.

Hand Sink Size:
9 1/2" x 11 1/2" x 6"

Ice Bin Inside Dim.:
8" x 13 1/2" x 10 13/16"
Ice Capacity: 23 lbs.

Upgrade to a 12" Filler Faucet

Use K-54OMIT, Deduct -\$385 and Add K-54A \$576

(K-54OMIT MUST be ordered with K-54A to receive upgrade)



INTEGRAL SINKS

Integral Sinks

WELDED SINKS INTO TABLE TOP

Includes Lead Free Compliant Faucet & K-6 Basket Drain(s)



Flat Top, 1", 1-1/2" & 5" Backsplash Include Deck Mount Faucet

- Single Sink Bowl provided with K-50 Swing Spout Faucet
- Double Sink Bowls provided with K-53 Swing Spout Faucet

10" Backsplash Include Splash Mount Faucet

- Single & Double Sink Bowls provided with K-1 Swing Spout Faucet

Splash Mount Faucet Available On 5" Backsplash - Add TA-11Z \$42/lin. ft.



Flat Top
w/ K-50
Deck Mount
Faucet Shown



10" Backsplash
w/ K-1
Splash Mount
Faucet Shown

Size


A	B	Single Bowl		Double Bowl	
		Model#	Price	Model#	Price
10" x 14" x 5"		TA-11Q	\$1088	TA-11Q-2 [†]	\$1988
10" x 14" x 10"		TA-11F	1171	TA-11F-2 [†]	2240
14" x 16" x 12"		TA-11J	1232	TA-11J-2	2305
16" x 20" x 8"		TA-11A**	1225	TA-11A-2**	2277
16" x 20" x 12"		TA-11B**	1369	TA-11B-2**	2513
16" x 20" x 14"		TA-11V**	1591	TA-11V-2**	2699
18" x 18" x 14"		TA-11N	1395	TA-11N-2	2517
18" x 24" x 14"		TA-11L	1412	TA-11L-2	2538
20" x 20" x 8"		TA-11C*	1292	TA-11C-2*	2499
20" x 20" x 12"		TA-11D*	1470	TA-11D-2*	2645
20" x 20" x 14"		TA-11W*	1717	TA-11W-2*	2825
20" x 24" x 14"		TA-11P	1499	TA-11P-2	2692
20" x 30" x 14"		TA-11S*	1635	TA-11S-2*	3048
24" x 24" x 14"		TA-11E*	1541	TA-11E-2*	2896
24" x 30" x 14"		TA-11T*	1683	TA-11T-2*	3207
24" x 36" x 14"		TA-11R*	1738	TA-11R-2*	3255

* Only Installed In Tables 30" Wide or Wider


** Bowls Are Turned with 16" Front to Back on 24" Wide Tables

† K-50 Swing Spout Faucet (Double Bowl)


FLAT TOP, 1" or 1-1/2" REAR SPLASH



5" REAR SPLASH with 1" RETURN



10" REAR SPLASH with 2" RETURN



Modifications



TA-56 \$465
5" NSF Partition



TA-92 \$169
Add 12" Apron
In Front Of Sink



TA-11Z \$42/lin. ft.
(Return Only)
Modify 5" Splash To
Have 2" Return For
Splash Mounted Faucet

Faucets & Accessories

K-2B	Poly-Vance Sink Cutting Board for 14" x 16" Bowls	\$281 ea.
K-2C	Poly-Vance Sink Cutting Board for 16" x 20" Bowls	281 ea.
K-2D	Poly-Vance Sink Cutting Board for 18" x 24" Bowls	281 ea.
K-2E	Poly-Vance Sink Cutting Board for 20" x 20" Bowls	281 ea.
K-2F	Poly-Vance Sink Cutting Board for 24" x 24" Bowls	281 ea.
K-2J	Poly-Vance Sink Cutting Board for 18" x 18" Bowls	281 ea.
K-4	Lever Drain Bracket	122
K-5	Lever Drain	265
K-12	Deck Mounted Soap Dispenser	144
K-15	Lever Drain With Overflow	469
K-50	8" Deck Mounted 4" O.C. Swing Spout Faucet	245
K-50OMIT	Omit Swing Spout	-22
K-52	3 1/2" Spout Deck Mounted 4" O.C. Gooseneck Faucet	221
K-52OMIT	Omit Swing Spout Gooseneck Faucet	-22
K-53	12" Deck Mounted 4" O.C. Swing Spout Faucet	427
K-54	8-1/4" Water Filler Faucet	468

K-54A	12" Water Filler Faucet	\$576
K-55	8 1/2" Spout 4" O.C. Deck Mounted Gooseneck Faucet	427
K-60	4" O.C. Splash Mounted Gooseneck Faucet	554
K-62	X.H.D. 4" O.C. Deck Mounted Gooseneck Faucet	439
K-105	14" Splash Mounted 8" O.C. Faucet	415
K-112	Extra Heavy Duty 12" Splash Mounted Faucets	406
K-316-LU	Wrist Handles For Splash Mounted Faucets	114
K-350	Residential Finish & Packaging	360
K-452	6" x 9" Control Bracket	267
K-453	14" x 16" Control Bracket	287
K-460	Installation Of Disposal Cone w/ 6" x 9" Control Bracket	798
K-461	Installation Of Collar w/ 6" x 9" Control Bracket	798
K-470	14" Deep Bowls	173
K-472	Faucet Hole Revision	121
DTA-100	Prerinse Basket for 20" x 20" Bowls	617
DTA-125	Prerinse Basket for 16" x 20" Bowls	538

DRAWERS

Integral Drawer Slides

Ship Via UPS



**PATENT
PENDING**


Shown With
3 Tier Drawer Set Up

REVOLUTIONARY NEW SHD SERIES DRAWER WITH INTEGRAL DRAWER SLIDES

- Stainless Steel Front & Sides
- Self Closing Drawer with Noise Control
- Drawer "Safety Stop" Tab
- Removable Stainless Steel Insert

- Units Can Be Stacked to Create Multiple Tier Drawers
- Hardware Included
- NSF Approved

**Drawers Stack With Ease
To Create Tier Drawers!
Easily Installs In Field**



Features a
"Safety Stop" Tab



NSF

Insert Size

SHD-2015	20" x 15" x 5" Overall Dim. 24 5/8" x 17 1/2"	\$984	
SHD-1520	15" x 20" x 5" Overall Dim. 17 1/2" x 24 5/8"	\$984	
SHD-2020	20" x 20" x 5" Overall Dim. 24 5/8" x 22 11/16"	\$1051	

SHD Series Modifications & Accessories

TA-2	Concealed Side Panel For 20" x 15" Drawer (Add Additional Cost to TA-SHD-1, 2, or 3 Price)	\$39 ea.
TA-13	Padlockable Drawer Lock	259
TA-14SHD	Drawer Lock For SHD Drawers	143
TA-97SHD	Poly Board Storage Brackets For SHD Drawers	300
TA-41SHD	5/8" Thick Poly Cutting Board For SHD Drawers	146 ea.

Optional Concealed Side Panels FOR 20"x20" DRAWERS (1 Needed For Each Side)




1 Drawer:
TA-SHD-1
\$153



2 Drawers:
TA-SHD-2 **\$192**
each side



3 Drawers:
TA-SHD-3
\$230




TA-97SHD \$300
Poly Board Storage Bracket
(Installs In Field. Hardware Included)



**Rear View of Multiple Stacked
Drawers. Seams Exposed**

DELUXE SERIES DRAWERS


- Stainless Steel Front • Ball Bearing Slides • Removable Insert



	All Stainless Steel		All Stainless Steel with Keyed Lock		Galvanized Body	
Insert Size	Model #	Price	Model #	Price	Model #	Price
20" x 15" x 5"	SS-2015	\$539	SS-2015-DL	\$667	GZ-2015	\$383
15" x 20" x 5"	SS-1520	539	SS-1520-DL	667	GZ-1520	383
20" x 20" x 5"	SS-2020	584	SS-2020-DL	712	GZ-2020	418

BUDGET SERIES DRAWERS

- Friction Slides • Die Formed Handle



	All Stainless Steel		Galvanized Body	
Insert Size	Model #	Price	Model #	Price
20" x 15" x 5"	FS-2015	\$237	FG-2015	\$159
15" x 20" x 5"	FS-1520	237	FG-1520	159
20" x 20" x 5"	FS-2020	271	FG-2020	174

Deluxe and Budget Drawer Accessories

Padlockable Drawer Lock

(Does not include lock. Fits padlocks up to 3/8" Dia. lock shaft)

TA-13 **\$259**

Keyed Drawer Lock (GZ Series)

TA-14 **128**

Drawer Adapter/Non Catalog Tables

(specify table width)

TA-90 **62**

Replacement Drawer Slides (FS & FG Series)

TA-SL-15 **137**

Replacement Drawer Slides (SS & GZ Series)

TA-SL-20 **149**



TA-14 Drawer Lock

CONCEALED HAND SINK DRAWER

Take Back Your Countertop Space!



- Easily Installs into Existing Advance Tabco Work Tables/Countertops or Integrates into Custom Fabrication
- Overall Size: 22 5/8" W x 19 7/8" L x 19 1/4" H"
- 10" x 14" x 5" Deep Sink Bowl
- Pre-Drilled Holes In Flanges For Easy Mounting
- Integral Drawer Slides For Smooth Operation
- "Safety Stop" Tab
- K-50 Swing Spout Faucet
- 1-1/2" Sink Drain with Strainer Plate
- Drainage Pan with 1-1/2" Drain & Strainer Plate (Drain Pipe & Fittings Included.)

7-PS-47 \$2600

70 lbs. 7 cu. ft. 18 gauge



K-50 Faucet



**Drawer
Safety Stop Tab**

NSF

**All Units on this Page Feature
the All New SHD Series Drawers!**

DRAWERS

Integral Drawer Slides

MOBILE DRAWER CABINETS

- Stainless Steel Top Features Countertop Edge
- 5" Swivel Plate Casters (2 with Brakes)
- Available with Three or Four Tier Drawers

Model #	Overall Size L x W x H	# Of Drawers	Drawer Size	Price
MDC-2020	25 1/4" x 25 3/4" x 29 1/2"	3	20" x 20" x 5"	\$4055
MDC-4-2020	25 1/4" x 25 3/4" x 29 1/2"	4	20" x 20" x 5"	4940
MDC-2015	25 1/4" x 21 3/4" x 29 1/2"	3	20" x 15" x 5"	3923
MDC-4-2015	25 1/4" x 21 3/4" x 29 1/2"	4	20" x 15" x 5"	4787



FACTORY INSTALLED "SHD SERIES" TIER DRAWERS

**3 or 4 Tiers Available
Factory Installation Only**


Model #	# Of Tiers	Inset Size	Price
TA-38	3 Tiers	20" x 20" x 5"	\$3705
TA-384	4 Tiers	20" x 20" x 5"	4478



TA-38 SHOWN

For Tier Drawers on 24" Tables,
Add **TA-380 \$153** (Drawers will be 20" x 15" x 5")

**New 4 Tier Unit Offers More Storage,
Same Height as 3 Tier Units!**



ADT-3-2020 SERIES SHOWN
(Table Not Included)

**SHIPPED
FULLY
ASSEMBLED!**



ADD-A-TIER DRAWERS

**Fits Under 24", 30" and 36" Wide
Open Base Work Tables!**

Features:

- Units Come Fully Assembled!
- Includes 2 or 3 **SHD-2020 Series Drawers** Stacked with 2 **TA-SHD Series Concealed Side Panels** (See Photos).
- Hangs From Underside of Open Base Table with Included Hardware.

(See Page 60 for SHD Series Drawer Details)

Includes 2 Concealed Side Panels



2 Drawer Concealed Panel
Model ADT-2-2020 Shown



3 Drawer Concealed Panel
Model ADT-3-2020 Shown



Rear View of Stacked Drawers
Drawer Seams Exposed

Model #	Overall Size L x W x H	# Of Drawers	Drawer Size	Price
ADT-2-2020	23" x 23" x 14"	2	20" x 20" x 5"	\$2469
ADT-3-2020	23" x 23" x 21"	3	20" x 20" x 5"	3583
ADT-3-2015	23" x 18" x 21"	3	20" x 15" x 5"	3386

CASTERS

Casters

All Casters Ship Via UPS

WORK TABLE CASTERS



Standard Casters

Legs Cut To Maintains Standard 35-1/2" Working Height

200 lbs. Load Capacity Per Caster

When Used w/ Stainless Steel Legs

TA-25S-4 \$394/set of 4 (Two with Brakes)

TA-25S-6 \$590/set of 6 (Two with Brakes)

When Used w/ Galvanized Legs

TA-25G-4 \$394/set of 4 (Two with Brakes)

TA-25G-6 \$590/set of 6 (Two with Brakes)

Casters For Special Height Tables (TA-33) and Open Base Tables (T Series)

TA-25 \$394/set of 4 (Two with Brakes)

TA-25A \$590/set of 6 (Two with Brakes)

200 lbs. Load Capacity Per Caster



Single Replacement Casters

Available With Or Without Brake (Legs Not Included)

200 lbs. Load Capacity Per Caster

TA-25R \$78 ea. (No Brake)

TA-25RB \$95 ea. (With Brake)



Optional Standard Caster Upgrades:

TA-25B \$193/set

For brakes on all wheels (Standard Casters) - Add price to the following models: TA-25, TA-25A, TA-25S-4, TA-25S-6, TA-25G-4, TA-25G-6

TA-25C \$34/Per Caster

Upgrade Standard Caster with Heavy Duty Urethane Wheels (Per Caster)

EQUIPMENT STAND CASTERS



Standard Casters

5" Urethane Wheels.

Maintains the Standard 24" Working Height

200 lbs. Load Capacity Per Caster

w/ Stainless Steel Legs

TA-25ES \$394/set of 4 (Two with Brakes)

w/ Galvanized Legs

TA-25EG \$394/set of 4 (Two with Brakes)

HEAVY DUTY Casters

5" Urethane Wheels

400 lbs. Load Capacity Per Caster

TA-255 \$539 Super Heavy Duty Set of 4 (Two with Brakes)

TA-256 714 Super Heavy Duty Set of 6 (Two with Brakes)



Enclosed Base Table Casters

Easy Bolt-On Style



TA-255P \$636 Set of 4 (Two with Brakes)

TA-255AP \$928 Set of 6 (Two with Brakes)

300 lbs. Load Capacity Per Caster

For brakes on all wheels (Enclosed Base Casters) - Add price to models: TA-255P or TA-255AP

TA-255PB \$305

Optional Equipment Stand Caster Upgrade:

TA-255B \$264 For brakes on all wheels (Equipment Casters) - Add price to any of the following models: TA-255, TA-256, TA-25ES, TA-25EG

MID-SHELF & UNDERSHELVES



Shelf Capacity
20 lbs./sq. ft.



Stainless Steel

Galvanized

Length	24" Wide	Price	30" Wide	Price	36" Wide	Price	24" Wide	Price	30" Wide	Price	36" Wide	Price
2'	US-24-24	\$322	US-30-24	\$365	NOT AVAILABLE		UG-24-24	\$184	UG-30-24	\$218	NOT AVAILABLE	
30"	US-24-30	365	US-30-30	402	US-36-30	\$462	UG-24-30	218	UG-30-30	223	UG-36-30	\$228
3'	US-24-36	380	US-30-36	462	US-36-36	555	UG-24-36	230	UG-30-36	228	UG-36-36	234
4'	US-24-48	429	US-30-48	521	US-36-48	592	UG-24-48	236	UG-30-48	243	UG-36-48	245
5'	US-24-60	495	US-30-60	564	US-36-60	668	UG-24-60	243	UG-30-60	251	UG-36-60	265
6'	US-24-72	559	US-30-72	641	US-36-72	788	UG-24-72	245	UG-30-72	265	UG-36-72	270
7'	US-24-84	635	US-30-84	689	US-36-84	832	UG-24-84	251	UG-30-84	270	UG-36-84	281
8'	US-24-96	689	US-30-96	785	US-36-96	907	UG-24-96	265	UG-30-96	275	UG-36-96	305
9'	US-24-108	717	US-30-108	899	US-36-108	1082	UG-24-108	275	UG-30-108	316	UG-36-108	328
10'	US-24-120	754	US-30-120	936	US-36-120	1119	UG-24-120	298	UG-30-120	337	UG-36-120	348
11'	US-24-132	939	US-30-132	1106	US-36-132	1234	UG-24-132	331	UG-30-132	363	UG-36-132	374
12'	US-24-144	966	US-30-144	1142	US-36-144	1302	UG-24-144	371	UG-30-144	404	UG-36-144	415

TA-94 \$54 lin. ft.

16 ga. S/S 304 Series Upgrade for any shelf

TA-9 \$42 lin. ft.

1-1/2" Turn-Up for Undershelves

sleek Shields™

FOOD SHIELDS Food Shields

PATENT PENDING

MULTI-USE FOOD SHIELDS

Quickly Converts From Cafeteria Style To Self-Serve Style



With Stainless Steel Shelf

18" Standard Shelf Height (Top of Table to Top of Shelf). 24" Wide Shelving Also Available



DSG-12S-48 Glass Positioned For Cafeteria Style

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
DSG-12S-36	\$4367	131 lbs.	DSG-15S-36	\$4896	133 lbs.	DSG-18S-36	\$5106	136 lbs.	14
DSG-12S-48	4517	166 lbs.	DSG-15S-48	5007	169 lbs.	DSG-18S-48	5215	173 lbs.	18
DSG-12S-60	5138	191 lbs.	DSG-15S-60	5379	196 lbs.	DSG-18S-60	5588	199 lbs.	22
DSG-12S-72	5342	237 lbs.	DSG-15S-72	5652	245 lbs.	DSG-18S-72	5991	250 lbs.	26
DSG-12S-84†	5528	276 lbs.	DSG-15S-84†	5907	279 lbs.	DSG-18S-84†	6118	286 lbs.	30
DSG-12S-96†	6004	312 lbs.	DSG-15S-96†	6317	314 lbs.	DSG-18S-96†	6525	323 lbs.	34
DSG-12S-108†	6177	346 lbs.	DSG-15S-108†	6651	353 lbs.	DSG-18S-108†	6861	359 lbs.	38
DSG-12S-120†	6356	382 lbs.	DSG-15S-120†	6854	389 lbs.	DSG-18S-120†	7050	397 lbs.	42
DSG-12S-132†	6514	420 lbs.	DSG-15S-132†	7009	428 lbs.	DSG-18S-132†	7219	437 lbs.	46
DSG-12S-144††	6818	455 lbs.	DSG-15S-144††	7143	465 lbs.	DSG-18S-144††	7352	473 lbs.	50

- Bottom front glass locks in place at 3 fixed positions
- Entire glass front rotates for easy cleaning
- Stainless Steel 1" diameter Posts.
- Includes Two 18" Wide Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Side Panels
- 3/8" Thick Heat-Tempered Glass Fronts
- Stainless Steel Top Shelf (DSG "S" Series)
- 3/8" Glass Top Shelf (DSG "G" Series)

†Requires a Single Pair of Center Legs (Factory Print Included)

††Requires Two Pair of Center Legs (Factory Print Included)



Bottom Glass Flips All The Way Up To Become A Self-Serve Unit



Bottom Glass Can be Used As a Shelf



Easy To Use Mechanism For Changing Front Glass Positions



Entire Glass Shield Rotates For Easy Cleaning

With 3/8" Glass Top

18" Standard Shelf Height (Top of Table to Top of Glass Shelf)



DSG-12G-72 Glass Positioned For Cafeteria Style

DSG-12G-12-72 Glass Positioned For Self-Serve Style

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
DSG-12G-36	\$5206	139 lbs.	DSG-15G-36	\$5777	143 lbs.	DSG-18G-36	\$6196	147 lbs.	18
DSG-12G-48	5355	179 lbs.	DSG-15G-48	5886	182 lbs.	DSG-18G-48	6306	187 lbs.	23
DSG-12G-60	5976	228 lbs.	DSG-15G-60	6259	235 lbs.	DSG-18G-60	6669	242 lbs.	29
DSG-12G-72	6182	279 lbs.	DSG-15G-72	6533	266 lbs.	DSG-18G-72	6954	275 lbs.	34
DSG-12G-84†	6370	298 lbs.	DSG-15G-84†	6789	305 lbs.	DSG-18G-84†	7207	316 lbs.	39
DSG-12G-96†	6843	330 lbs.	DSG-15G-96†	7196	346 lbs.	DSG-18G-96†	7616	357 lbs.	44
DSG-12G-108†	7015	373 lbs.	DSG-15G-108†	7532	383 lbs.	DSG-18G-108†	7951	397 lbs.	49
DSG-12G-120†	7195	412 lbs.	DSG-15G-120†	7721	424 lbs.	DSG-18G-120†	8141	439 lbs.	55
DSG-12G-132†	7352	453 lbs.	DSG-15G-132†	7890	467 lbs.	DSG-18G-132†	8309	483 lbs.	60
DSG-12G-144††	7656	495 lbs.	DSG-15G-144††	8023	511 lbs.	DSG-18G-144††	8467	528 lbs.	65

FOOD SHIELDS

Adjustable Food Shields

Sleek Shields™

Protected By: Patent No. US 9,010,883 B2

With Stainless Steel Shelf

18" Standard Shelf Height (Top of Table to Top of Shelf) • 24" Wide Shelving Also Available

SELF SERVE STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
NSG-12-36	\$2912	120 lbs.	NSG-15-36	\$3179	122 lbs.	NSG-18-36	\$3849	124 lbs.	18
NSG-12-48	2993	152 lbs.	NSG-15-48	3315	155 lbs.	NSG-18-48	3986	159 lbs.	23
NSG-12-60*	3652	191 lbs.	NSG-15-60*	3688	194 lbs.	NSG-18-60*	4359	198 lbs.	29
NSG-12-72*	3779	221 lbs.	NSG-15-72*	3961	228 lbs.	NSG-18-72*	4632	230 lbs.	34
NSG-12-84†	3964	254 lbs.	NSG-15-84†	4216	260 lbs.	NSG-18-84†	4888	265 lbs.	39
NSG-12-96†	4438	288 lbs.	NSG-15-96†	4624	293 lbs.	NSG-18-96†	5294	299 lbs.	44
NSG-12-108†*	4611	314 lbs.	NSG-15-108†*	4957	321 lbs.	NSG-18-108†*	5629	327 lbs.	49
NSG-12-120†*	4790	363 lbs.	NSG-15-120†*	5148	370 lbs.	NSG-18-120†*	5818	376 lbs.	55
NSG-12-132†*	4949	398 lbs.	NSG-15-132†*	5317	406 lbs.	NSG-18-132†*	5989	413 lbs.	60
NSG-12-144††	5252	422 lbs.	NSG-15-144††	5452	430 lbs.	NSG-18-144††	6124	439 lbs.	65


†Requires a Single Pair of Center Legs (Factory Print Included)

††Requires Two Pair of Center Legs (Factory Print Included)

*3/8" Thick Heat-Tempered Glass Required For Front Glass

Exclusive Features Of NSG/NDSG/NSGC Sleek Shields:

- Front glass locks in place at 15° intervals
- Stainless Steel 1" diameter Posts
- Includes Two 1/4" Heat-Tempered Side Glass
- 1/4" or 3/8" Thick Heat-Tempered Glass Front Panels (See Chart For "†" Symbol)
- Shelves have two rolled edged on front & rear and square edges on left & right sides



Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)

Sleek Shields™ w/ Stainless Steel or Glass Shelf Can Be Added To All Hot/Cold Food Tables On Pages 123-131 See Sleek Shield Models For Food Tables On Page 136



Shipped KD - TA-47 Mounting Brackets Included For In-Field Installation

SELF SERVE STYLE - DOUBLE TIER

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
NDSG-12-36	\$4598	155 lbs.	NDSG-15-36	\$4800	160 lbs.	NDSG-18-36	\$5472	166 lbs.	26
NDSG-12-48	4796	194 lbs.	NDSG-15-48	4936	199 lbs.	NDSG-18-48	5606	206 lbs.	34
NDSG-12-60*	5417	243 lbs.	NDSG-15-60*	5309	250 lbs.	NDSG-18-60*	5982	258 lbs.	41
NDSG-12-72*	5622	277 lbs.	NDSG-15-72*	5582	290 lbs.	NDSG-18-72*	6255	308 lbs.	49
NDSG-12-84†	5810	324 lbs.	NDSG-15-84†	5837	330 lbs.	NDSG-18-84†	6508	344 lbs.	56
NDSG-12-96†	6284	353 lbs.	NDSG-15-96†	6245	365 lbs.	NDSG-18-96†	6917	376 lbs.	64
NDSG-12-108†*	6456	399 lbs.	NDSG-15-108†*	6579	405 lbs.	NDSG-18-108†*	7249	411 lbs.	71
NDSG-12-120†*	6637	443 lbs.	NDSG-15-120†*	6771	445 lbs.	NDSG-18-120†*	7441	457 lbs.	79
NDSG-12-132†*	6794	483 lbs.	NDSG-15-132†*	6938	496 lbs.	NDSG-18-132†*	7610	503 lbs.	86
NDSG-12-144††	6881	513 lbs.	NDSG-15-144††	7073	546 lbs.	NDSG-18-144††	7835	546 lbs.	94



10-1/2" Standard Glass Opening (Maximum 13")
From Table To Bottom Of Glass.

CAFETERIA STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Wt.
NSGC-12-36	\$3249	125 lbs.	NSGC-15-36	\$3778	128 lbs.	NSGC-18-36	\$3988	130 lbs.	18
NSGC-12-48	3399	160 lbs.	NSGC-15-48	3889	163 lbs.	NSGC-18-48	4097	167 lbs.	23
NSGC-12-60*	4019	185 lbs.	NSGC-15-60*	4261	190 lbs.	NSGC-18-60*	4470	193 lbs.	29
NSGC-12-72*	4224	231 lbs.	NSGC-15-72*	4534	239 lbs.	NSGC-18-72*	4873	244 lbs.	34
NSGC-12-84†	4410	270 lbs.	NSGC-15-84†	4789	274 lbs.	NSGC-18-84†	5000	281 lbs.	39
NSGC-12-96†	4886	306 lbs.	NSGC-15-96†	5199	308 lbs.	NSGC-18-96†	5406	317 lbs.	44
NSGC-12-108†*	5059	340 lbs.	NSGC-15-108†*	5532	347 lbs.	NSGC-18-108†*	5742	353 lbs.	49
NSGC-12-120†*	5237	376 lbs.	NSGC-15-120†*	5736	383 lbs.	NSGC-18-120†*	5931	391 lbs.	55
NSGC-12-132†*	5396	414 lbs.	NSGC-15-132†*	5891	422 lbs.	NSGC-18-132†*	6101	431 lbs.	60
NSGC-12-144††	5699	450 lbs.	NSGC-15-144††	6025	574 lbs.	NSGC-18-144††	6234	467 lbs.	65



1-1/2" Standard Glass Opening (Maximum 1-1/2")
From Table To Bottom Of Glass.

CUSTOM UNITS & SIZES AVAILABLE ON ALL FOOD SHIELDS

Food Shield Prices May Change Due To Customer Specifications & Design

With Glass Top NSF

3/8" Thick Heat-Tempered Glass Top

†Requires a Single Pair of Center Legs (Factory Print Included)
 ††Requires Two Pair of Center Legs (Factory Print Included)
 *3/8" Thick Heat-Tempered Glass Required For Front Glass

Exclusive Features Of GSG/GSGC/NSGD Sleek Shields:

- Front glass locks in place at 15° intervals
- Stainless Steel 1" diameter Posts
- Includes Two 1/4" Heat-Tempered Side Glass
- 1/4" or 3/8" Thick Heat-Tempered Glass Front Panels (See Chart For "*" Symbol)
- Glass Top Features 3/8" Heat-Tempered Glass Top

SELF SERVE STYLE


12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
GSG-12-36	\$3272	127 lbs.	GSG-15-36	\$3737	130 lbs.	GSG-18-36	\$4157	133 lbs.	18
GSG-12-48	3413	162 lbs.	GSG-15-48	3873	167 lbs.	GSG-18-48	4293	173 lbs.	23
GSG-12-60*	4044	202 lbs.	GSG-15-60*	4247	209 lbs.	GSG-18-60*	4666	216 lbs.	29
GSG-12-72†	4169	238 lbs.	GSG-15-72†	4520	245 lbs.	GSG-18-72†	4940	253 lbs.	34
GSG-12-84†	4355	274 lbs.	GSG-15-84†	4776	282 lbs.	GSG-18-84†	5195	292 lbs.	39
GSG-12-96†	4831	309 lbs.	GSG-15-96†	5182	319 lbs.	GSG-18-96†	5603	330 lbs.	44
GSG-12-108†*	5001	338 lbs.	GSG-15-108†*	5518	350 lbs.	GSG-18-108†*	5922	362 lbs.	49
GSG-12-120†*	5181	391 lbs.	GSG-15-120†*	5707	403 lbs.	GSG-18-120†*	6126	417 lbs.	55
GSG-12-132†*	5340	427 lbs.	GSG-15-132†*	5894	442 lbs.	GSG-18-132†*	6297	457 lbs.	60
GSG-12-144††	5644	455 lbs.	GSG-15-144††	6011	472 lbs.	GSG-18-144††	6431	489 lbs.	65



10-1/2" Standard Glass Opening (Maximum 13")
 From Table To Bottom Of Glass.
 Max. Load For Top Glass Is 100 Lbs. Even Dist. Wt.

CAFETERIA STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
GSGC-12-36	\$3640	133 lbs.	GSGC-15-36	\$4212	137 lbs.	GSGC-18-36	\$4631	141 lbs.	18
GSGC-12-48	3789	173 lbs.	GSGC-15-48	4321	176 lbs.	GSGC-18-48	4741	182 lbs.	23
GSGC-12-60*	4410	222 lbs.	GSGC-15-60*	4694	229 lbs.	GSGC-18-60*	5103	236 lbs.	29
GSGC-12-72†	4617	274 lbs.	GSGC-15-72†	4968	260 lbs.	GSGC-18-72†	5389	269 lbs.	34
GSGC-12-84†	4805	292 lbs.	GSGC-15-84†	5224	300 lbs.	GSGC-18-84†	5642	311 lbs.	39
GSGC-12-96†	5277	330 lbs.	GSGC-15-96†	5630	340 lbs.	GSGC-18-96†	6050	351 lbs.	44
GSGC-12-108†*	5450	367 lbs.	GSGC-15-108†*	5966	377 lbs.	GSGC-18-108†*	6385	391 lbs.	49
GSGC-12-120†*	5629	406 lbs.	GSGC-15-120†*	6155	419 lbs.	GSGC-18-120†*	6575	434 lbs.	55
GSGC-12-132†*	5787	447 lbs.	GSGC-15-132†*	6324	461 lbs.	GSGC-18-132†*	6743	477 lbs.	60
GSGC-12-144††	6090	489 lbs.	GSGC-15-144††	6458	505 lbs.	GSGC-18-144††	6902	522 lbs.	65



1-1/2" Standard Glass Opening (Maximum 1-1/2")
 From Table To Bottom Of Glass.
 Max. Load For Top Glass Is 100 Lbs. Even Dist. Wt.

SELF SERVE STYLE - DOUBLE SIDED

w/ Stainless Steel Shelf			w/ Glass Top			
Model #	Price	Approx. Wt.	Model #	Price	Approx. Wt.	Approx. Cubes
NSGD-40-36	\$5337	339 lbs.	GSGD-40-36	\$5457	368 lbs.	32
NSGD-40-48	5480	391 lbs.	GSGD-40-48	5601	437 lbs.	42
NSGD-40-60*	6110	451 lbs.	GSGD-40-60*	6230	509 lbs.	51
NSGD-40-72†	6234	518 lbs.	GSGD-40-72†	6354	592 lbs.	61
NSGD-40-84†	6422	604 lbs.	GSGD-40-84†	6542	660 lbs.	70
NSGD-40-96†	6896	667 lbs.	GSGD-40-96†	7016	729 lbs.	79
NSGD-40-108†*	7068	725 lbs.	GSGD-40-108†*	7459	798 lbs.	89
NSGD-40-120†*	7247	782 lbs.	GSGD-40-120†*	7727	868 lbs.	98
NSGD-40-132†*	7406	840 lbs.	GSGD-40-132†*	7884	932 lbs.	107
NSGD-40-144††	7711	909 lbs.	GSGD-40-144††	8059	1001 lbs.	117



GSGD Series Shown
 10-1/2" Standard Glass Opening (Maximum 13")
 From Table To Bottom Of Glass.
 Max. Load For Top Glass Is 100 Lbs. Even Dist. Wt.

Sleek Shields™ w/ Stainless Steel or Glass Shelf Can Be Added To Hot/Cold Food Tables
 With 2, 3 or 4 Wells, Listed On Pages 123 - 131
 See Sleek Shield Models For Food Tables On Page 136
 Shipped KD - TA-47 Mounting Brackets Included For In-Field Installation



FOOD SHIELDS

Adjustable & Stationary Food Shields



For Accessories & Modifications
Available - See Page 71

Sleek Shields™ SELF SERVE FOOD SHIELD

14 3/4" Standard Front Glass

Glass Clearance is 10" From Table to Bottom of Glass

Single Front Glass				Dual Front Glass (Includes Center Post)			
Model #	Price	Approx. Wt.	Approx. Cubes	Model #	Price	Approx. Wt.	Approx. Cubes
GS-36	\$3639	136	20	GS-72	\$4578	243	37
GS-48	3756	171	26	GS-84	4728	280	40
GS-60	3871	266	31	GS-96	5584	317	44
GS-66	4026	238	34	GS-120	5849	358	48



FEATURING
CHAMBER LOCK™
ROTATION SYSTEM

Protected By: Patent No. US
9,010,883 B2

- 3/8" Thick Heat-Tempered Glass Front
- 2 - 21 7/8" Wide x 22" High,
1/4" Thick Heat-Tempered Side Glass
- 1" Stainless Steel Tubing Posts




STATIONARY FOOD SHIELDS w/ 12" WIDE GLASS TOP

Includes Front & Side Glass • 15" Wide Glass Top Also Available

- 3/8" Thick Heat-Tempered Top Glass
- 1/4" Thick Heat-Tempered Front Glass
- Two 1/4" Thick Heat-Tempered Glass Side Panels

- 1" Stainless Steel Rounded Tubing
- Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)




Convert Stationary Food Shields
With Glass Top Or Angled Front
To Be Portable **STP-1** - \$529

Self-Serve Style

8" Standard Front Glass Height

Model #	Price	Approx. Wt.	Approx. Cubes
STFS-12-36	\$4278	144 lbs.	6
STFS-12-48	4429	184 lbs.	8
STFS-12-60*	4789	230 lbs.	9

*3/8" Thick Heat-Tempered Glass Required For Front



Cafeteria Style

19" Standard Front Glass Height

Model #	Price	Approx. Wt.	Approx. Cubes
STFC-12-36	\$4666	155 lbs.	6
STFC-12-48	4766	196 lbs.	8
STFC-12-60*	5151	260 lbs.	9



45° ANGLED FOOD SHIELDS

Self-Serve Style

w/ Angled Top & Side Glass

Model #	Price	Approx. Wt.	Approx. Cubes
AFS-36	\$3224	130 lbs.	6
AFS-48	3669	164 lbs.	8
AFS-60*	4025	207 lbs.	10



Shown With Black Powder Coating

- 1/4" Thick Heat-Tempered Front Glass
- 1/4" Thick Side Glass
- 1" Stainless Steel Tubing with End Caps
- Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)

Cafeteria Style

w/ Angled Top, Front & Side Glass

Model #	Price	Approx. Wt.	Approx. Cubes
AFC-36	\$3814	143 lbs.	6
AFC-48	4251	178 lbs.	8
AFC-60*	4366	235 lbs.	10



VERTICAL FOOD SHIELDS

24" Standard Front Glass Height



- 1/4" Thick Heat-Tempered Glass
- Two 18" Wide Glass Side Panels
- 1" Stainless Steel Tubing with End Caps
(1 5/8" Tubing Also Available)
- Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)

- NSF Requires 60" Minimum Height Above Finished Floor
- NSF Requires 6" Maximum Height From Top of Table
to Bottom of Glass

Custom Food Shield Sizes Available
Call Our Smart Fabrication™ Department At
800-645-3166

Model #	Price	Approx. Wt.	Approx. Cubes
SGCC-36	\$4343	139 lbs.	9
SGCC-48	4797	194 lbs.	11
SGCC-60*	5406	219 lbs.	13
SGCC-72	6845	240 lbs.	15
SGCC-84	6789	271 lbs.	17
SGCC-96	7143	311 lbs.	19
SGCC-108*	7719	357 lbs.	22
SGCC-120*	8459	412 lbs.	25
SGCC-132	8991	451 lbs.	26
SGCC-144	9635	518 lbs.	27

*3/8" Thick Heat-Tempered Glass Required For Front

For Enclosed Base Table Options See Pages 48-49

SLEEK SHIELDS™ ACCESSORIES & MODIFICATIONS

LED Display Lighting

Factory Installed

- Aluminum Rail with Shatter-Proof Optics
- Standard Natural Aluminum Finish. Available in White or Black
- Includes Class 2 Low Voltage Power Supply-120V-277V
- High Impact Resistant Mounting Clips
- On/Off Switch Included When Mounted on Advance Tabco Equipment



FACTORY INSTALLED ONLY

Includes Installation Charge

L	S/S Shelf Mounted		Glass Top Mounted	
	Model #	Price	Model #	Price
1'	LED-S-12	\$373	LED-G-12	\$548
2'	LED-S-24	450	LED-G-24	625
3'	LED-S-36	519	LED-G-36	691
4'	LED-S-48	579	LED-G-48	754
5'	LED-S-60	644	LED-G-60	820
6'	LED-S-72	733	LED-G-72	908


Shelves Require 6" Clearance On Both Sides To Fit Above Led Lighting.

PRINT REQUIRED FOR PROPER LED LOCATION

Heat Lamp Mounting Provisions

Customers To Supply Heat Lamp

All Food Shields With Glass Tops Require Factory Installation Only



TA-717 Shown

FACTORY INSTALLED

TA-717 \$202 /lin. ft.
MINIMUM OF 3 FEET REQUIRED. MUST ORDER SAME LENGTH AS FOOD SHIELD.

- Welded Tubular Stainless Steel Posts
- Chase-Way for Concealing Wiring
- Pre-Wiring Available
- Print Required For Proper Installation


INSTALLED BY OTHERS

(Provision for mounting to Stainless Steel Shelves only)

TA-71 \$155 ea.

Revolutionary Sleek Shield™ Horizontal Swivel Bracket

- Bracket Connects Multiple Sleek Shields™ And Swivels Freely for Custom Line Up
- Easily Adjusts In Field Without Tools
- Factory Installed Only



SG-S \$1202
Per Section



SG-1

SURFACE MOUNTING BRACKET

(For 1" Posts)

SG-1 \$111 ea.

CANTILEVER SUPPORT BRACKET UPGRADE

(Omits Front or Rear Support Leg To Equipment in Counter)

SG-C \$416 per leg



SG-PC Shown

CUSTOM COLORS

SG-AN Call For Pricing

Color Anodizing For Sleek Shields™ (For Aluminum Components)

SG-PC Call For Pricing

Powder Coating For Sleek Shields™ (For Stainless Steel Components)

PORTABLE FOOD SHIELDS

- 15" Front Panel
- 1/4" Thick Thermoplastic Polymer Sneeze Guard
- 1" Stainless Steel Posts
- 1-1/2" Wide x 14-1/2" Front to Back Black Support Base
- Shipped K.D.

Length	Model #	Price	Approx. Wt.	Approx. Cubes
36"	PFS-36B	\$1893	12 lbs.	14
48"	PFS-48B	2192	15 lbs.	18
60"	PFS-60B	2465	18 lbs.	21
72"	PFS-72B	2690	21 lbs.	24



PFS-36B Shown with Optional Side Panels



OPTIONAL 18" WIDE SIDE PANELS

18" x 20" x 1/4" Acrylic Side Panels
Factory Installed Only

PFS-SP \$783 /set of 2

Approx. 5 lbs.

SHELVING

Stainless Steel Shelving



Shelves Mount to Underside of Table with Single Expansion Bolt to Maximize Space




TABLE MOUNTED ALL STAINLESS STEEL SHELVING



SINGLE DECK SHELVING

Ft.	12" WIDE	Price	15" WIDE*	Price	Approx. Wt.	Approx. Cubes
3'	OTS-12-36	\$721	OTS-15-36	\$863	24 lbs.	2
4'	OTS-12-48	758	OTS-15-48	935	25 lbs.	3
5'	OTS-12-60	822	OTS-15-60	1055	31 lbs.	3
6'	OTS-12-72	875	OTS-15-72	1167	37 lbs.	4
7'	OTS-12-84	935	OTS-15-84	1222	43 lbs.	5
8'	OTS-12-96*	1130	OTS-15-96*	1316	50 lbs.	5
9'	OTS-12-108*	1201	OTS-15-108*	1566	59 lbs.	6
10'	OTS-12-120*	1232	OTS-15-120*	1605	68 lbs.	7
11'	OTS-12-132*	1297	OTS-15-132*	1798	82 lbs.	7
12'	OTS-12-144*	1335	OTS-15-144*	1839	98 lbs.	8

* SHELVES 8' OR LONGER INCLUDE CENTER LEG SUPPORT



DOUBLE DECK SHELVING

12" WIDE	Price	15" WIDE*	Price	Approx. Wt.	Approx. Cubes
OTS-12-36	\$1436	OTS-15-36	\$1552	24 lbs.	4
OTS-12-48	1476	OTS-15-48	1672	29 lbs.	5
OTS-12-60	1573	OTS-15-60	1876	35 lbs.	6
OTS-12-72	1678	OTS-15-72	2058	40 lbs.	7
OTS-12-84	1797	OTS-15-84	2231	46 lbs.	8
OTS-12-96*	2143	OTS-15-96*	2496	55 lbs.	10
OTS-12-108*	2308	OTS-15-108*	2716	60 lbs.	11
OTS-12-120*	2348	OTS-15-120*	2825	66 lbs.	12
OTS-12-132*	2508	OTS-15-132*	2979	72 lbs.	13
OTS-12-144*	2546	OTS-15-144*	3111	78 lbs.	14

*8' or longer includes center leg support

For 1" Rear Turn Up, add "R" after model # (Example: OTS-12-60R) • *15" Wide Shelving has 1-5/8" Tubing

For 10" Wide Shelving – Use 12" Models & Price. Replace "12" with "10" (Example: ODS-10-36)

TABLE MOUNTED FULLY ADJUSTABLE SHELVING WITH 14" OR 30" CHROME POSTS

SINGLE DECK SHELVING

Ft.	12" WIDE	Price	Approx. Wt.	Approx. Cubes
3'	TS-12-36	\$676	13 lbs.	2
4'	TS-12-48	717	15 lbs.	3
5'	TS-12-60	767	17 lbs.	3
6'	TS-12-72	819	20 lbs.	4
7'	TS-12-84	873	23 lbs.	5
8'	TS-12-96*	1066	28 lbs.	5
9'	TS-12-108*	1133	30 lbs.	6
10'	TS-12-120*	1171	33 lbs.	7
11'	TS-12-132*	1240	36 lbs.	7
12'	TS-12-144*	1280	39 lbs.	8


DOUBLE DECK SHELVING

Ft.	12" WIDE	Price	Approx. Wt.	Approx. Cubes
3'	DS-12-36	\$1331	24 lbs.	4
4'	DS-12-48	1371	29 lbs.	5
5'	DS-12-60	1477	35 lbs.	6
6'	DS-12-72	1582	40 lbs.	7
7'	DS-12-84	1687	46 lbs.	8
8'	DS-12-96*	2046	55 lbs.	10
9'	DS-12-108*	2218	60 lbs.	11
10'	DS-12-120*	2260	66 lbs.	12
11'	DS-12-132*	2429	72 lbs.	13
12'	DS-12-144*	2465	78 lbs.	14

*8' or longer includes center leg support

For 10" Wide Shelving
Use 12" Models & Price.
Replace "12" with "10" (Example: DS-10-36)

Tapered Split Sleeve Installation
& Numbered Posts




For 1" Rear Turn Up, add "R" after model # (Example: TS-12-60R) • For 15" Wide Shelving (w/ 1-5/8" Tubing) Use OTS/ODS Series

ADJUSTABLE 18" WIDE DOUBLE OVERSHELF WITH 6" OFFSET



Cantilevered Edge



1-5/8" Tubular Posts

Length	Model #	Price	Approx. Wt.	Approx. Cubes
3'	CDS-18-36	\$2532	24 lbs.	4
4'	CDS-18-48	2582	29 lbs.	5
5'	CDS-18-60	2906	35 lbs.	6
6'	CDS-18-72	2968	40 lbs.	7
7'	CDS-18-84	3032	46 lbs.	8
8'	CDS-18-96	3197	55 lbs.	10
9'	CDS-18-108	3387	60 lbs.	11
10'	CDS-18-120	3440	66 lbs.	12
11'	CDS-18-132	3578	72 lbs.	13
12'	CDS-18-144	3616	78 lbs.	14

18" & 24" WIDE TABLE MOUNTED SHELVING



SHELVING Specialty Shelving


For Existing Equipment For SMART FABRICATION™ CHEF'S LINE

- Stainless Steel Shelving (1 Tier or 2 Tier Shelves)
- Stainless Steel Posts (1" Posts Available)
- Mounting Brackets Included

Customer To Specify Models Of Buyout Equipment.
Print Required.

Call For a Custom Quote

Quote Prints Available On Request
- A Service Only Advance Tabco Offers!
Call Our Estimating Department At 800-645-3166
or email smartFab@advancetabco.com



Single Tier Shelving

Ft.	Approx. Cubes	18" WIDE	Price	Approx. Wt.	24" WIDE	Price	Approx. Wt.
4'	12	CU-18-48	\$1471	42 lbs.	CU-24-48	\$1819	55 lbs.
5'	15	CU-18-60	1519	53 lbs.	CU-24-60	1949	61 lbs.
6'	17	CU-18-72	1575	64 lbs.	CU-24-72	2034	70 lbs.
7'	20	CU-18-84	1785	75 lbs.	CU-24-84	2317	81 lbs.
8'	23	CU-18-96	1923	89 lbs.	CU-24-96	2494	98 lbs.
9'	26	CU-18-108	2074	95 lbs.	CU-24-108	2752	104 lbs.
10'	29	CU-18-120	2195	105 lbs.	CU-24-120	2963	113 lbs.
11'	32	CU-18-132	2315	118 lbs.	CU-24-132	3032	129 lbs.
12'	35	CU-18-144	2390	130 lbs.	CU-24-144	3373	146 lbs.

Double Tier Shelving

Ft.	Approx. Cubes	18" WIDE	Price	Approx. Wt.	24" WIDE	Price	Approx. Wt.
4'	12	CU-18-48-2	\$2832	76 lbs.	CU-24-48-2	\$3116	114 lbs.
5'	15	CU-18-60-2	2967	95 lbs.	CU-24-60-2	3264	131 lbs.
6'	17	CU-18-72-2	3103	115 lbs.	CU-24-72-2	3413	152 lbs.
7'	20	CU-18-84-2	3368	135 lbs.	CU-24-84-2	3707	176 lbs.
8'	23	CU-18-96-2	3492	160 lbs.	CU-24-96-2	3842	207 lbs.
9'	26	CU-18-108-2	3647	121 lbs.	CU-24-108-2	3896	239 lbs.
10'	29	CU-18-120-2	3704	189 lbs.	CU-24-120-2	3955	283 lbs.
11'	32	CU-18-132-2	3703	212 lbs.	CU-24-132-2	4073	331 lbs.
12'	35	CU-18-144-2	3872	235 lbs.	CU-24-144-2	4261	387 lbs.

Shelving Modifications

Undermount Paper/Accessories Shelf


TA-117 \$263 /lin. ft.

Additional Fixed Partitions

(Specify Location For Factory Installation) TA-117A \$103 ea.

- 7" Wide x 12" High
- Two Adjustable Partitions To Create Separate Compartments

FACTORY INSTALLED ONLY



TA-9A	Partial 1" Turn-Up for all Table Mt. Shelves	\$42 /lin. ft.	TA-71	Heat Lamp Mounting Provision	\$155 ea.
TA-22A	Square Edge on Overshelf	98 ea.	TA-71A	Heat Lamp Remote Control Bracket.....	305 ea.
TA-26-10	Welded Wall Shelf Brackets for 10" Shelf.....	244 /shelf	TA-77	Check Minder Shelf Provision (Factory Install Only)	56 /lin. ft.
TA-26-12	Welded Wall Shelf Brackets for 12" Shelf.....	244 /shelf	TA-85	30" Wide CU Shelf (Add to price of 24" Shelf. For double tier, add twice)	197 /lin. ft.
TA-26-15	Welded Wall Shelf Brackets for 15" Shelf.....	244 /shelf	TA-99	16 Ga. S/S 304 Upgrade for Wall & Over Shelves	25 /lin. ft.
TA-26-18	Welded Wall Shelf Brackets for 18" Shelf.....	244 /shelf	TA-99A	14 Ga. S/S 304 Upgrade for Wall & Over Shelves	45 /lin. ft.
TA-33A	Customize Post Height (Specify Height)	48 /Shelf	TA-100A	Bull Nose Edge On all 4 Sides of Shelf	98 ea.
TA-47	Shelf Mounting Bracket for Existing Table	89 /shelf	TA-102	24" x 24" Extension for Microwave or Computer Shelf (Add to OTS and ODS Shelves. See page 45)	406 ea.
TA-49	Wall Shelf 2" Offset	172 /shelf	TA-103	24" Wide PT Shelf (36" Min Length. Mid mount only. PT Series Shelf, see pg. 48. Add to 18" Wide Shelf)	121 /lin. ft.
TA-60	Special Sizing Charge for Shelves (Must Order Larger Unit to be Cut Down to Smaller Size)	N/C	TA-104	Add'l Length Over 12' - Add to 18" or 24" Shelf (CU Shelving Only. Maximum Length is 14' as Single Piece)	261 /lin. ft.
TA-62	Duplex Electrical Outlet (Under Flat Top)	435 ea.			
TA-62D	GFI Duplex Outlet in a Doghouse Box	487 ea.			

PASS-THRU SHELVING

Standard Pass-Thru Shelf

- "Hat Channel" Design Allows Shelf To Be Freely Positioned
- Includes Wall Mounting Brackets For Securing Shelf To Desired Position




Pass-Thru shown with Cantilever Brackets

18" WIDE	Price	24" WIDE	Price	# of Length Brackets	
PA-18-24	\$985	PA-24-24	\$1108	24"	2
PA-18-36	1209	PA-24-36	1216	36"	2
PA-18-48	1316	PA-24-48	1643	48"	2
PA-18-60	1416	PA-24-60	1769	60"	2
PA-18-72	1466	PA-24-72	1894	72"	2
PA-18-84	1516	PA-24-84	2072	84"	3
PA-18-96	1570	PA-24-96	2217	96"	3
PA-18-108	1636	PA-24-108	2229	108"	3
PA-18-120	1667	PA-24-120	2258	120"	3
PA-18-132	1819	PA-24-132	2465	132"	4
PA-18-144	2072	PA-24-144	2645	144"	4

Mounting Brackets Included

With Pass-Thru Shelving



*2" x 4" - L Bracket
For 18" Wide Shelves



**5" x 5" - Cantilever Bracket
For 24" Wide Shelves

Pass-Thru Shelf with Overshelf

- 1 CU Series Overshelf welded to a PA Series Pass-Thru shelf
- 1-5/8" Stainless Steel Tubing
- Shipped as Welded Set-Up



Pass-Thru with CU Series Shelf & Cantilever Bracket Shown

Pre-Wiring Available!
Contact our
Smart Fab Department at
smartfab@advancetabco.com

18" WIDE	Price	24" WIDE	Price	# of Length Brackets	
PA-18-48-2	\$2704	PA-24-48-2	\$3415	48"	2
PA-18-60-2	2853	PA-24-60-2	3666	60"	2
PA-18-72-2	2954	PA-24-72-2	3873	72"	2
PA-18-84-2	3204	PA-24-84-2	4330	84"	3
PA-18-96-2	3392	PA-24-96-2	4646	96"	3
PA-18-108-2	3600	PA-24-108-2	4915	108"	3
PA-18-120-2	3749	PA-24-120-2	5157	120"	3
PA-18-132-2	4013	PA-24-132-2	5426	132"	4
PA-18-144-2	4332	PA-24-144-2	5940	144"	4

PASS-THRU MODIFICATION

Includes Side & Top • Minimum Length = 36"

Pass-Thru Frame

Length	Model	Price
36"	TA-84F-36	\$1214
48"	TA-84F-48	1347
60"	TA-84F-60	1484
72"	TA-84F-72	1588
84"	TA-84F-84	1670



Print Required For Proper Location

Electrical Utility Chases

Call For Wiring Installation!



FLOOR CHASE




CEILING CHASE

- Conceals Wires
- Removable Panel For Wire Access.
- Wiring Available Upon Request.

Available only for CU Series & OTS Series Shelving (Pages 68-69)

MODEL	FEED TYPE	PRICE
UCC-1	Ceiling	\$1605
UCF-1	Floor	1418

Print required for proper chase location.
Utility Chase is FACTORY INSTALLATION only.



PIPE CHASE

- Conceals Wires For Heat Lamps.
- Required Installation Of Buyout Equipment

Consult Factory for Wiring

MODEL	PRICE
PC-1	\$630 ea.



Brackets Can Be Positioned
To Accommodate Wall Studs



SHELVING

Wall Mounted Shelving

- 1 1/2" Rolled Rim With A 1 1/2" Turn-Up At Rear Ends Are Turned Down Square

16 GA. WALL MOUNTED SHELVING

304 Type Stainless Steel

Length	10" WIDE	Price	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	Approx. Wt.	Approx. Cubes
2'	WS-10-24-16	\$339	WS-12-24-16	\$349	WS-15-24-16	\$573	WS-18-24-16	\$795	10 lbs.	3
30"	-	-	WS-12-30-16	399	-	-	-	-	11 lbs.	3
3'	WS-10-36-16	364	WS-12-36-16	401	WS-15-36-16	609	WS-18-36-16	831	12 lbs.	4
42"	-	-	WS-12-42-16	450	-	-	-	-	13 lbs.	5
4'	WS-10-48-16	383	WS-12-48-16	452	WS-15-48-16	647	WS-18-48-16	868	14 lbs.	5
5'	WS-10-60-16	427	WS-12-60-16	495	WS-15-60-16	739	WS-18-60-16	961	17 lbs.	6
6'	WS-10-72-16	459	WS-12-72-16	527	WS-15-72-16	839	WS-18-72-16	1054	19 lbs.	7
7'	WS-10-84-16	525	WS-12-84-16	583	WS-15-84-16	901	WS-18-84-16	1107	22 lbs.	8
8'	WS-10-96-16	601	WS-12-96-16	638	WS-15-96-16	1042	WS-18-96-16	1152	26 lbs.	10
9'	WS-10-108-16	659	WS-12-108-16	693	WS-15-108-16	1120	WS-18-108-16	1246	28 lbs.	11
10'	WS-10-120-16	744	WS-12-120-16	790	WS-15-120-16	1152	WS-18-120-16	1385	31 lbs.	12
11'	WS-10-132-16	734	WS-12-132-16	830	WS-15-132-16	1321	WS-18-132-16	1439	35 lbs.	13
12'	WS-10-144-16	792	WS-12-144-16	852	WS-15-144-16	1405	WS-18-144-16	1490	38 lbs.	14

18 GA. WALL MOUNTED SHELVING

430 Type Stainless Steel

Length	10" WIDE	Price	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	Approx. Wt.	Approx. Cubes
2'	WS-10-24	\$270	WS-12-24	\$279	WS-15-24	\$323	WS-18-24	\$586	10 lbs.	3
30"	-	-	WS-12-30	317	-	-	-	-	12 lbs.	4
3'	WS-10-36	287	WS-12-36	319	WS-15-36	365	WS-18-36	616	12 lbs.	4
42"	-	-	WS-12-42	358	-	-	-	-	14 lbs.	5
4'	WS-10-48	306	WS-12-48	360	WS-15-48	412	WS-18-48	698	14 lbs.	5
5'	WS-10-60	355	WS-12-60	395	WS-15-60	439	WS-18-60	725	17 lbs.	6
6'	WS-10-72	385	WS-12-72	423	WS-15-72	475	WS-18-72	790	19 lbs.	7
7'	WS-10-84	418	WS-12-84	466	WS-15-84	487	WS-18-84	864	22 lbs.	8
8'	WS-10-96	484	WS-12-96	510	WS-15-96	564	WS-18-96	914	26 lbs.	10
9'	WS-10-108	502	WS-12-108	555	WS-15-108	753	WS-18-108	1064	28 lbs.	11
10'	WS-10-120	599	WS-12-120	632	WS-15-120	774	WS-18-120	1107	31 lbs.	12
11'	WS-10-132	617	WS-12-132	664	WS-15-132	885	WS-18-132	1163	35 lbs.	13
12'	WS-10-144	643	WS-12-144	681	WS-15-144	936	WS-18-144	1217	38 lbs.	14

TA-22A	Square Edge Shelf	\$98 ea.
TA-26-10	Weld Support Brackets To Wall Shelf For 10" Deep Wall Shelves	244 ea.
TA-26-12	Weld Support Brackets To Wall Shelf For 12" Deep Wall Shelves	244 ea.
TA-26-15	Weld Support Brackets To Wall Shelf For 15" Deep Wall Shelves	244 ea.
TA-26-18	Weld Support Brackets To Wall Shelf For 18" Deep Wall Shelves	244 ea.
TA-49	2" Wall Shelf Offset	172 /shelf

TA-60	Special Sizing Charge For Shelves (Must Order Larger Unit To Be Cut Down To Smaller Size)	N/C
TA-71	Heat Lamp Mounting Provision	155 ea.
TA-77	Check Minder Provision On Any Shelf	56 /lin.ft.
TA-99A	14 Ga. S/S 304 Upgrade For Wall & Over Shelves	45 /lin.ft.
TA-100A	Bullnose Edge On All 4 Sides Of Shelf	98 ea.

K.D. WALL SHELVES

Length	STAINLESS STEEL w/ Stainless Steel Brackets		ALUMINUM w/ Aluminum Brackets		Approx. Wt.	Approx. Cubes
	Model #	Price	Model #	Price		
2'	WS-KD-24	\$238	AWS-KD-24	\$195	10 lbs.	2
3'	WS-KD-36	248	AWS-KD-36	210	12 lbs.	3
4'	WS-KD-48	274	AWS-KD-48	234	14 lbs.	4
5'	WS-KD-60	309	AWS-KD-60	251	17 lbs.	5



Width Of Shelf Is 11-1/8"

Single Shipping Container Can Be
Shipped U.P.S.



Custom Sizes are Available. Contact Our **SMART FABRICATION™** Department. 800-645-3166

SHELVING

Wall Mounted Shelving

Slotted Cook Line Wall Shelf

- Heavy Duty
- 304 Type Stainless Steel
- 21" Wide
- 1 1/2" Square Tubes
- 1 1/4" Spacing
- Tubular Support Brackets (Shipped Loose To Suit Wall Stud Location)

TA-26-21 \$327 per shelf
Optional Factory Welded Shelf Brackets (Print Required)



L	Model #	Price	# of Brackets	Approx. Wt.	Approx. Cubes
48"	DT21-4	\$3501	2	90 lbs.	6
72"	DT21-6	\$251	3	105 lbs.	8
96"	DT21-8	\$7001	3	145 lbs.	10
120"	DT21-10	\$8752	4	190 lbs.	13
144"	DT21-12	\$10501	4	210 lbs.	15

NOTE: Recommend Field Welding Brackets To Underside Of Cook Line Shelf

Built-In Check Minder



Floating Ball Mechanism
Quickly Grabs Checks And
Holds Them In Place

L	12" WIDE	Price	Approx. Wt.	Approx. Cubes
3'	WS-12-36CM	\$375	15 lbs.	4
4'	WS-12-48CM	\$416	19 lbs.	5
5'	WS-12-60CM	\$449	21 lbs.	6
6'	WS-12-72CM	\$479	25 lbs.	7
8'	WS-12-96CM	\$566	32 lbs.	10

WALL SHELVES


Under Mounted Multi-Purpose Shelf



- Heavy Duty
- Mounts below shelving or table top
- Supplied with mounting holes.
- 1 stationary divider included 36" lengths & under
- 2 stationary dividers included over 36" lengths

Model #	Price	Approx. Wt.
TA-117	\$263 lin. ft.	22 lbs. per sq. ft.

TA-117A \$103 ea.
Additional Dividers



FACTORY INSTALLED ONLY

with Built-In Pot Rack

Length	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	# of Hooks	Approx. Wt.	Approx. Cubes
3'	PS-12-36	\$762	PS-15-36	\$920	PS-18-36	\$1170	6	30 lbs.	5
4'	PS-12-48	\$803	PS-15-48	\$966	PS-18-48	\$1252	6	40 lbs.	6
5'	PS-12-60	\$838	PS-15-60	\$992	PS-18-60	\$1278	9	50 lbs.	7
6'	PS-12-72	\$866	PS-15-72	\$1028	PS-18-72	\$1344	9	60 lbs.	8
7'	PS-12-84	\$909	PS-15-84	\$1042	PS-18-84	\$1418	9	70 lbs.	10
8'	PS-12-96	\$953	PS-15-96	\$1117	PS-18-96	\$1468	9	80 lbs.	11
9'	PS-12-108	\$999	PS-15-108	\$1307	PS-18-108	\$1617	9	90 lbs.	12
10'	PS-12-120	\$1075	PS-15-120	\$1328	PS-18-120	\$1660	9	100 lbs.	13
11'	PS-12-132	\$1107	PS-15-132	\$1439	PS-18-132	\$1717	9	110 lbs.	14
12'	PS-12-144	\$1125	PS-15-144	\$1490	PS-18-144	\$1771	9	120 lbs.	26

TA-60 Special Sizing Charge for Wall Shelves
TA-99 16 ga. 304 Upgrade for Wall and Over Shelves
TA-99A 14 Ga. S/S 304 Upgrade for Wall & Over Shelves

N/C - Add to next longer shelf
\$25 / lin. ft.
45/lin. ft.



FOR CHECK MINDER PROVISION
On Any Shelf Use

TA-77
\$56 /lin. ft.



Wall Shelf w/Multipurpose Undershelf

- 5 1/2" Undershelf
- Upper & Lower Grommet Holes




Shown with Microwave Units (Not Included)



Size W x L	Model #	Price	Approx. Wt.	Approx. Cubes
24" x 24"	MS-24-24-PS	\$1390	58 lbs.	11
24" x 36"	MS-24-36-PS	\$1626	85 lbs.	16
24" x 48"	MS-24-48-PS	\$1863	110 lbs.	21

Microwave Shelf



Size W x L	Model #	Price	Approx. Wt.	Approx. Cubes
18" x 24"	MS-18-24	\$531	27 lbs.	5
24" x 24"	MS-24-24	\$603	32 lbs.	5
24" x 36"	MS-24-36	\$839	38 lbs.	7
20" x 30"	MS-20-30	\$776	36 lbs.	5

TA-108 \$137
2" Hole with Grommet For Appliance Cord.
(Please Specify Hole Size And Location)



8" Wide Utility Shelf

Length	Model #	Price	Approx. Wt.	Approx. Cubes
24"	K-245	\$752	50 lbs.	1
36"	K-246	\$854	55 lbs.	2

STAINLESS STEEL WALL FLASHING

Wall Flashing supplied in 10' Lengths.

- Available in 16 Gauge, 18 Gauge and 20 Gauge
- Type 304 Stainless Steel
- Polished to a Commercial Grade #3 Finish

Model #	Description	Price
WF16	16 Gauge	\$54 /sq. ft.
WF18	18 Gauge	\$44 /sq. ft.
WF20	20 Gauge	\$41 /sq. ft.

OPTIONAL WALL FLASHING ACCESSORIES

Model #	Description	Price
WF-SC-1	Seam Cap	\$100 ea.
WF-EC-1	Edge Cap	\$100 ea.
WF-IC-1	Inside Corner	\$111 ea.



Single Shelf

Length	Model #	Price	Approx. Wt.	Approx. Cubes
3'	 CM-18-36	\$2570	24 lbs.	4
4'	 CM-18-48	2756	29 lbs.	5
5'	 CM-18-60	2938	35 lbs.	6
6'	 CM-18-72	3122	40 lbs.	7
7'	 CM-18-84	3127	46 lbs.	8
8'	 CM-18-96	3207	51 lbs.	9

 = Ship Via UPS

SHELVING

Shelving & Modifications

18" WIDE CEILING MOUNTED SHELVING

SINGLE



DOUBLE



Double Shelves

Length	Model #	Price	Approx. Wt.	Approx. Cubes
3'	 DCM-18-36	\$3304	55 lbs.	5
4'	 DCM-18-48	3856	60 lbs.	6
5'	 DCM-18-60	4039	66 lbs.	7
6'	 DCM-18-72	4592	72 lbs.	8
7'	 DCM-18-84	4656	78 lbs.	9
8'	 DCM-18-96	4809	84 lbs.	10

- Stainless Steel
- 1 5/8" Stainless Steel Posts
- Shipped KD
- Load Capacity is 5 lbs. per sq. ft. (Evenly Distributed)

CUSTOMER MUST SPECIFY CEILING HEIGHT

SHELVING MODIFICATIONS

FACTORY INSTALLED ONLY

Printer Shelf

- Heavy gauge stainless steel
- 8"x16" Printer Deck
- 10" height
- 1 Data Port Receptacle
- 1 Electrical Receptacle
- Rear Gem Box with Removable Enclosure
- Turned up front edge to hold Printer in place



PRT-1 \$834/shelf

Back of Shelf Shown

Check Minder



- Extruded Anodized Aluminum
- Holds checks with ease
- Floating ball mechanism quickly grabs checks & holds them in place
- Mounts to any shelf

TA-77 \$56 /lin. ft.

TA-77A \$39 /lin. ft.

Concealer for Heat Lamp.
(Requires a TA-77)

Microwave Shelf Extension



24" Front to Back
1-5/8" Posts

Use the full length of **OTS Shelves** found on page 66 and then add **TA-102 \$406** extension.
Specify Right or Left.

Table Mounted Equipment Shelf



1-5/8" Posts

L	Model #	Price	Approx. Wt.	Approx. Cubes
2'	MST-24-24	\$1100	32 lbs.	1
3'	MST-24-36	1286	38 lbs.	2

6" Shelf Offset



- Posts located towards rear shelf
- Provides shelf reach
- Available for 18" or Wider shelving Only (CU Series Shelving)

TA-120 \$122 /Per level

Accessories

Check Minder Accessory



- Holds Checks With Ease
- Floating Ball Mechanism Quickly Grabs Checks & Holds Them In Place
- Mounts To Existing Wall Or Shelf

Length	Model #	Price	Approx. Wt.
2'	 CM-24	\$41	1.5 lbs.
3'	 CM-36	54	2.25 lbs.
4'	 CM-48	69	3 lbs.
5'	 CM-60	81	4.25 lbs.

Wall Cap



- 16 ga., 304 Stainless Steel
- 2" x Wall Thickness x 2" x Height

Model #	Price
 WALLCAP	\$54 Lin. ft.

MUST SPECIFY:
Wall thickness (maximum 6")
Height (Maximum of 10 feet)
Minimum charge 4 linear feet

Bumper Guards



- 16 ga., 304 Stainless Steel
- Bracket Included

Model #	Size	Price
 BG-48	2" x 4" x 48"	\$203
 BG-60	2" x 4" x 60"	274

Corner Guards



- 16 ga., 304 Stainless Steel
- Adhesive Tape Backing

2" x 2"		
Model #	Size	Price
 CG-48	2" x 2" x 48"	\$137
 CG-60	2" x 2" x 60"	181
 CG-72	2" x 2" x 72"	202
 CG-84	2" x 2" x 84"	238
 CG-96	2" x 2" x 96"	248
 CG-120	2" x 2" x 120"	282
4" x 4"		
 OCG-48-SS	4" x 4" x 48"	260

POT RACKS

Adjustable Pot Rack Components



#1

HOW TO ORDER

Select from
3 Mounting
Provisions

Mid, Rear or Splash

#2

Choose
Desired
Components



TABLE with POT RACK, SHELVING & UTENSIL RACK MID MOUNT DESIGN

Select the
SHELF WIDTH
to satisfy
your needs

Stainless Steel
1-5/8" diameter
TUBULAR
UPRIGHTS

Easy
SHELF MOUNTING
for
ADDITIONAL
RIGIDITY



Pot Rack is
ADJUSTABLE
Max. Height = 84"
(A.F.F.)

Utensil Rack

Rolled Rim
4 sides

Shelves are
ADJUSTABLE
to meet your
requirements

Only ONE
support thru
Table Top
Maximizes your
working area

MIX & MATCH to Maximize Your Work Area. Components are Adjustable. You set the Height to Meet Your Demanding Requirement.

SPECIFY MOUNTING PROVISION

FOR MID MOUNT
Add TA-228 N/C



FOR REAR MOUNT
ADD TA-229 N/C



FOR SPLASH MOUNT
ADD TA-227 N/C



Pot Racks (Includes Utensil Rack)

Length	Model #	# of Pot Hooks	Price	Approx. Wt.	Approx. Cubes
36"	SCT-36	12	\$1387	30	5
48"	SCT-48	12	1439	34	6
60"	SCT-60	18	1478	37	7
72"	SCT-72	18	2036	46	9
84"	SCT-84	18	2086	50	10
96"	SCT-96	18	2228	55	12
108"	SCT-108	18	2712	60	13
120"	SCT-120	18	2939	65	15
132"	SCT-132	18	3020	68	16
144"	SCT-144	18	3079	72	18
36"	SWT-36	12	1103	30	5
48"	SWT-48	12	1130	34	6
60"	SWT-60	18	1143	37	7
72"	SWT-72	18	1156	46	9
84"	SWT-84	18	1387	50	10
96"	SWT-96	18	1411	55	12
108"	SWT-108	18	1677	60	13
120"	SWT-120	18	1696	65	15
132"	SWT-132	18	1736	68	16
144"	SWT-144	18	1776	72	18

Utensil Racks

Model #	# of Pot Hooks	Price	Approx. Wt.	Approx. Cubes
AUR-36	6	\$524	30	2
AUR-48	6	532	34	3
AUR-60	9	570	37	3
AUR-72	9	597	46	4
AUR-84	9	700	50	5
AUR-96	9	767	55	5
AUR-108	9	963	60	6
AUR-120	9	1022	65	7
AUR-132	9	1156	68	7
AUR-144	9	1285	72	8
AUR-36	6	524	30	2
AUR-48	6	532	34	3
AUR-60	9	570	37	3
AUR-72	9	597	46	4
AUR-84	9	700	50	5
AUR-96	9	767	55	5
AUR-108	9	963	60	6
AUR-120	9	1022	65	7
AUR-132	9	1156	68	7
AUR-144	9	1285	72	8

Pot Racks 8' Or Longer, Include Center Leg Support

SHELVING

Adjustable Shelving Components

Convert Your Table into an Effective Work Station



ADD - CHANGE - MODIFY with Components to Meet the Demanding Prep-Requirements of an Upgrading or Changing Food Service Environment

Adjustable Shelves

Length	10" WIDE	Price	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	Approx. Wt.	Approx. Cubes
36"	PT-10-36	\$463	PT-12-36	\$485	PT-15-36	\$838	PT-18-36	\$1006	30	2
48"	PT-10-48	496	PT-12-48	518	PT-15-48	893	PT-18-48	1053	34	3
60"	PT-10-60	521	PT-12-60	555	PT-15-60	941	PT-18-60	1132	37	3
72"	PT-10-72	545	PT-12-72	586	PT-15-72	1089	PT-18-72	1232	46	4
84"	PT-10-84	570	PT-12-84	616	PT-15-84	1128	PT-18-84	1289	50	5
96"	PT-10-96	650	PT-12-96	694	PT-15-96	1181	PT-18-96	1368	55	5
108"	PT-10-108	1042	PT-12-108	1113	PT-15-108	1356	PT-18-108	1516	60	6
120"	PT-10-120	1146	PT-12-120	1206	PT-15-120	1497	PT-18-120	1635	65	7
132"	PT-10-132	1227	PT-12-132	1308	PT-15-132	1615	PT-18-132	1790	68	7
144"	PT-10-144	1314	PT-12-144	1374	PT-15-144	1780	PT-18-144	1913	72	8
36"	PT-10R-36	545	PT-12R-36	567	PT-15R-36	915	PT-18R-36	1034	30	2
48"	PT-10R-48	571	PT-12R-48	605	PT-15R-48	959	PT-18R-48	1110	34	3
60"	PT-10R-60	605	PT-12R-60	643	PT-15R-60	1013	PT-18R-60	1219	37	3
72"	PT-10R-72	638	PT-12R-72	681	PT-15R-72	1131	PT-18R-72	1314	46	4
84"	PT-10R-84	671	PT-12R-84	722	PT-15R-84	1203	PT-18R-84	1366	50	5
96"	PT-10R-96	756	PT-12R-96	814	PT-15R-96	1318	PT-18R-96	1510	55	5
108"	PT-10R-108	1248	PT-12R-108	1353	PT-15R-108	1510	PT-18R-108	1640	60	6
120"	PT-10R-120	1347	PT-12R-120	1507	PT-15R-120	1597	PT-18R-120	1717	65	7
132"	PT-10R-132	1450	PT-12R-132	1631	PT-15R-132	1764	PT-18R-132	1915	68	7
144"	PT-10R-144	1545	PT-12R-144	1708	PT-15R-144	1910	PT-18R-144	2036	72	8
36"	PT-10S-36	696	PT-12S-36	722	PT-15S-36	1064	PT-18S-36	1245	30	2
48"	PT-10S-48	732	PT-12S-48	761	PT-15S-48	1128	PT-18S-48	1339	34	3
60"	PT-10S-60	761	PT-12S-60	795	PT-15S-60	1177	PT-18S-60	1374	37	3
72"	PT-10S-72	792	PT-12S-72	839	PT-15S-72	1272	PT-18S-72	1449	46	4
84"	PT-10S-84	828	PT-12S-84	877	PT-15S-84	1386	PT-18S-84	1623	50	5
96"	PT-10S-96	930	PT-12S-96	986	PT-15S-96	1482	PT-18S-96	1687	55	5
108"	PT-10S-108	1497	PT-12S-108	1618	PT-15S-108	1760	PT-18S-108	1887	60	6
120"	PT-10S-120	1605	PT-12S-120	1706	PT-15S-120	1830	PT-18S-120	2020	65	7
132"	PT-10S-132	1689	PT-12S-132	1801	PT-15S-132	1929	PT-18S-132	2113	68	7
144"	PT-10S-144	1771	PT-12S-144	1833	PT-15S-144	2015	PT-18S-144	2217	72	8


Shelves 8' Or Longer, Include Center Leg Support

POT RACKS

Additional Pot Racks

WALL MOUNTED POT RACKS

Includes Pot Hooks



Stainless Steel			Powder Coated			Aluminum					
Length	Model #	Price	Model #	Price	# Of Hooks	Wt.	Model #	Price	# Of Hooks	Wt.	Cu.
2'	NOT AVAILABLE						 ALW-24	\$320	6	5 lbs.	1.0
3'	 SW1-36	\$600	 GW1-36	\$316	6	13 lbs.	 ALW-36	395	6	6 lbs.	1.5
4'	 SW1-48	617	 GW1-48	352	6	15 lbs.	 ALW-48	431	6	7 lbs.	2.0
5'	 SW1-60	635	 GW1-60	389	9	17 lbs.	NOT AVAILABLE				2.5
6'	SW1-72	655	GW1-72	403	9	19 lbs.					3.0
7'	SW1-84	671	GW1-84	421	9	21 lbs.					3.5
8'	SW1-96	738	GW1-96	459	9	23 lbs.					4.0
9'	SW1-108	812	GW1-108	478	9	25 lbs.					4.5
10'	SW1-120	883	GW1-120	495	9	27 lbs.					5.0

Single Bar



SW1-36 Shown



GW1-36 Shown

Length	Stainless Steel		Powder Coated		# Of Hooks	Wt.	Cu.
	Model #	Price	Model #	Price			
2'	SW-24	\$830	GW-24	\$562	12	18 lbs.	4
3'	SW-36	900	GW-36	638	12	22 lbs.	5
4'	SW-48	930	GW-48	668	12	26 lbs.	6
5'	SW-60	1000	GW-60	699	18	30 lbs.	7
6'	SW-72	1050	GW-72	717	18	34 lbs.	9
7'	SW-84	1159	GW-84	776	18	44 lbs.	10
8'	SW-96	1203	GW-96	794	18	48 lbs.	12
9'	SW-108	1422	GW-108	1000	18	52 lbs.	13
10'	SW-120	1556	GW-120	1156	18	56 lbs.	15
11'	SW-132	1688	GW-132	1285	18	60 lbs.	16
12'	SW-144	1785	GW-144	1316	18	64 lbs.	18

Double Bar



SW-36 Shown

CEILING MOUNTED POT RACKS

Hangs 36" From Ceiling • Includes Pot Hooks



Length	Stainless Steel		Powder Coated		# Of Hooks	Wt.	Cu.
	Model #	Price	Model #	Price			
3'	SC-36	\$1544	GC-36	\$963	12	42 lbs.	5
4'	SC-48	1573	GC-48	974	12	48 lbs.	6
5'	SC-60	1639	GC-60	994	18	54 lbs.	7
6'	SC-72	1710	GC-72	1021	18	60 lbs.	9
7'	SC-84	1908	GC-84	1263	18	66 lbs.	10
8'	SC-96	2158	GC-96	1395	18	80 lbs.	12
9'	SC-108	2406	GC-108	1751	18	86 lbs.	13
10'	SC-120	2693	GC-120	1933	18	92 lbs.	15
11'	SC-132	2839	GC-132	2054	18	98 lbs.	16
12'	SC-144	3151	GC-144	2245	18	104 lbs.	18

TA-98 Stainless Steel Flat Bar in lieu of Chain **\$296/pot rack**

LEG MOUNTED POT RACK

For 30" Wide Tables

Includes 6 Pot Hooks Per Unit



Stainless Steel

UB-30

\$394

Wt. 10 lbs.

For Adjustable Pot Rack Components
See Page 79

DISHTABLE STANDARDS



Shown with 8" Deep Sink Bowl, Pre-rinse Basket & Slide Bar

Features and Benefits

- 3/4" Radius Corner Sink Bowls
- 10 1/2" Tile Edge Backsplash
- 1 5/8" Tubular Legs
- Economical Savings
- Satin Finish

SPEC-LINE "30" Series

- 14 ga. 304 Stainless Steel Top
- Stainless Steel Cross Bracing on Sides
- 16 ga. 304 Stainless Steel Legs & Adjust. Bullet Feet
- 10 1/2" Backsplash
- 8" Deep Sink Bowls (Soil Units)



STANDARD "70" Series

- 16 ga. 304 Stainless Steel Top
- Stainless Steel Cross Bracing on Sides
- Stainless Steel Legs and Adjust. Bullet Feet
- 10 1/2" Backsplash
- 5" Deep Sink Bowls (Soil Units)



SUPERSAVER "60" Series

- 16 ga. 304 Stainless Steel Top
- Galvanized Legs & Adjust. Plastic Bullet Feet
- 10 1/2" Backsplash
- 5" Deep Sink Bowls (Soil Units)



WHEN PLACING AN ORDER, PLEASE PROVIDE THE DISH MACHINE MODEL NUMBER TO ENSURE PROPER DISHTABLE COMPATIBILITY.

Due to some machine manufacturer's recommendations for specific service access, the following modifications will apply...

DTA-76 (Relocate sink location)

*Dish Machines that require a **DTA-76**:*

ES-4400, ES-6600, WH-series, APEX TSC-V
CMA 180 (Right-side), 44, 66
Hobart AM-15 (corner configuration) C-series, CL-series,
CCS-66/77/86/110, CRS-series
Jackson AJ-series, TS-series, TSC-series
Meiko K-series
Stero SCT-series

DTA-76: No Charge

DTA-78 (Notch in backsplash to clear handle)

*Dish Machines that require a **DTA-78**:*

ADS HT-25, SS-25
Blakeslee D-8, D-9
Ecolab ES-4000
Electrolux WT65
Hobart AM-15 (Corner Configuration)
DTA-78: \$145

STRAIGHT SOIL DISHTABLES

Spec-Line S30 Series

Standard S70 Series

Super Saver S60 Series



14 Ga.

16 Ga.


16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
3 Ft.	35"	DTS-S30-36LorR	\$3385	DTS-S70-36LorR	\$2854	DTS-S60-36LorR	\$2717	70 lbs.	12
4 Ft.	47"	DTS-S30-48LorR	3548	DTS-S70-48LorR	2949	DTS-S60-48LorR	2815	85 lbs.	17
5 Ft.	59"	DTS-S30-60LorR	3629	DTS-S70-60LorR	3048	DTS-S60-60LorR	2913	100 lbs.	19
6 Ft.	71"	DTS-S30-72LorR	3770	DTS-S70-72LorR	3204	DTS-S60-72LorR	3069	115 lbs.	23
7 Ft.	83"	DTS-S30-84LorR	3880	DTS-S70-84LorR	3438	DTS-S60-84LorR	3242	125 lbs.	27
8 Ft.	95"	DTS-S30-96LorR	3934	DTS-S70-96LorR	3649	DTS-S60-96LorR	3297	135 lbs.	31
9 Ft.	107"	DTS-S30-108LorR	4673	DTS-S70-108LorR	3924	DTS-S60-108LorR	3762	235 lbs.	45
10 Ft.	119"	DTS-S30-120LorR	5000	DTS-S70-120LorR	4314	DTS-S60-120LorR	4121	290 lbs.	50
12 Ft.	143"	DTS-S30-144LorR	5787	DTS-S70-144LorR	4728	DTS-S60-144LorR	4535	320 lbs.	60

Faucet Holes are Splash Mounted 8" O.C.


 *Pre-rinse Sink location and machine opening may require
DTA-76 modification to conform to Dishmachine requirements.


LEFT SOIL TABLE



RIGHT SOIL TABLE

CORNER SOIL DISHTABLES

Spec-Line K30 Series

Standard K70 Series

Super Saver K60 Series



14 Ga.

16 Ga.

16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTS-K30-48LorR	\$6219	DTS-K70-48LorR	\$5685	DTS-K60-48LorR	\$5434	128 lbs.	29
5 Ft.	59"	DTS-K30-60LorR	6367	DTS-K70-60LorR	5777	DTS-K60-60LorR	5559	138 lbs.	37
6 Ft.	71"	DTS-K30-72LorR	6479	DTS-K70-72LorR	5921	DTS-K60-72LorR	5714	149 lbs.	44
7 Ft.	83"	DTS-K30-84LorR	6659	DTS-K70-84LorR	6053	DTS-K60-84LorR	5893	163 lbs.	51
8 Ft.	95"	DTS-K30-96LorR	6770	DTS-K70-96LorR	6203	DTS-K60-96LorR	5954	182 lbs.	58
9 Ft.	107"	DTS-K30-108LorR	7017	DTS-K70-108LorR	6521	DTS-K60-108LorR	6215	355 lbs.	83
10 Ft.	119"	DTS-K30-120LorR	7357	DTS-K70-120LorR	7084	DTS-K60-120LorR	6356	380 lbs.	92
12 Ft.	143"	DTS-K30-144LorR	8128	DTS-K70-144LorR	7489	DTS-K60-144LorR	7310	390 lbs.	110

Faucet Holes are Splash Mounted 8" O.C.


 *Pre-rinse Sink location and machine opening
may require DTA-76 modification to conform
to Dishmachine requirements.

 LEFT
CORNER
SOIL
TABLE

 RIGHT
CORNER
SOIL
TABLE

**ATTENTION:**

See Dish Machine Information on
Pg. 81 to ensure proper compatibility



DISHTABLES

Soil Dishtables


ISLAND SOIL DISHTABLES

Spec-Line G30 Series
Standard G70 Series
Super Saver G60 Series
14 Ga.
16 Ga.
16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTS-G30-48LorR	\$5823	DTS-G70-48LorR	\$5333	DTS-G60-48LorR	\$5100	129 lbs.	29
5 Ft.	59"	DTS-G30-60LorR	5955	DTS-G70-60LorR	5430	DTS-G60-60LorR	5217	138 lbs.	37
6 Ft.	71"	DTS-G30-72LorR	6109	DTS-G70-72LorR	5559	DTS-G60-72LorR	5372	150 lbs.	44
7 Ft.	83"	DTS-G30-84LorR	6240	DTS-G70-84LorR	5723	DTS-G60-84LorR	5545	162 lbs.	51
8 Ft.	95"	DTS-G30-96LorR	6348	DTS-G70-96LorR	5841	DTS-G60-96LorR	5600	178 lbs.	58
9 Ft.	107"	DTS-G30-108LorR	6513	DTS-G70-108LorR	6123	DTS-G60-108LorR	6011	335 lbs.	83
10 Ft.	119"	DTS-G30-120LorR	6786	DTS-G70-120LorR	6645	DTS-G60-120LorR	6521	365 lbs.	92
12 Ft.	143"	DTS-G30-144LorR	7155	DTS-G70-144LorR	7013	DTS-G60-144LorR	6900	380 lbs.	110




*Prerinse Sink location and machine opening
may require DTA-76 modification to conform
to Dishmachine requirements.



**LEFT
ISLAND
SOIL
TABLE**

Faucet Holes are Splash Mounted 8" O.C.



**RIGHT
ISLAND
SOIL
TABLE**


DISHLANDING SOIL DISHTABLES

Spec-Line D30 Series
Standard D70 Series
Super Saver D60 Series
14 Ga.
16 Ga.
16 Ga. w/ Galvanized Legs


Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTS-D30-48LorR	\$6972	DTS-D70-48LorR	\$6351	DTS-D60-48LorR	\$6217	139 lbs.	33
5 Ft.	59"	DTS-D30-60LorR	7118	DTS-D70-60LorR	6481	DTS-D60-60LorR	6381	147 lbs.	41
6 Ft.	71"	DTS-D30-72LorR	7305	DTS-D70-72LorR	6627	DTS-D60-72LorR	6506	160 lbs.	50
7 Ft.	83"	DTS-D30-84LorR	7529	DTS-D70-84LorR	6773	DTS-D60-84LorR	6654	175 lbs.	58
8 Ft.	95"	DTS-D30-96LorR	7581	DTS-D70-96LorR	6926	DTS-D60-96LorR	6774	205 lbs.	66
9 Ft.	107"	DTS-D30-108LorR	7940	DTS-D70-108LorR	7080	DTS-D60-108LorR	6934	320 lbs.	93
10 Ft.	119"	DTS-D30-120LorR	8259	DTS-D70-120LorR	7491	DTS-D60-120LorR	7310	365 lbs.	103
12 Ft.	143"	DTS-D30-144LorR	8621	DTS-D70-144LorR	7813	DTS-D60-144LorR	7671	390 lbs.	123



*Prerinse Sink location and machine opening
may require DTA-76 modification to conform
to Dishmachine requirements.



**LEFT
DISHLANDING
SOIL
TABLE**



**RIGHT
DISHLANDING
SOIL
TABLE**

DISHTABLES

Clean Dishtables



ATTENTION:

See Dish Machine Information on
Pg. 81 to ensure proper compatibility

STRAIGHT CLEAN DISHTABLES

Spec-Line S30 Series

Standard S70 Series

Super Saver S60 Series

14 Ga.


16 Ga.

16 Ga. w/ Galvanized Legs


Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
2 Ft.	23"	DTC-S30-24LorR	\$1670	DTC-S70-24LorR	\$1579	DTC-S60-24LorR	\$1437	35 lbs.	12
3 Ft.	35"	DTC-S30-36LorR	2025	DTC-S70-36LorR	1812	DTC-S60-36LorR	1671	45 lbs.	12
4 Ft.	47"	DTC-S30-48LorR	2120	DTC-S70-48LorR	1973	DTC-S60-48LorR	1832	60 lbs.	17
5 Ft.	59"	DTC-S30-60LorR	2259	DTC-S70-60LorR	2090	DTC-S60-60LorR	1948	70 lbs.	19
6 Ft.	71"	DTC-S30-72LorR	2384	DTC-S70-72LorR	2191	DTC-S60-72LorR	2050	85 lbs.	23
7 Ft.	83"	DTC-S30-84LorR	2893	DTC-S70-84LorR	2434	DTC-S60-84LorR	2235	100 lbs.	27
8 Ft.	95"	DTC-S30-96LorR	3028	DTC-S70-96LorR	2640	DTC-S60-96LorR	2290	110 lbs.	31
9 Ft.	107"	DTC-S30-108LorR	3367	DTC-S70-108LorR	2977	DTC-S60-108LorR	2808	225 lbs.	45
10 Ft.	119"	DTC-S30-120LorR	3500	DTC-S70-120LorR	3208	DTC-S60-120LorR	3012	250 lbs.	50
12 Ft.	143"	DTC-S30-144LorR	3848	DTC-S70-144LorR	3512	DTC-S60-144LorR	3309	270 lbs.	60



Optional
Undershelf



LEFT CLEAN TABLE



RIGHT CLEAN TABLE

CORNER CLEAN DISHTABLES

Spec-Line K30 Series

Standard K70 Series


Super Saver K60 Series

14 Ga.


16 Ga.

16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTC-K30-48LorR	\$4472	DTC-K70-48LorR	\$4157	DTC-K60-48LorR	\$3902	105 lbs.	29
5 Ft.	59"	DTC-K30-60LorR	4599	DTC-K70-60LorR	4272	DTC-K60-60LorR	4004	115 lbs.	37
6 Ft.	71"	DTC-K30-72LorR	4797	DTC-K70-72LorR	4584	DTC-K60-72LorR	4182	125 lbs.	44
7 Ft.	83"	DTC-K30-84LorR	5023	DTC-K70-84LorR	4761	DTC-K60-84LorR	4362	138 lbs.	51
8 Ft.	95"	DTC-K30-96LorR	5076	DTC-K70-96LorR	4820	DTC-K60-96LorR	4416	157 lbs.	58
9 Ft.	107"	DTC-K30-108LorR	6293	DTC-K70-108LorR	5954	DTC-K60-108LorR	5612	330 lbs.	83
10 Ft.	119"	DTC-K30-120LorR	6593	DTC-K70-120LorR	6228	DTC-K60-120LorR	5826	360 lbs.	92
12 Ft.	143"	DTC-K30-144LorR	7251	DTC-K70-144LorR	6810	DTC-K60-144LorR	6410	380 lbs.	110



LEFT CORNER
CLEAN TABLE



RIGHT CORNER
CLEAN TABLE

**ATTENTION:**

See Dish Machine Information on
Pg. 81 to ensure proper compatibility



DISHTABLES

Clean Dishtables

ISLAND CLEAN DISHTABLES

Spec-Line G30 Series**Standard G70 Series****Super Saver G60 Series****14 Ga.****16 Ga.****16 Ga. w/ Galvanized Legs**


Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTC-G30-48LorR	\$4346	DTC-G70-48LorR	\$3921	DTC-G60-48LorR	\$3771	102 lbs.	29
5 Ft.	59"	DTC-G30-60LorR	4474	DTC-G70-60LorR	4086	DTC-G60-60LorR	3879	112 lbs.	37
6 Ft.	71"	DTC-G30-72LorR	4671	DTC-G70-72LorR	4184	DTC-G60-72LorR	4052	125 lbs.	44
7 Ft.	83"	DTC-G30-84LorR	4890	DTC-G70-84LorR	4370	DTC-G60-84LorR	4232	135 lbs.	51
8 Ft.	95"	DTC-G30-96LorR	4947	DTC-G70-96LorR	4432	DTC-G60-96LorR	4287	148 lbs.	58
9 Ft.	107"	DTC-G30-108LorR	6124	DTC-G70-108LorR	5457	DTC-G60-108LorR	5274	310 lbs.	83
10 Ft.	119"	DTC-G30-120LorR	6340	DTC-G70-120LorR	5837	DTC-G60-120LorR	5571	340 lbs.	92
12 Ft.	143"	DTC-G30-144LorR	6974	DTC-G70-144LorR	6537	DTC-G60-144LorR	6137	360 lbs.	110

**LEFT ISLAND CLEAN TABLE****RIGHT ISLAND CLEAN TABLE**

U-SHAPED SOIL DISHTABLES


Nominal Size	Length	Model #	Price	Approx. Weight	Approx. Cu. Ft.
6 Ft.	71"	DTS-U30-72LorR	\$11247	450 lbs.	99
7 Ft.	83"	DTS-U30-84LorR	11463	470 lbs.	114
8 Ft.	95"	DTS-U30-96LorR*	11902	490 lbs.	130
9 Ft.	107"	DTS-U30-108LorR*	12209	525 lbs.	145
10 Ft.	119"	DTS-U30-120LorR*	12519	550 lbs.	160
11 Ft.	131"	DTS-U30-132LorR*	12717	575 lbs.	176
12 Ft.	143"	DTS-U30-144LorR*	12934	lbs. 600	192

*Includes Field Joint (To be welded in field by others)



- Includes Prerinse sink basket and bar slide and dishlanding.
- Additional length on any leg of dishtables, use **DTA-56** \$206 per ft. (Field joint may be required)
- Additional custom lengths available on all sides.
- If any 2 sides are larger than 90", a welded field joint is required (WELDED BY OTHERS). USE **K-57** \$267.
- For additional accessories and modifications, see pages 86-88.

Dishlanding may be replaced with backsplash or rolled edge at no additional charge.



Prerinse Basket with Welded Slide Bar


All Stainless Steel
Type 304 Series
Perforated Basket for
3/4" Radius Bowls

Model #	Size	Price
DTA-100	19 1/2" x 19 1/2"	\$617
	12 lbs.	1 Cu. Ft.

**4" Depth**

Prerinse Slide Bar

Model #	Size	Price
DTA-60	19 1/2" x 19 1/2"	\$354
	9 lbs.	1 Cu. Ft.



DISHTABLES

Specialty Dishtables

Faucets Can Be Found
On Page 84

! ATTENTION:
See Dish Machine Information on
Pg. 81 to ensure proper compatibility

DISHTABLE WITH 3 COMPARTMENT FABRICATED BOWLS

Multiple Bowl Choices & Lengths

NSF

- 16 Gauge Stainless Steel
- Stainless Steel Legs and Cross Rails
- Stainless Steel Bullet Feet

Model #	Length	Bowl Size	Drainboard Size	Approx. Weight	Price
DTC-3-1620-84LorR	83"	16" x 20" x 12"	23"	220 lbs.	\$7049
DTC-3-1620-96LorR	95"	16" x 20" x 12"	35"	240 lbs.	7366
DTC-3-1620-120LorR	119"	16" x 20" x 12"	59"	265 lbs.	7416
DTC-3-1620-144LorR	143"	16" x 20" x 12"	83"	290 lbs.	7972
DTC-3-1824-144LorR	143"	18" x 24" x 14"	77"	365 lbs.	9674
DTC-3-2020-96LorR	95"	20" x 20" x 12"	23"	260 lbs.	8384
DTC-3-2020-108LorR	107"	20" x 20" x 12"	35"	285 lbs.	8543
DTC-3-2020-120LorR	119"	20" x 20" x 12"	48"	310 lbs.	8673
DTC-3-2020-144LorR	143"	20" x 20" x 12"	71"	340 lbs.	8858
DTC-3-2424-144LorR*	143"	24" x 24" x 14"	59"	380 lbs.	9864

* Requires Two Faucets

For Upgrade To 14 Gauge Use "DTA-49" \$588



DTC-3-1620-84L Shown

BOWLS ARE LOCATED 12" IN FROM MACHINE

For Other Configurations, Contact Factory

(Must Verify Machine For Control Box Or Drive Unit Interference)

PRERINSE BASKETS & WELDED SLIDE BARS

Prerinse Baskets with Slide Bar

Model #	Fits Bowls	Price	Wt.	Cu.
DTA-125	16" x 20" x 4"	\$538	9 lbs.	1
DTA-100	20" x 20" x 4"	617	12 lbs.	1
Large Size Baskets				
DTA-58	18" x 24" x 4"	788	11 lbs.	1
DTA-59	24" x 24" x 4"	896	20 lbs.	1



DTA-100
Shown

Prerinse Slide Bars

Model #	Fits Bowls	Price	Wt.	Cu.
DTA-64	16" x 20"	\$305	7 lbs.	1
DTA-60	20" x 20"	354	9 lbs.	1
Large Size Prerinse Slide Bars				
DTA-51	18" x 24"	446	8 lbs.	1
DTA-52	24" x 24"	530	10 lbs.	1




Prerinse Baskets & Slide Bar For Deep Drawn Bowls, See Page 84

UNDERCOUNTER DISHTABLE

COMPACT - EFFICIENT - ECONOMICAL

NSF



DTU-U60-48R
Shown

20" x 20" x 5"
Sink Bowl

Left Or Right Designation Is
Determined By Sink Location.

Length	Model #	Price	Approx. Weight	Approx. Cu. Ft.
48"	DTU-U60-48L	\$2733	80 lbs.	17
48"	DTU-U60-48R	2733	80 lbs.	17
60"	DTU-U60-60L	2878	95 lbs.	19
60"	DTU-U60-60R	2878	95 lbs.	19
72"	DTU-U60-72L	2993	115 lbs.	23
72"	DTU-U60-72R	2993	115 lbs.	23

STAINLESS STEEL CONDENSATE HOODS



8" x 10" vent opening.
Collar is centered 2" in height.


Model #	Length	Width	Height	Price
CH-3636	36"	36"	20"	\$4129
CH-4242	42"	42"	20"	4445
CH-4848	48"	48"	20"	4920
CH-61	Specify Alternate Collar Location			173
CH-56	Additional Length Or Width			506 /lin. Ft.

This Item Is Not UL Or NFPA Listed.

VENT RISER

- Type 300 Stainless Steel
- Adjustable Ceiling Trim Collar
- Accommodates Standard 4" x 16" Vent Hood Duct

(Custom Sizes Available - Consult Factory)



View of Opening


Model #	Length	Width	Height	Price
VR-1	16"	4"	60"	\$1969

This Item Is Not UL Or NFPA Listed.



Dishtable Mods

Dishtable Modifications & Accessories



DTA-95




DTA-87



DTA-82



DTA-45



MODIFICATIONS

K-23	Dishtable Legs Welded To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated. <i>(Top Is Not Welded To Legs)</i>	\$401 /sink
K-23	Dishtable Legs Welded To Leg Gussets Under Sink Top & To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated	506 /sink
K-24	Shell Crating	296
K-37	Anti-Siphon Vacuum Breaker Hole	121
K-57	Welded Field Joint (Welded In Field By Others)	267
K-76	Paint On Sound Deadening	534 /sink
K-77	Splash Cut-Out (Pipe Chase)	189
K-440	Waste Trough Installation Welded Into Table And Furnished With A 2" Deep Removable Basket	914
K-452	Control Bracket 8" x 12"	267 ea.
K-453	Control Bracket 14" x 16"	287 ea.
K-454	Side Splash	415 ea.
K-456	Scrap Block Installed (Includes Rubber Scrap Block)	390 ea.
K-460	Disposal Cone Welded Into Table And Furnished With 8" x 12" Control Bracket & Faucet Holes (Supplied By Others)	798
K-460A	Installation Of Disposal Cone With 14" x 16" Control Bracket, Faucet Holes (Cone Supplied By Others)	848
K-461	Disposal Collar Welded Into Sink Bowl And Furnished With 8" x 12" Control Bracket (Supplied By Others)	798
K-461A	Disposal Collar Welded Into Sink Bowl And Furnished With 14" x 16" Control Bracket (Supplied By Others)	848
K-472	Special Faucet Hole Location	121 ea.
K-495	Turn Down Backsplash (Incl. 2 Brackets. See K-397 For Add'l Sets)	166
K-508A	Special Modification Charge	254
K-550	Stainless Steel Tubular Rack Storage	200 lin. ft.

DTA-40	Drain Hole (For Sorting Table)	\$137
DTA-45	Scrap Trough Welded To Dump Sink - Min. Scrap Trough Length Is 3'. Max. Length Is 8'. For 20" x 20" x 8" Bowl Spec-Line Soil S30 Series Only. - Consult Factory For Trough Lengths Exceeding 8 Feet	362 lin. ft.
DTA-46	Inside Mitered Corner	538
DTA-66	Provision For Dishlanding On Straight Soil Table (Min 4")	263 /lin. Ft.
DTA-70	Install Booster Heater Brackets (Brackets By Others)	169
DTA-72	Provision For Side Loader	1101
DTA-75	Provision For Limit Switch (Limit Switch By Others)	193
DTA-76	Move Prerinse Sink To Conform To Dishmachine Requirements. Please Specify Machine When Placing Order	N/C
DTA-78	Notch In Backsplash Return To Clear Handle Please Specify Machine When Placing Order	145
DTA-81	S/S Welded Leg Assembly with S/S Feet	309 /bowl
DTA-82	15" x 20" x 8" Undercounter Dump Sink	3597 /bowl
DTA-84	Simple Pass-Thru (Specify Wall Thickness - Min. Length 36")	641 /Ft.
DTA-87	Pass-Thru Wall Frame (Specify Wall Thickness - Min. Length 36")	366 /lin. Ft.
DTA-95	Install Scrapper Top	1770
DTA-96	Install Trough Collector	2179
DTA-99A	16" x 20" x 12" Sink Bowls	1369 /bowl
DTA-99B	20" x 20" x 12" Sink Bowls	1470 /bowl
DTA-99C	10" x 14" x 5" Dump Sink	1171 /bowl
DTA-99D	18" x 24" x 14" Sink	1607 /bowl
DTA-99E	24" x 24" x 14" Sink	1712 /bowl
DTA-106	Mirror Highlight To Dishtable Upgrade	422

ACCESSORIES

K-4	Lever Drain Bracket	\$122
K-5	Twist Handle Operated Drain	265
K-15	Twist Handle Operated Drain With Overflow	469
K-397	Wall Brackets (2 Each. Brackets Included With K-495)	81 /set
K-455C	Stainless Steel Sink Cover 16" x 20"	471
K-455E	Stainless Steel Sink Cover 20" x 20"	471
K-457	Replacement Rubber Scrap Block (See K-456 For Install Cost)	119 ea.
K-475	Replacement S/S Leg With Stainless Steel Bullet Foot	68 ea.
K-478	Replacement Stainless Steel Bullet Foot	27 ea.
K-488	Flanged S/S Bullet Foot	58 ea.
K-550	Stainless Steel Tubular Rack Storage	200 /lin. Ft.
K-610	Perforated Stainless Steel Sink Grid (Specify Bowl Size)	706 ea.
K-700D	12" High Removable Side Splash For Dishtables (Specify Model)	457 ea.
DTA-53	SPEC-LINE Heavy Duty Prerinse Faucet	864
DTA-51	Pre-Rinse Slide Bar for 18" x 24" Fab. Sink Bowls	446

DTA-52	Pre-Rinse Slide Bar for 24" x 24" Fab. Sink Bowls	\$530
DTA-55	Column Notch (Includes Splash)	727
DTA-56	Add'l Length On 59" Side Of Corner Or Straight Tables	206 /lin. Ft.
DTA-58	Pre-Rinse Basket w/ Slide Bar for 18" x 24" Fab. Sink Bowls	788
DTA-59	Pre-Rinse Basket w/ Slide Bar for 24" x 24" Fab. Sink Bowls	896
DTA-60	Prerinse Slide Bar for 20" x 20" Fab. Sink Bowls	354
DTA-62	Prerinse Basket For 20" x 20" Deep Drawn Bowls	694
DTA-63	Prerinse Slide Bar For 20" x 20" Deep Drawn Bowls	354
DTA-64	Prerinse Slide Bar For 16" x 20" Fab. Sink Bowls	305
DTA-65	Prerinse Slide Bar For 16" x 20" Deep Drawn Bowls	305
DTA-67	Stainless Steel Rear Cross-Bracing (Factory Installed Only)	34 /lin. Ft.
DTA-69	Prerinse Basket For 16" x 20" Deep Drawn Bowls	660
DTA-100	Prerinse Basket with Slide Bar for 20" x 20" Fab. Sink Bowls	617
DTA-125	Prerinse Basket with Slide Bar for 16" x 20" Fab. Sink Bowls	538
DTA-125A	Prerinse Scrap Basket For DTA-82 Undermount Dump Sink	720



Dishtables

Dishtable Faucets & Accessories

 = Ships via UPS

SPEC-LINE EXTRA HEAVY DUTY 14" Splash Mounted Swing Spout Faucet



K-105 \$415 
T&S Equivalent Model # B231

Splash Mounted
Prerinse Faucet

K-116 \$1199 

12" Add-A-Faucet

K-117-TS \$526
(Fits K-116 Only) 



Prerinse Faucets

Prerinse Features:

- 8" O.C.
- Wall Bracket
- Continuous Spray Ring
- Heavy Duty Chrome Plated Spring

SPEC-LINE
HEAVY DUTY
Splash Mounted

DTA-53 \$864 

T&S Equivalent
Model # B133-B

12" Add-A-Faucet

K-117 \$338
(Fits DTA-53 Only)



Table Mounted SORTING SHELVES

NSF

Mounts to backsplash and end roll of dishtable
(D, G and U-shaped Dishtables only)

Shelf Shipped Separate From Table To Reduce Freight
Costs And Chance Of Shipping Damage.



New Versatile Design allows for
Different Glass Rack Applications

- Drip Tubes For Water Drainage
- 14 Gauge End Plates
- 18 Gauge, 1 5/8" Tubes

DTA-79 \$458 /lin. Ft.



- Drip Tubes For Water Drainage
- 14 Gauge End Plates & Base
- 18 Gauge, 1 5/8" Tube

DTA-79S \$582 /lin. Ft.

STAINLESS STEEL UNDERSHELVES

Additional Storage
Shelving Is Reversible (Left Or Right)




Size Undershelf To Be At Least
6" Shorter Than Dishtable.

Now With Stainless Steel Legs!

Length	Model #	Price	Approx. Wt.	Approx. Cubes
18"	DTA-SS-18 \$431		11 lbs.	1
24"	DTA-SS-24 492		13 lbs.	1
30"	DTA-SS-30 520		15 lbs.	1
42"	DTA-SS-42 554		20 lbs.	2
54"	DTA-SS-54 631		23 lbs.	2
66"	DTA-SS-66 711		30 lbs.	3
78"	DTA-SS-78 754		35 lbs.	3
90"	DTA-SS-90 805		39 lbs.	4
102"	DTA-SS-102 912		45 lbs.	5
114"	DTA-SS-114 950		50 lbs.	5
126"	DTA-SS-126 1121		55 lbs.	6
138"	DTA-SS-138 1169		59 lbs.	6

SORTING SHELVES

Traditional Design



NSF

KD Tubular Design



NSF

FOR TABLE MOUNTED, ADD **DTA-88 \$851**

Length	Model #	Racks	Price	Approx. Wt.	Approx. Cubes
22"	DT-6R-11	1	\$1242	20 lbs.	1
42"	DT-6R-12	2	1328	30 lbs.	2
62"	DT-6R-13	3	1403	40 lbs.	4
82"	DT-6R-14	4	1488	50 lbs.	5

Length	Model #	Racks	Price	Approx. Wt.	Approx. Cubes
22"	DT-6R-21	1	\$925	15 lbs.	1
42"	DT-6R-22	2	1043	23 lbs.	2
62"	DT-6R-23	3	1112	30 lbs.	4
82"	DT-6R-24	4	1181	38 lbs.	5

SORTING TABLES

16 Gauge 304 Stainless Steel • 3" Raised Edge
STAINLESS STEEL CROSS BRACING ON ALL SIDES

Standard

Model #	Price	Size	Approx. Wt.	Approx. Cubes
SR-48	\$2022	48" x 30"	84 lbs.	12
SR-60	2140	60" x 30"	98 lbs.	15
SR-72	2259	72" x 30"	109 lbs.	18
SR-96	2526	96" x 30"	143 lbs.	21



Shown With
Optional Casters

10 1/2" Backsplash

Model #	Price	Size	Approx. Wt.	Approx. Cubes
BSR-48	\$2045	48" x 30"	88 lbs.	12
BSR-60	2155	60" x 30"	103 lbs.	15
BSR-72	2272	72" x 30"	115 lbs.	18
BSR-96	2611	96" x 30"	150 lbs.	21



 **TA-255** Super Heavy Duty Casters **\$539**


DTA-40 Drain Hole **137**

 **WARNING:** Faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Underbar Basics™

Featuring New Extended Widths!

Sinks, Blender Stations, Drainboards & Liquor Racks now have a new flush design for a clean, linear appearance when adding SRK Speed Rails.



Features and Benefits

- 18", 21", 23" & 26" Widths
- 4" Backsplash
- All Units Come with 4 Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Selected Models Feature Adjustable Galvanized Cross-Bracing (Front to Back)
- Embossed & Seamless Drainboards (Where Applies)
- Blender Stations Include Hidden Duplex Electrical Outlet



UNDERBAR DROP-INS



Drop-In Ice Bins, Water Stations & Hand Sinks

DROP-IN WATER STATIONS

Includes K-54 Deck Mount Faucet With "Push-Back" Acrylic Lever Arm



D-24-WSIBL \$1303

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim. 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
30 lbs. 5 cu. Ft.

D-24-WSIBL2 \$1565

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim.: 18" x 21"
Cut-Out Size: 15 1/4" x 20 5/8"
47 lbs. 5 cu. Ft.

Underbar Basics™

For Custom Cut-Out Use
Model # TA-34 \$254



DI-1-9 \$1000

Removable Electro-Polished
Stainless Steel Grill
1 1/2" IPS Basket Drain
Cut-Out Size: 11 1/4" x 13 1/4"
15 lbs. 3 cu. Ft.

DROP-IN BAR HAND SINKS

Featuring Deep Drawn Sink Bowls

SPACE SAVER



Overall Size:
13" x 19"



Overall Size:
12" x 14"



Hand Sink Bowl Size:
9" x 9" x 4"

Ice Bin Inside Dim.:
8" x 13 1/2" x 10 13/16"
Ice Capacity: 23 lbs.

DI-1-5 \$510

K-52 Deck Mounted Faucet
1 1/2" IPS Basket Drain
Cut-Out Size: 12 1/4" x 18 1/4"
20 Gauge Stainless Steel
12 lbs. 2 cu. Ft.

DI-1-25 \$632

K-52 Deck Mounted Faucet
1 1/2" IPS Basket Drain
Cut-Out Size: 11 1/4" x 13 1/4"
20 Gauge Stainless Steel
8 lbs. 2 cu. Ft.


D-24-SIBL \$1396

K-51 Deck Mounted Faucet
Insulated Ice Bin w/ S/S Cover
1" IPS Drain In Ice Bin
Outside Dim.: 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
Factory Installed Only
20 Gauge Galvanized Steel
30 lbs. 5 cu. Ft.

For Our Full Line Of Drop-in Sinks, See pages 3-5

ACCESSORIES & MODIFICATIONS

Replacement Sliding Stainless Steel Covers



D-12
Shown

Model #	Price	For Use With:
D-12	\$94	D-12-IBL, D-24-WSIBL, D-24-WSIBL2, D-24-SIBL
D-24	108	D-24-IBL, D-24-IBL-7
D-24V	121	D-24-IBL, D-24-IBL-7
D-30	153	Units oriented with 18" dimension left-to-right
D-36	174	D-30-IBL, D-30-IBL-7
		D-36-IBL, D-36-IBL-7

Cover designed to open front-to-rear, with 18" ice bin dimension front-to-rear.
(D-24-WSIBL2 opens left to right when installed with 21" front-to-rear)



Add Wrist Handles
K-316-LU
\$114

Water Filler Faucets

K-54 8-1/4" High \$468
K-54A 12" High \$576
K-54OMIT - \$385
Omit K-54 Faucet



6" Deck
Mounted Faucet
K-51 \$452
4" O.C.



3 1/2" Gooseneck
Deck Mounted Faucet
K-52 \$221



UNDERBAR DROP-INS

Drop-In Ice Bins, Bar Sinks & Drain Pans


DROP-IN ICE BINS

11" Deep Insulated Ice Bin w/ Sliding Stainless Steel Cover

Model #	Price	Overall Length	Cut Out Size W x L	Ice Capacity	Approx. Weight	Approx. Cu. Ft.
D-12-IBL	\$1096	12"	15 1/4" x 9 5/8"	23 lbs.	22 lbs.	3
D-24-IBL	1194	21"	15 1/4" x 20 3/8"	50 lbs.	39 lbs.	5
D-30-IBL	1230	27"	15 1/4" x 26 3/8"	62 lbs.	62 lbs.	8
D-36-IBL	1374	33"	15 1/4" x 32 3/8"	75 lbs.	67 lbs.	9
w/ 7-CIRCUIT COLD PLATE						
D-24-IBL-7	2802	21"	15 1/4" x 20 3/8"	50 lbs.	84 lbs.	9
D-30-IBL-7	2767	27"	15 1/4" x 26 3/8"	62 lbs.	107 lbs.	13
D-36-IBL-7	2932	33"	15 1/4" x 32 3/8"	75 lbs.	113 lbs.	15

Underbar Basics™

- Rubber Thermal Breaker Reduces Condensation
- Optional 7-Circuit Cold Plate Sealed Into The Bottom



For Replacement Sliding Stainless Steel Covers, See Page 90.

DROP-IN BAR SINKS

Optional Built-in Embossed Drainboard

- 10" x 14" x 10" Sink Bowls
- 9" High Overflow Pipe(s) w/ 1 1/2" IPS Drain(s)
- 4" O.C. Deck Mounted Swing Faucet
- 4" O.C. Deck Mounted Faucet

Model #	Price	# of Bowls	# of Drbds.	Drbd. Size	Drbd. Location	Outside Dim. W x L	Cut Out Size W x L	Approx. Weight	Approx. Cu. Ft.
DBS-1	\$847	1	0	N/A	N/A	13" x 19"	12 1/4" x 18 1/4"	21 lbs.	3
DBS-2	951	2	0	N/A	N/A	25 1/2" x 19"	24 3/4" x 18 1/4"	26 lbs.	4
DBS-3	1145	3	0	N/A	N/A	38" x 19"	37 1/4" x 18 1/4"	42 lbs.	9
DBS-43L	1725	3	1	12"	Right	21 1/8" x 48 5/16"	17" x 47"	88 lbs.	10
DBS-43R	1725	3	1	12"	Left	21 1/8" x 48 5/16"	17" x 47"	88 lbs.	10
DBS-53C	1877	3	2	12"	Left & Right	21 1/8" x 60 5/16"	17" x 59"	100 lbs.	21
DBS-63C	1961	3	2	18"	Left & Right	21 1/8" x 72 5/16"	17" x 71"	110 lbs.	24


L and R Indicate Sink Location. C Indicates Sink is Centered.



18" WIDE COUNTERTOP DRAIN PAN

- Removable Drip Tray
- Stainless Steel Top
- 1/2" NPT Drain

CUSTOM SIZES AVAILABLE
Consult Factory For Details



Model #	Price	Size W x L	Cut Out Size	Approx. Weight	Approx. Cu. Ft.
DP-1818	\$781	18" x 18"	15 3/4" x 15 3/4"	18 lbs.	2
DP-1824	798	18" x 24"	15 3/4" x 21 3/4"	23 lbs.	2
DP-1830	816	18" x 30"	15 3/4" x 27 3/4"	28 lbs.	3
DP-1836	844	18" x 36"	15 3/4" x 33 3/4"	33 lbs.	3
DP-1842	907	18" x 42"	15 3/4" x 39 3/4"	38 lbs.	4
DP-1848	978	18" x 48"	15 3/4" x 45 3/4"	43 lbs.	4

BAR DRINK RAILS

- Type 300 Stainless Steel
- 8" Wide (Front To Back) x 3/4" Deep
- Perforated Removable Grate Allows For Easy Cleaning
- 1" Drain On Right Side
- Designed To Secure To Underside Of Wood Substrate



Model #	Price	Size W x L	Approx. Weight	Approx. Cu. Ft.
DRKR-12	\$283	8" x 12"	10 lbs.	2
DRKR-18	315	8" x 18"	15 lbs.	2
DRKR-24	331	8" x 24"	20 lbs.	2
DRKR-30	381	8" x 30"	25 lbs.	2
DRKR-36	423	8" x 36"	30 lbs.	3
DRKR-42	478	8" x 42"	35 lbs.	3
DRKR-48	538	8" x 48"	40 lbs.	3

OPTIONS

DRKC-45-IC
45° Inside Corner
DRKC-45-OC
45° Outside Corner
\$528 ea.

DRKC-90-IC
90° Inside Corner
DRKC-90-OC
90° Outside Corner
\$528 ea.

COUNTERTOP GLASS RINSER

Rinses away any impurities that might be in the glass!

- Mounts Easily to countertop or bar equipment
- Brushed Stainless Steel
- Water Rinser And Glass Actuator By Pushing Down On Glass
- Threaded Drain For 1/2" Drain Hose

FACTORY INSTALLED ONLY



Model #	Price	Size W x L x H	Approx. Wt	Approx. Cu. Ft.
SU-16	\$697	6 3/8" x 6 3/8" x 3/4"	7 lbs.	1

UNDERCOUNTER GLASS RINSER

Rinses away any impurities that might be in the glass!

- Mounts Easily to Underside Of Wood Substrate
- Brushed Stainless Steel
- Retrofit any liquid dispense station
- Water Rinser And Glass Actuator By Pushing Down On Glass
- Threaded Drain For 1/2" Drain Hose



Model #	Price	O.A. W x L x H	Rinser Size W x L x H	Approx. Wt	Approx. Cu. Ft.
SU-16UM	\$924	6 3/8" x 11 3/8" x 1"	6-3/8" x 6-3/8" x 1"	8 lbs.	1

BAR HAND SINKS

Free Standing Bar Hand/Dump Sinks

Underbar **Basics™**



BAR HAND SINKS

Bowl Size: 10" x 14" x 10" • 29" Working Height • 4" High Backsplash
Includes 1-1/2" IPS Drain & Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
Add **SU-10A** For Stainless Steel Leg & Stainless Steel Bullet Foot Upgrade w/ Front-to-Back Cross-Bracing **\$230**



18" Wide Units

- 4" O.C. Splash Mounted Swing Spout Faucet

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
SL-HS-12	\$799	12"	31 lbs.	5
SL-HS-15	846	15"	34 lbs.	6



21" Wide Units

- 4" O.C. Deck Mounted Swing Spout Faucet
- Rear Deck For Extra Storage

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
CR-HS-12	\$832	12"	32 lbs.	6
CR-HS-15	875	15"	35 lbs.	6

HAND SINKS W/ BUILT-IN SOAP & TOWEL DISPENSERS

Bowl & Faucet • 29" Working Height • 4" High Backsplash
Includes 1 1/2" IPS Basket Drain & Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
Add **SU-10C** For Stainless Steel Leg & Stainless Steel Bullet Foot Upgrade w/ Front-to-Back Cross-Bracing **\$230**



21" Wide Standard Units

- 4" O.C. Deck Mounted Swing Spout Faucet
- Rear Deck For Extra Storage

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
SC-12-TS	\$1168	12"	45 lbs.	4
SC-15-TS	1195	15"	49 lbs.	4



21" Wide Side Splash Units

- 4" O.C. Deck Mounted Swing Spout Faucet
- 4" High Stainless Steel Side Splashes
- Rear Deck For Extra Storage

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
SC-12-TS-S	\$1382	12"	50 lbs.	4
SC-15-TS-S	1418	15"	54 lbs.	4

18" Wide Units Available - Consult Factory

HAND SINK ACCESSORIES & MODIFICATIONS



Add Wrist Handles

K-316-LU \$114

For Deck & Splash Mount Faucets



Replacement Deck Mount Soap Dispenser

K-12 \$144



Chrome Towel Ring

A-15 \$96 Packed Loose



Replacement 6" Splash Mount Faucet

K-125 \$295

4" O.C. 6" Spout

Add A Side Splash

SU-18R or L \$161

SU-18RL \$325

For 21" Wide Units

SU-21R or L \$175

SU-21RL \$341



Stainless Steel Leg Upgrade

- Includes 2 Sets of (2) S/S Legs w/ Adjustable S/S Bullet Feet & Adjustable S/S Front-to-Back Cross-Bracing
- Leg Heights Do Not Include 1 1/4" Bullet Foot Height

SU-10A \$243 18" Legs

SU-10C \$243 14" Legs

For Our Full Line Of Modifications & Accessories, See Page 116-118.

BAR SINKS

w/ 10" x 14" x 10"

- 4" High Backsplash
- 29" working Height
- Molded Apron For Extra Durability
- Each Sink Bowl Includes an Overflow Pipe w/ 1 1/2" IPS Drain
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **SLB Series** Includes 1 - 4" O.C. Splash Mounted Swing Spout Faucet
- **CRB Series** Includes 1 - 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage
- **4 Comp. Sinks** Include Two 6" Swing Spout Faucets



SLB Series
18" Wide Units With
Splash Mount Faucet



CRB Series
21" Wide Units With
Deck Mount Faucet



L And R Indicate Sink Location. C Indicates Sink Is Centered.

	SPLASH MOUNT FAUCET				DECK MOUNT FAUCET				O.A. Length	# of Drbds.	Drbd. Length	Approx. Cu. Ft.
	18" WIDE	Price	Spout Size	Approx. Wt.	21" WIDE	Price	Spout Size	Approx. Wt.				
1 COMP.	SLB-31C	\$1277	6"	55 lbs.	CRB-31C	\$1409	6"	55 lbs.	36"	2	12"	13
2 COMP.	SLB-22C	1349	6"	54 lbs.	CRB-22C	1452	6"	54 lbs.	24"	0	N/A	8
	SLB-32LorR	1432	6"	57 lbs.	CRB-32LorR	1527	6"	57 lbs.	36"	1	9"	13
	SLB-42LorR	1468	6"	62 lbs.	CRB-42LorR	1573	6"	62 lbs.	48"	1	21"	15
	SLB-42C	1479	6"	66 lbs.	CRB-42C	1585	6"	66 lbs.	48"	2	12"	15
3 COMP.	SLB-33C	1547	10"	65 lbs.	CRB-33C	1653	12"	65 lbs.	36"	0	N/A	13
	SLB-43LorR	1627	10"	68 lbs.	CRB-43LorR	1740	12"	68 lbs.	48"	1	9"	15
	SLB-53C	1712	10"	76 lbs.	CRB-53C	1831	12"	76 lbs.	60"	2	12"	18
	SLB-63C	1804	10"	88 lbs.	CRB-63C	1931	12"	88 lbs.	72"	2	18"	22
	SLB-73C	2006	10"	162 lbs.	CRB-73C	2146	12"	170 lbs.	84"	2	24"	39
	SLB-83C	2193	10"	183 lbs.	CRB-83C	2353	12"	191 lbs.	96"	2	30"	44
4 COMP.	SLB-64C*	2130	6"	92 lbs.	CRB-64C*	2269	6"	92 lbs.	72"	2	12"	22
	SLB-74C*	2267	6"	164 lbs.	CRB-74C*	2424	6"	172 lbs.	84"	2	18"	39
	SLB-84C*	2463	6"	185 lbs.	CRB-84C*	2623	6"	193 lbs.	96"	2	24"	44

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

BAR SINK & ICE BIN COMBO

With Removable Plastic Bottle Racks

- 4" Backsplash
- 29" Working Height
- Three or Four Compartment - 10" x 14" Bowls
- Each Sink Bowl Includes Overflow Pipe & 1-1/2" I.P.S. Drain
- Molded Apron For Extra Durability
- 24" x 15" x 8" Insulated Ice Bin; 54 lbs. Ice Capacity
- Ice Bin Includes 1" IPS Drain
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **SLC Series** Includes 1 - 4" O.C., 10" Splash Mounted Swing Spout Faucet
- **CRC Series** Includes 1 - 4" O.C., 12" Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



SLC-83C-R

L And R Indicates Ice Bin Location.

SPLASH MOUNT FAUCET				DECK MOUNT FAUCET				O.A. Length	# of Bowls	# of Drbds.	Drbd. Length	Approx. Weight	Approx. Cu. Ft.
18" WIDE	Price			21" WIDE	Price								
SLC-73C-LorR	\$2584			CRC-73C-LorR	\$2762			84"	3	2	12"	185 lbs.	28
SLC-83C-LorR	2679			CRC-83C-LorR	2857			96"	3	2	18"	225 lbs.	32
SLC-84C-LorR*	3001			CRC-84C-LorR*	3199			96"	4	2	12"	225 lbs.	32

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

BAR SINK MODIFICATIONS

Add A Side Splash

For 18" Wide Units

SU-18R or L **\$161**

SU-18RL **\$325**

For 21" Wide Units

SU-21R or L **\$175**

SU-21RL **\$341**

Stainless Steel Leg Upgrade



- Includes 2 Sets of (2) S/S Legs w/ Adj. S/S Bullet Feet & Adj. S/S Front-to-Back Cross-Bracing
- Leg Heights Do Not Include 1 1/4" Bullet Foot Ht.

SU-10A **\$243**
18" Legs

For Our Full Line Of Speed Rails, See Page 101.

ICE BINS

All Bottle Racks Must Be Removed For
NSF Compliance & For Use With Optional Cover

Underbar Basics™

ICE BINS

12" or 16" Deep Insulated Ice Bins • 29" Working Height

- 4" Backsplash
- Includes Two Removable Plastic Bottle Racks
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **CRI Series** Has Rear Deck For Extra Storage
- Optional 7or 10 Circuit Cold Plate Sealed Into The Bottom



SLI Series
18" Wide Units

Quick Pour Bottles Not Included



CRI Series
21" Wide Units

Ice Bin Depth	Overall Length	Ice Bin Capacity	18" WIDE	Price	Approx. Weight	21" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12" DEEP	12"	35 lbs.	SLI-12-12	\$852	26 lbs.	CRI-12-12	\$928	50 lbs.	6
	24"	77 lbs.	SLI-12-24	1078	52 lbs.	CRI-12-24	1150	65 lbs.	8
	30"	98 lbs.	SLI-12-30	1191	60 lbs.	CRI-12-30	1273	72 lbs.	11
	36"	119 lbs.	SLI-12-36	1303	68 lbs.	CRI-12-36	1396	80 lbs.	13
	42"	140 lbs.	SLI-12-42	1363	72 lbs.	CRI-12-42	1454	90 lbs.	13
	48"	161 lbs.	SLI-12-48	1424	87 lbs.	CRI-12-48	1505	98 lbs.	14
16" DEEP	24"	100 lbs.	SLI-16-24	1381	68 lbs.	CRI-16-24	1484	72 lbs.	8
	30"	127 lbs.	SLI-16-30	1537	69 lbs.	CRI-16-30	1651	82 lbs.	12
	36"	155 lbs.	SLI-16-36	1695	70 lbs.	CRI-16-36	1817	90 lbs.	17
w/ 7-CIRCUIT COLD PLATE									
12" DEEP	24"	77 lbs.	SLI-12-24-7	2211	89 lbs.	CRI-12-24-7	2284	122 lbs.	8
	30"	128 lbs.	SLI-12-30-7	2325	97 lbs.	CRI-12-30-7	2406	135 lbs.	11
	36"	149 lbs.	SLI-12-36-7	2435	105 lbs.	CRI-12-36-7	2528	147 lbs.	13
	42"	170 lbs.	SLI-12-42-7	2494	109 lbs.	CRI-12-42-7	2585	163 lbs.	13
	48"	191 lbs.	SLI-12-48-7	2557	124 lbs.	CRI-12-48-7	2592	175 lbs.	14
16" DEEP	24"	100 lbs.	SLI-16-24-7	2512	105 lbs.	CRI-16-24-7	2616	136 lbs.	8
	30"	127 lbs.	SLI-16-30-7	2667	106 lbs.	CRI-16-30-7	2784	143 lbs.	12
	36"	155 lbs.	SLI-16-36-7	2830	107 lbs.	CRI-16-36-7	2950	150 lbs.	17
w/ 10-CIRCUIT COLD PLATE									
12" DEEP	30"	98 lbs.	SLI-12-30-10	2910	132 lbs.	CRI-12-30-10	3015	143 lbs.	11
	36"	119 lbs.	SLI-12-36-10	3022	140 lbs.	CRI-12-36-10	3099	178 lbs.	13
	42"	140 lbs.	SLI-12-42-10	3097	144 lbs.	CRI-12-42-10	3252	195 lbs.	13
	48"	161 lbs.	SLI-12-48-10	3228	159 lbs.	CRI-12-48-10	3370	205 lbs.	14
16" DEEP	30"	127 lbs.	SLI-16-30-10	3333	141 lbs.	CRI-16-30-10	3592	151 lbs.	12
	36"	155 lbs.	SLI-16-36-10	3582	142 lbs.	CRI-16-36-10	3805	185 lbs.	17

ICE BIN ACCESSORIES & MODIFICATIONS



Sliding Stainless Steel Covers For Ice Bins

For SLI & CRI Series

SSC-12	For 12" Ice Bin	\$169
SSC-24	For 24" Ice Bin	174
SSC-30	For 30" Ice Bin	190
SSC-36	For 36" Ice Bin	205
SSC-42	For 42" Ice Bin	256
SSC-48	For 48" Ice Bin	263

For Older Style Ice Bins Prior to 2015

SSC-23	For 24" Ice Bin	\$217
SSC-29	For 30" Ice Bin	233
SSC-35	For 36" Ice Bin	248



Stainless Steel Leg Upgrade

Includes 2 Sets of (2) S/S Legs w/ Adj. S/S Bullet Feet
& Adj. S/S Front-to-Back Cross-Bracing

SU-10B	10" legs (16" Deep Ice Bins)	\$243
SU-10C	14" legs (12" Deep Ice Bins)	243

Leg Heights Do Not Include 1 1/4" Bullet Foot Height

A-39



Stainless Steel Ice Bin Partitions

A-38	8" High x 14 3/4" Wide Partition	122
A-39	12" High x 14 3/4" Wide Partition	122
A-40	16" High x 14 3/4" Wide Partition	122

SU-30



SU-24	Provision To Connect Underbar Equipment (Price Per Every Two Units)	140
--------------	---	------------

SU-30	Soda Chase Provision (Tip-Out) (Only For Ice Bins w/Backsplash)	447
--------------	--	------------

ICE BINS

Specialty Ice Bins

Quick Pour Bottles Not Included



CRCI-48L

ICE BIN & BOTTLE STORAGE COMBO

Featuring 12" Deep Insulated Ice Bin

- 4" Backsplash
- 29" working height
- 1 or 2 Insulated 12" Wide Bottle Rack Bins
- Includes 3-Pack Plastic Bottle Rack(s)
- Welded Partition Between Bins
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- Two 1" I.P.S. Drains (Cold Plate Units have 1/2" I.P.S. Drain in Ice Bin Area)
- Optional 7-Circuit Cold Plate Sealed Into The Bottom

21" WIDE		L	# Of Bins	# Of Btl. Racks	Ice Bin Length	Ice Bin Capacity*	Approx. Weight	Approx. Cu. Ft.
Model #	Price							
CRCI-36L or R	\$2078	36"	2	2	24"	77/35 lbs.	82 lbs.	14
CRCI-48L or R	2320	48"	2	2	36"	119/35 lbs.	95 lbs.	14
CRCI-48LR	3005	48"	3	4	24"	35/77/35 lbs.	113 lbs.	15
w/ 7-CIRCUIT COLD PLATE								
CRCI-36L-7 or R-7	3441	36"	2	2	24"	77/35 lbs.	114 lbs.	14
CRCI-48L-7 or R-7	3684	48"	2	2	36"	119/35 lbs.	127 lbs.	14
CRCI-48LR-7	4369	48"	3	4	24"	35/77/35 lbs.	145 lbs.	15

*Reverse Ice Bin Capacities For L or R Models. L And R Indicate Ice Bin Location On Either Right Or Left Side. LR Indicates Ice Bin Is Centered.

INSULATED BOTTLE STORAGE BIN

Featuring 12" Deep Insulated Ice Bin

- 4" Backsplash
- 29" working height
- Includes Two 3-Pack Plastic Bottle Racks
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- 1" I.P.S. Drain

18" WIDE		21" WIDE		L	Ice Bin Capacity	Approx. Weight	Approx. Cu. Ft.
Model #	Price	Model #	Price				
SLI-12-12	\$852	CRI-12-12	\$928	12"	35 lbs.	35 lbs.	6

Quick Pour Bottles Not Included



SLI-12-12

ICE BIN & DRAINBOARD COMBO

Featuring 10" Deep Insulated Ice Bin

- 4" Backsplash
- 29" working height
- 24" Ice Bin
- 24" Seamless & Embossed Drainboard
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- 1" I.P.S. Drain (Cold Plate Units have 1/2" I.P.S. Drain in ice Bin Area)
- Optional 7-Circuit Cold Plate Sealed Into The Bottom

21" WIDE		L	Ice Bin Capacity	Approx. Weight	Approx. Cu. Ft.
Model #	Price				
CRW-4R	\$2167	48"	54 lbs.	72 lbs.	13
CRW-4L	2167	48"	54 lbs.	72 lbs.	13
w/ 7-CIRCUIT COLD PLATE					
CRW-4R-7	2997	48"	54 lbs.	108 lbs.	13
CRW-4L-7	2997	48"	54 lbs.	108 lbs.	13

*L And R Indicate Ice Bin Location On Either Right Or Left Side.



CRW-4L

PORTABLE ICE BIN

16" Deep

EXTRA DEEP
For Beer Bottle Storage

- Insulated Ice Bin
- 29" working height
- Stainless Steel Welded Cross-Braced Legs w/ Casters (2 w/ Brakes)
- 1" IPS Drain w/ Shut Off Valve

18 3/4" WIDE		Size L x W x H	Ice Bin Capacity	Approx. Weight	Approx. Cu. Ft.
Model #	Price				
SCI-MIC-24	\$1394	24" x 18 3/4" x 29"	100 lbs.	120 lbs.	7
SCI-MIC-30	1455	30" x 18 3/4" x 29"	127 lbs.	130 lbs.	12
SCI-MIC-36	1562	36" x 18 3/4" x 29"	155 lbs.	145 lbs.	16



SCI-MIC-36

PASS-THRU

Pass-Thru Workstations & Ice Bins

Underbar **Basics™**

STANDARD DOUBLE SINK PASS-THRU WORKSTATION

With Two Deep Drawn Sink Bowls

- 29" working height
- Insulated Ice Bin w/ 7-Circuit Cold Plate Sealed Into Bottom Of Ice Bin
- Tubing Chase For Soda Gun
- Double Tier Speed Rail
- 4" O.C. Lead Free Compliant Deck Mounted Swing Spout Faucet
- Stainless Steel Welded Cross-Bracing
- Legs w/ Adjustable Stainless Steel Bullet Feet
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- **Side Panel Models** Include Removable Perforated Top w/ Drain & Front Apron; Units Are Supported By Side Panels & Do Not Require Legs



GFI Duplex Receptacle Hidden
Beneath Blender Shelf



CR-42X36-7-R
(Shown with optional
Wrist Handles)


NSF




CR-44X36SP-7-L

Model #	Price	O.A. Length	Description	Ice Capacity	Approx. Weight	Approx. Cu. Ft.
CR-42X36-7-L or R	\$6365	42"	Stainless Steel Legs	210 lbs.	233 lbs.	45
SIDE PANELS WITH PERFORATED DRAINBOARD SHELF						
CR-44x36SP-7-L or R	8180	44"	Side Panels w/ Perforated Drbd. Shelf	210 lbs.	425 lbs.	68


NOTE: To determine left or right hand model, Ice Bin is either Left (L) or Right (R) of the sink from the bartender side.




CR-44X36SP-7-L



CR-44X36SP-7-R



CR-42X36-7-L



CR-42X36-7-R

FOR ADDITIONAL OVERSHELVES OR GLASS RACKS, START WITH PRESTIGE PASS THRU WORK STATIONS PAGE 108

PASS-THRU ICE BIN 12" Deep



- 29" working height
- Insulated Ice Bin
- Stainless Steel Welded Cross-Braced Legs w/ Adjustable Stainless Steel Bullet Feet
- 210 lbs. Ice Bin Capacity
- **CRPT-2436-7** Includes 7-Circuit Cold Plate Sealed Into The Bottom Of Ice Bin

Model #	Price	Size W x L x H	Approx. Weight	Approx. Cu. Ft.
CRPT-2436	\$2272	36 1/4" x 24" x 29"	80 lbs.	13
CRPT-2436-7	3634	36 1/4" x 24" x 29"	115 lbs.	13

ADDITIONAL SIZES AVAILABLE FOR SPECIALTY ICE BINS.
SU-61 Special Sizing to Reduce Length..... N/C

SLIDING STAINLESS STEEL COVER For Pass-Thru Ice Bin



SSC-PT \$335

**For Full Line Of Ice Bin
Accessories, See Page 116.**




All Drainboards Are NSF Approved



SLD-3

- Embossed & Seamless Drainboard
- 4" Backsplash
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- 1" IPS Drain
- CRD Series Has Rear Deck For Extra Storage



MAKE 24" CORNER DRAINBOARDS

Add to SLD-2 or CRD-2 Drainboards Only

Model #	Price	W x L
SU-1824R or L	\$211	18" x 24"
SU-2124R or L	228	21" x 24"

FREE-STANDING BAR DRAINBOARDS

29" Working Height

Overall Length	18" WIDE	Price	Approx. Weight	Cu. Ft.	21" WIDE	Price	Approx. Weight	Cu. Ft.
12"	SLD-12	\$651	26 lbs.	7	CRD-12	\$726	28 lbs.	8
18"	SLD-18	717	29 lbs.	7	CRD-18	820	30 lbs.	8
24"	SLD-2	836	35 lbs.	7	CRD-2	890	39 lbs.	8
30"	SLD-30	886	40 lbs.	10	CRD-30	1008	41 lbs.	12
36"	SLD-3	971	42 lbs.	10	CRD-3	1067	47 lbs.	12
48"	SLD-4	1151	55 lbs.	12	CRD-4	1240	51 lbs.	16

Add SU-40 To Prep Unit For Speed Rail Installation - \$75

RECESSED BAR DRAINBOARDS

Holds Multiple Tiers Of Glasses • 23 1/2" Working Height

SL-GS-12 Shown
23" Wide UnitsCR-GS-18 shown
26" Wide Units

- Includes Four Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- Embossed And Seamless Drainboard
- 1" IPS Drain Centered In Drainboard
- CR-GS Series Has Rear Deck For Extra Storage

Overall Length	23" WIDE	Price	Approx. Weight	Cu. Ft.	26" WIDE	Price	Approx. Weight	Cu. Ft.
12"	SL-GS-12	\$606	20 lbs.	6	CR-GS-12	\$689	20 lbs.	6
15"	SL-GS-15	640	22 lbs.	6	CR-GS-15	703	22 lbs.	6
18"	SL-GS-18	697	24 lbs.	7	CR-GS-18	755	24 lbs.	8
24"	SL-GS-24	778	28 lbs.	7	CR-GS-24	863	28 lbs.	8

SPECIALTY BAR DRAINBOARDS

Beer Drainer

Features A 3" x 6" Rear Column For Beer Lines
26" Working Height

CRBD-2

- 7" Backsplash
- Embossed And Seamless Drainboard
- Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Adjustable Galvanized Side Cross-Bracing
- 1" IPS Drain Centered In Drainboard

L	18" WIDE	Price	Wt.	Cu. Ft.	21" WIDE	Price	Wt.	Cu. Ft.
18"	SLBD-18	\$1086	32 lbs.	6	CRBD-18	\$1239	33 lbs.	8
24"	SLBD-2	1204	38 lbs.	7	CRBD-2	1297	42 lbs.	8

Frozen Drink Machine Stands

10-1/2" Working Height



SCFD-18

- 14" Backsplash
- Features A Lower Working Height To Accommodate The Height Of Most Drink Machines For Underbar Use
- Beveled Front
- Drain Centered In Back Of Unit
- Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Adjustable Galvanized Side Cross-Bracing

SCFD-18 \$1012

18" x 28" x 33"
Holds One Drink Machine
45 lbs. 10 Cu. Ft.

SCFD-30 \$1515

30" x 28" x 33"
Holds Two Drink Machines
80 lbs. 18 Cu. Ft.

BLENDER STATIONS

Blender Stations & Uni-Serv Speed Bar


Underbar **Basics™**

BLENDER STATIONS

Includes Four Galvanized Legs w/ Adjustable Plastic Bullet Feet
Featuring Adjustable Galvanized Side Cross-Bracing
All Faucets Meet Federal Lead Free Standards



All Blender Stations Include A
15A - 120V GFI Duplex Receptacle
Hidden Beneath Blender Shelf



WANT US TO CONNECT IT?
Add **SU-24**

Price Per Every Two Units **\$140**



SL-RS Series

23" Wide Units With
Splash Mount Faucet



CR-RS Series

26" Wide Units With
Deck Mount Faucet



w/ Dump Sink & Faucet

- Dump Sink
- 4" Backsplash
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- Recessed Step For Blenders
- Grommet Hole For Blender Power Cords
- 1" IPS Drain

- **SL-RS Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **CR-RS Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet And Has Rear Deck For Extra Storage

Overall Length	23" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	26" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	SL-RS-12	\$952	20 lbs.	6	CR-RS-12	\$1022	21 lbs.	6
18"	SL-RS-18	1092	23 lbs.	6	CR-RS-18	1138	23 lbs.	6



SL-DB Series

23" Wide Units



CR-DB Series

26" Wide Units

Double Step Blender Station


- Features Two Blender Stations For High Volume Mixing Areas
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- Grommet Hole For Blender Power Cords
- 4" Backsplash
- **CR-DB Series** Has Rear Deck For Extra Storage

NOTE:
Blender Stations Can
Not Accommodate
A Speed Rail

Overall Length	23" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	26" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	SL-DB-12	\$635	20 lbs.	6	CR-DB-12	\$686	21 lbs.	6
18"	SL-DB-18	721	21 lbs.	6	CR-DB-18	744	22 lbs.	6

BLENDER STATION ACCESSORIES & MODIFICATIONS

A-15	Chrome Towel Ring (Packed Loose)	\$96
A-16	Perforated Basket (Fits 10" x 14" x 10" Sink)	239
A-17	Perforated Basket (Fits 9-1/2" x 11-1/2" x 6 Sink)	234
K-316-LU	Add Wrist Handles	114
SU-10A	18" Stainless Steel Leg Upgrade (Set of 4 -Includes Adjustable Front-to-Back Cross-Bracing)	243




Add A Liquid Waste Chute

- 5-1/2" Diameter Liquid Waste Chute
- Includes K-54 Push-Back Water Filler Faucet

SU-36 \$833

UNI-SERV SPEED BAR

12" Deep Ice Bin w/ Dump Sink, Recessed Drainboard & Blender Station • 29" Working Height



CRU-60R Shown

- 4" Backsplash
- 26" Front To Back
- SRK-30 - 30" Speed Rail
- 30" Insulated Ice Bin
- 98 lbs. Ice Bin Capacity
- Two Removable Plastic Bottle Racks
- Optional 7-Circuit Cold Plate Sealed Into The Bottom Of Ice Bin
- Dump Sink
- 4" O.C. Deck Mounted Swing Spout Faucet
- Recessed Drainboard for Glassware
- Dual Blender/Mixer Recess
- Galvanized Legs w/ Adjustable Plastic Bullet Feet & Adjustable Galvanized Side Cross-Bracing



15A - 120V GFI Duplex
Receptacle Hidden
Beneath Blender Shelf

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
CRU-60L or R	\$3391	60"	110 lbs.	23
w/ 7-CIRCUIT COLD PLATE				
CRU-60L-7 or R-7	4753	60"	193 lbs.	23

L And R Indicate Ice Bin Location.

BEER BOX

18" Deep • 29" Working Height

- Perforated False Bottom Allows Melted Ice To Drain
- False Bottom Is Removable For Easy Cleaning
- 4" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- 1" I.P.S. Drain



CRBB-48

Model #	Price	Overall Length	Ice Bin Liner Size W x L x H	Capacity of Bottled Beer	Approx. Weight	Approx. Cu. Ft.
CRBB-48	\$2229	48"	20 3/4" x 45 3/4" x 18"	12 cases	220 lbs.	14
CRBB-60	2386	60"	20 3/4" x 57 3/4" x 18"	18 cases	225 lbs.	15

BEER BOX COVERS

Includes Two Padded Locks & Keys



Beer Box Covers Must Be Removed During Normal Operation

Model #	Description	Price
SU-35A	For 48" Beer Box	\$699
SU-35B	For 60" Beer Box	879

Add SU-55 For Stainless Steel Divider - \$169 ea.

LIQUOR DISPLAYS NSF

Tiered Steps & Retaining Bars Securely Display Liquor Bottles



LD-1824

Liquor Display Rack

- Sound Deadened
- 4" Backsplash
- Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Adjustable Galvanized Side Cross-Bracing
- 26" Wide Units Have Rear Deck For Extra Storage



CRLR-24

Liquor Display Cabinet

- Stainless Steel Cabinet
- 4" Backsplash
- Stainless Steel Legs w/ Adjustable Bullet Feet

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
23" WIDE	LD-1812	\$997	12"	12	30 lbs.	15
	LD-1818	1102	18"	20	35 lbs.	20
	LD-1824	1332	24"	28	40 lbs.	30
26" WIDE	LD-2112	1090	12"	12	30 lbs.	15
	LD-2118	1230	18"	20	35 lbs.	20
	LD-2124	1396	24"	28	40 lbs.	30

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
21" WIDE	CRLR-12	\$1191	12"	15	35 lbs.	7
	CRLR-18	1267	18"	20	36 lbs.	10
	CRLR-24	1669	24"	30	42 lbs.	13
	CRLR-30	1728	30"	35	47 lbs.	14
	CRLR-36	1839	36"	45	50 lbs.	15

REMOVABLE STAINLESS STEEL LIQUOR DISPLAY COVERS

Includes Padlock & Two Keys. Factory Installed Only.

Display Rack Cover

For LD Models Only



	Length	Model #	Price
23" WIDE	12"	LC-1812	\$504
	18"	LC-1818	559
	24"	LC-1824	616
21" WIDE	12"	LC-2112	543
	18"	LC-2118	599
	24"	LC-2124	677

Display Cabinet Cover

For CRLR Models Only



	Length	Model #	Price
21" WIDE	12"	LC-12	\$610
	18"	LC-18	660
	24"	LC-24	699
	30"	LC-30	782
	36"	LC-36	845

For Speed Rails, See Page 101.

BAR STORAGE

Glassware Storage

Glass Racks Not Included • Approximate Weights & Cubes Listed

UNDERBAR STORAGE CAB

With Seamless & Embossed Drainboard Top

Drainboard Cabinets

- 21" Width (Front to Back)
- 4" Backsplash
- 1" IPS Drain In Back Right Corner Of Top
- 3" Diameter Drain Hole In Upper Right Corner Of Back Panel
- Stainless Steel Legs w/ Adjustable Bullet Feet



OPEN BASE
CRD-2B Shown



w/ MID-SHELF
CRD-2BM Shown



W/ MID-SHELF & DOOR
CRD-2BMD Shown

Size W x L x H	OPEN BASE		2 TIER STORAGE UNIT		2 TIER STORAGE UNIT WITH HINGED DOOR		Approx. Weight	Approx. Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
21" x 24" x 33"	CRD-2B	\$1435	CRD-2BM	\$1666	CRD-2BMD	\$1748	59 lbs.	14
21" x 30" x 33"	CRD-30B	1504	CRD-30BM	1844	CRD-30BMD	2012	99 lbs.	18
21" x 36" x 33"	CRD-3B	1672	CRD-3BM	2018	CRD-3BMD	2185	140 lbs.	20
21" x 48" x 33"	CRD-4B	1816	CRD-4BM	2162	CRD-4BMD	2306	152 lbs.	20

24" Glass Rack Storage Unit



CRCR-24-CT

- 21" Width (Front to Back)
- 4" Backsplash
- Holds Up To 3 Glass Racks
- Stainless Steel Glass Rack Slides
- 1" IPS Drain In Back Right Corner Of Top
- 3" Diameter Drain Hole In Upper Right Corner Of Back Panel
- Stainless Steel Legs w/ Adjustable Bullet Feet

52 lbs. 13 Cu. Ft.

CRCR-24 \$1327

Flat Top - Drain Not Included

CRCR-24-CT \$1416

Corrugated Top

Cabinet w/ Dump Sink & Waste Chute



- 21" x 18" x 33"
- Includes 1 Hinged Door
- 9" x 9" x 4" Dump Sink
- 4" O.C. Splash Mounted Swing Spout Lead Free Compliant Faucet
- 5 1/2" Diameter Waste Chute
- Stainless Steel Legs w/ Adjustable Bullet Feet

64 lbs. 15 Cu. Ft.

CRDW-18 \$2211

Shown With Optional Door Lock and Wrist Handle Faucet

CABINET MODIFICATIONS & ACCESSORIES



Add A Sink - \$924

Splash Mount Faucet Included

SU-22A 10" x 14" x 10" Bowl

SU-22B 9 1/2" x 11 1/2" x 6" Bowl

SU-22C 9" x 9" x 4" Bowl



Add A Liquid Waste Chute With Filler Faucet

SU-36 \$833

- 5 1/2" Dia. Liquid Waste Chute
- Includes K-54 Push-Back Water Filler Faucet (Meets Federal Lead Free Standards)



Add A Door Lock

SU-27 \$286

- Includes 2 Keys



Add A Dipperwell Only

A-7 \$384

- 5 1/2" Diameter
- 1-1/2" NPT Drain Connection
- Factory Installed. Includes TA-34 Cutout



WANT US TO CONNECT IT?

Add SU-24 \$140

Price Per Every Two Units

STANDARD SPEED RAILS

Stainless Steel Speed Rails

- Keyhole Installation

SINGLE	Price	Size W x L x H	Bottle Capacity	Wt.	Cu. Ft.	DOUBLE	Price	Size W x L x H	Bottle Capacity	Wt.	Cu. Ft.
BK-15	\$100	4 1/2" x 15" x 5 1/2"	4	4 lbs.	1	DT-15	\$187	8 1/2" x 15" x 7"	8-10	7 lbs.	1
BK-2	102	4 1/2" x 24" x 5 1/2"	4-6	5 lbs.	1	DT-2	191	8 1/2" x 24" x 7"	10-12	8 lbs.	1
BK-30	112	4 1/2" x 30" x 5 1/2"	8-9	6 lbs.	1	DT-30	205	8 1/2" x 30" x 7"	16-18	10 lbs.	1
BK-3	119	4 1/2" x 36" x 5 1/2"	9-10	6 lbs.	1	DT-3	215	8 1/2" x 36" x 7"	18-20	11 lbs.	1
BK-4	143	4 1/2" x 48" x 5 1/2"	12-13	8 lbs.	1	DT-4	260	8 1/2" x 48" x 7"	24-26	18 lbs.	1

Single Tier
BK-2 Shown



Double Tier
DT-30 Shown

Black Plastic Speed Rails

- Injection Molded Black Plastic Construction
- Packed 6 Per Carton (Must Order Qty. of 6)
- Liquor Bottle Capacity = 5 Per Speed Rail

Model #	Price	Size W x L x H	Wt.	Cu. Ft.
KS-2K	\$50	4 1/8" x 23" x 5 3/8"	16 lbs.	2



KS-2K

Add Strap Hangers
PR-STRAP \$43
For KS-2K Only



PR-STRAP

HEAVY DUTY STAINLESS STEEL SPEED RAILS

Keyhole Installation

Standard HD Speed Rails

SINGLE TIER
SRK-2 Shown



DOUBLE TIER
SRKD-18 Shown



SINGLE	Price	Size W x L x H	Cap.	DOUBLE	Price	Size W x L x H	Cap.	Wt. (lbs.)	Cu. Ft.
SRK-12	\$134	5 1/4" x 12" x 7 3/4"	3	SRKD-12	\$230	10 1/2" x 12" x 9 1/4"	6	8	1
SRK-15	138	5 1/4" x 15" x 7 3/4"	4	SRKD-15	234	10 1/2" x 15" x 9 1/4"	8	9	1
SRK-18	140	5 1/4" x 18" x 7 3/4"	4-5	SRKD-18	272	10 1/2" x 18" x 9 1/4"	8-10	10	1
SRK-2	154	5 1/4" x 24" x 7 3/4"	5-6	SRKD-2	323	10 1/2" x 24" x 9 1/4"	10-12	13	1
SRK-30	156	5 1/4" x 30" x 7 3/4"	7-8	SRKD-30	369	10 1/2" x 30" x 9 1/4"	14-16	16	1
SRK-3	159	5 1/4" x 36" x 7 3/4"	9-10	SRKD-3	383	10 1/2" x 36" x 9 1/4"	18-20	18	1
SRK-42	154	5 1/4" x 42" x 7 3/4"	11-12	SRKD-42	396	10 1/2" x 42" x 9 1/4"	22-24	20	2
SRK-4	166	5 1/4" x 48" x 7 3/4"	13-14	SRKD-4	400	10 1/2" x 48" x 9 1/4"	26-28	22	2
SRK-5	180	5 1/4" x 60" x 7 3/4"	15-18	SRKD-5	459	10 1/2" x 60" x 9 1/4"	30-36	26	2
SRK-6	200	5 1/4" x 72" x 7 3/4"	19-22	SRKD-6	505	10 1/2" x 72" x 9 1/4"	38-44	28	2
SRK-7	233	5 1/4" x 84" x 7 3/4"	23-26	SRKD-7	567	10 1/2" x 84" x 9 1/4"	46-52	30	2
SRK-8	242	5 1/4" x 96" x 7 3/4"	27-28	SRKD-8	602	10 1/2" x 96" x 9 1/4"	54-56	32	2

**Make An Odd Length
Speed Rail**
SU-41 \$68

**Make Speed Rail Accommodate
1/2 Gallon Bottles**
SU-42 \$89

Hang-On Style

- Removable
- Hangs On First Tier Of Any SRK Series Speed Rail
- Doubles Liquor Storage



SR-2H

Model #	Price	Size W x L x H	Cap.	Wt.	Cu. Ft.
SR-12H	\$181	6 1/4" x 12" x 8 1/2"	3	4 lbs.	1
SR-15H	186	6 1/4" x 15" x 8 1/2"	4	5 lbs.	1
SR-18H	193	6 1/4" x 18" x 8 1/2"	4-5	6 lbs.	1
SR-2H	197	6 1/4" x 24" x 8 1/2"	5-6	7 lbs.	1
SR-30H	210	6 1/4" x 30" x 8 1/2"	7-8	8 lbs.	1
SR-3H	222	6 1/4" x 36" x 8 1/2"	9-10	9 lbs.	1
SR-42H	230	6 1/4" x 42" x 8 1/2"	11-12	9 lbs.	2
SR-4H	234	6 1/4" x 48" x 8 1/2"	13-14	10 lbs.	2

Hang-On Style Speed Rails Are Not To Be Used
With Any Other Manufacturer's Speed Rails

For Liquor Racks, See Page 99.




Actual Prestige Equipment Shown For Aroogas® Grille House & Sports Bar



New Features and Benefits!

Perfect LINE UP Every Time!



Removable Perforated
Drainboards
(Where Applies)



Stainless Steel Apron,
Sides & Legs



Available In
Multiple Widths



7" High Backsplash
with 1-3/4" Return




Adjustable Stainless Steel
Side Cross-Bracing



Ice Bins w/ Cold Plate
Include Soda Gun Knockout



Bar Die System Available
(See Page 99)



Floor Templates
Available



PRESTIGE
Signature Series


MODULAR BAR DIE SYSTEM

Exclusively For Advance Tabco's Prestige Bar Equipment

Bartender's Side: 20 Gauge, 302 Stainless Steel

- Die Wall Can Be Sealed To The Floor, Eliminating Moisture In The Bar Structure.
- Recessed Equipment Outlets Allow Bar Equipment To Be Flush Against Bar Die Wall.
- GFI Outlets Set In Place (To Be Wired By Local Electrician To Meet Local Codes)
- Stainless Steel Panels Supplied Where Equipment By Others Is Located.
- Precise Engineering To Ensure An Exact Fit.
- Enclosed Casing For Beer Towers.
- Soda Gun Outlets Supplied (Location Must Be Specified).
- Cantilever System Made For Advance Tabco's Prestige Bar Equipment, Eliminating The Need For Legs.
- Pre-Defined Space For Plumbing And Drain Lines.

Bar Top And Drink Rail Can Be Fabricated From Equipment Drawings Ahead Of Time.



Front Panels Can Attach Directly To Bar Die Structure.

Galvanized Bar Die Wall

Stainless Steel Exterior On Bar Side, Galvanized Upright Structure


Model # PR-BARDIE \$317 per foot

Stainless Steel Bar Die Wall

Stainless Steel Exterior On Bar Side, Stainless Steel Upright Structure

Model # PR-BARDIE-SS \$459 per foot

For More Information, Contact Our SmartFab Department at 800-645-3166 or SmartFab@advancetabco.com.

 Flat Panel Section w/ Recessed Outlet	 Ice Bin Section	 Cabinet Section	STAINLESS STEEL DRAINBOARD FILLERS Bolt On To Sides Of Equipment Multiple Angles Available • Optional Legs (See Page 110) Contact SmartFab Department For Details & Pricing 
---	---	--	---

BAR DIE SYSTEM ACCESSORIES & MODIFICATIONS

Factory Installed Only - Except SU-BDB-100 (Supplied Loose For In Field Positioning)



Recessed GFI Duplex Outlet

SU-62C \$480



Cool White LED Light 1.5 Watt 

- Single Box w/ Cover Plate
- Power Supply & Wiring Not Included

SU-BDL-CW \$211 ea.



Receptacle Box Only

SU-62F \$63



LED Light Power Supply 

- 100 Watts
- Handles Up to 35 Lights

SU-BDT-100 \$237 ea.

Floor Templates Available

SU-82 Call For Price




Templates Are Printed On Paper Rolls
& Are Marked For Easy Alignment

PRESTIGE *Signature Series* MODULAR BAR DIE SYSTEM

Exclusively For Advance Tabco's Prestige Bar Equipment

Contact Our SmartFab Department For Details
800-645-3166 or SmartFab@advancetabco.com




Actual Job Shown Set Up for Quality Check




**Quality & Customer Satisfaction
Is Our Top Priority!**

Our factory takes the time to set up
your entire Bar Die System to ensure all
equipment properly fits and matches your
specifications.



Shown with PRF-2045ICM Custom Filler & PLD-2518 Liquor Rack



Underbar Hand Sinks

BAR HAND SINKS

29" Working Height

All Faucets Included Meet Federal Lead Free Standards

Standard Bar Hand Sink

- **PRHS-19 Series** Includes 4" O.C. Splash Mt. Swing Spout Faucet
- **PRHS-24 Series** Includes 4" O.C. Deck Mt. Swing Spout Faucet & Has Rear Deck For Extra Storage



All Prestige Hand Sinks Feature:

- Deep Drawn Seamless Sink Bowl
- 1 1/2" IPS, 3 1/2" Basket Drain
- 7" Backsplash
- Stainless Steel Legs w/ Stainless Steel Adjustable Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing (Except PRHSC series)

L	w/ SPLASH MOUNT FAUCET				w/ DECK MOUNT FAUCET			
	20" WIDE	Price	Wt.	Cu.	25" WIDE	Price	Wt.	Cu.
12"	PRHS-19-12	\$1165	35 lbs.	8	PRHS-24-12	\$1216	28 lbs.	8
18"	PRHS-19-18	1182	40 lbs.	9	PRHS-24-18	1232	30 lbs.	9

PRHS-19-12 Shown

Hand Sink w/ Soap & Towel Dispensers

- Deck Mount Soap Dispenser
- C-Fold Towel Dispenser
- **PRHSST-19 Series** Includes 4" O.C. Splash Mt. Swing Spout Faucet
- **PRHSST-24 Series** Includes K-124 Deck Mt. Faucet & Has Rear Deck For Extra Storage



L	w/ SPLASH MOUNT FAUCET				w/ DECK MOUNT FAUCET			
	20" WIDE	Price	Wt.	Cu.	25" WIDE	Price	Wt.	Cu.
12"	PRHSST-19-12	\$1545	53 lbs.	8	PRHSST-24-12	\$1593	58 lbs.	8
18"	PRHSST-19-18	1561	55 lbs.	9	PRHSST-24-18	1609	60 lbs.	9

PRHSST-24-12 Shown

Hand Sink w/ Cabinet Base

- All Stainless Steel Cabinet Base
- Hinged Cabinet Door
- **PRHSC-19 Series** Includes 4" O.C. Splash Mt. Swing Spout Faucet
- **PRHSC-24 Series** Includes K-124 Deck Mt. Faucet & Has Rear Deck For Extra Storage



L	w/ SPLASH MOUNT FAUCET				w/ DECK MOUNT FAUCET			
	20" WIDE	Price	Wt.	Cu.	25" WIDE	Price	Wt.	Cu.
12"	PRHSC-19-12	\$1728	78 lbs.	9	PRHSC-24-12	\$1794	83 lbs.	10
18"	PRHSC-19-18	1968	80 lbs.	9	PRHSC-24-18	2016	85 lbs.	10

PRHSC-19-12 Shown

HAND SINK ACCESSORIES & MODIFICATIONS



Add Wrist Handles
Available For Splash or
Deck Mount Faucets

K-316-LU \$114



**Chrome Towel
Ring**
Packed Loose

A-15 \$96



**Replacement
Soap Deck Mount
Dispenser**

K-12 \$144


K-123	Replacement Splash Mt. Faucet	\$326
K-124	Replacement Deck Mt. Faucet	326
SU-73	Add Mirror Finish <i>Factory Install Only</i>	408
SU-74	All Stainless Steel Construction Upgrade	486
SU-75	Add Welded Stainless Steel Cross-Bracing	117
SU-20R or L	Right or Left Side Splash for 20" Wide Unit	179
SU-20RL	Right & Left Side Splash for 20" Wide Unit	375
SU-25R or L	Right or Left Side Splash for 25" Wide Unit	213
SU-25RL	Right & Left Side Splash for 25" Wide Unit	402

For Our Full Line Of Accessories & Modifications, See Pages 116-118.

PRESTIGE *Signature Series* Underbar Sinks

Featuring **Deep Drawn**
Seamless Sink Bowls

All Faucets Included Meet
Federal Lead Free Standards



Featuring
**Perforated
Drainboard**

BAR SINKS

Featuring 10" x 14" x 10" Deep Drawn Seamless Bowls
& 29" Working Height

- 7" High Backsplash
- Removable Perforated Drainboard Top
- 9" Overflow Pipe w/ 1 1/2" IPS Drain Included Per Sink Bowl
- Sound Deadened
- Stainless Steel Top, Apron, Sides
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet

- Adjustable Stainless Steel Side Cross-Bracing
- **PRB-19 Series** Includes 1 - 4" O.C. Splash Mounted Swing Spout Faucet
- **PRB-24 Series** Includes 1 - 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



**PRB-19 Series with
Drainboards Shown**
20" Wide Units Include
Splash Mount Faucet(s)



PRB-24 Series
25" Wide Units With
Deck Mount Faucets

NSF All Sinks Are NSF Approved

L And R Indicate Sink Location. C Indicates Sink Is Centered.

	w/ SPLASH MOUNT FAUCET			w/ DECK MOUNT FAUCET			O.A. Length	# of Drbds.	Drbd. Length	Approx. Weight	Approx. Cu. Ft.
	20" WIDE	Price	Spout Length	25" WIDE	Price	Spout Length					
1 COMP.	PRB-19-31C	\$1719	6"	PRB-24-31C	\$1815	6"	36"	2	12"	89 lbs.	12
2 COMP.	PRB-19-22C	1725	6"	PRB-24-22C	1775	6"	24"	N/A	N/A	89 lbs.	8
	PRB-19-32LorR	1854	6"	PRB-24-32LorR	1930	6"	36"	1	11"	89 lbs.	12
	PRB-19-42LorR	1948	6"	PRB-24-42LorR	2051	6"	48"	1	23"	105 lbs.	16
	PRB-19-42C	1948	6"	PRB-24-42C	2051	6"	48"	2	12"	105 lbs.	16
3 COMP.	PRB-19-33C	2002	10"	PRB-24-33C	2069	12"	36"	N/A	N/A	105 lbs.	12
	PRB-19-43LorR	2277	10"	PRB-24-43LorR	2381	12"	48"	1	11"	107 lbs.	16
	PRB-19-53LorR	2486	10"	PRB-24-53LorR	2632	12"	60"	1	23"	125 lbs.	20
	PRB-19-53C	2548	10"	PRB-24-53C	2697	12"	60"	2	12"	125 lbs.	20
	PRB-19-63C	2680	10"	PRB-24-63C	2754	12"	72"	2	18"	143 lbs.	24
	PRB-19-73C	2785	10"	PRB-24-73C	2895	12"	84"	2	24"	190 lbs.	42
	PRB-19-83C	3317	10"	PRB-24-83C	3476	12"	96"	2	30"	176 lbs.	48
4 COMP.	PRB-19-44C*	2498	6"	PRB-24-44C*	2584	6"	48"	N/A	N/A	107 lbs.	16
	PRB-19-64C*	3051	6"	PRB-24-64C*	3157	6"	72"	2	12"	147 lbs.	24
	PRB-19-74C*	3165	6"	PRB-24-74C*	3291	6"	84"	2	18"	163 lbs.	42
	PRB-19-84C*	3733	6"	PRB-24-84C*	3893	6"	96"	2	24"	178 lbs.	48

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

BAR SINK ACCESSORIES & MODIFICATIONS

SU-73 Add Mirror Finish (Factory Install Only)	\$408	SU-20R or L Right Or Left Side Splash For PRB-19 Series	\$179
SU-74 All Stainless Steel Construction Upgrade	486	SU-20RL Right & Left Side Splash For PRB-19 Series	375
SU-75 Add Welded Stainless Steel Cross-Bracing	117	SU-25R or L Right Or Left Side Splash For PRB-24 Series	213
SU-79 Additional Drainboard Length	136 Lin Ft.	SU-25RL Right & Left Side Splash For PRB-24 Series	402

PRI & PRC Series Feature:

- Includes Two Removable Plastic Bottle Racks
- 1 3/4" Return w/ Soda Gun Knock Out (Cold Plate Models Only)
- 7" Backsplash

- Stainless Steel Top, Apron & Sides
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 1" IPS Drain (Non-Cold Plate Bin); 1/2" IPS Drain (Cold Plate Bin)
- **OPTIONAL** 10-Circuit Cold Plate Sealed Into The Bottom

PRESTIGE


Signature Series

Ice Bins

NSF All Ice Bins Are NSF Approved

All Bottle Racks Must Be Removed For NSF Compliance & For Use With Optional Cover

Quick Pour Bottles Not Included



Soda Chase Provision (Tip-out)
SU-30 \$447
Only For Ice Bins w/ Backsplash



PRC-19-48LR



PRI-19-24-10

ICE BINS

29" Working Height

- **PRI-24 Series** Has Rear Deck For Extra Storage

Ice Bin Depth	Overall Length	Ice Bin Capacity	20" WIDE	Price	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
11" DEEP	12"	32 lbs.	PRI-19-12	\$889	PRI-24-12	\$929	45 lbs.	11
	24"	70 lbs.	PRI-19-24	1124	PRI-24-24	1183	70 lbs.	11
	30"	89 lbs.	PRI-19-30	1306	PRI-24-30	1378	75 lbs.	15
	36"	108 lbs.	PRI-19-36	1382	PRI-24-36	1495	80 lbs.	15
	42"	127 lbs.	PRI-19-42	1894	PRI-24-42	2053	85 lbs.	20
	48"	146 lbs.	PRI-19-48	1984	PRI-24-48	2223	90 lbs.	20
15" DEEP	24"	80 lbs.	PRI-19-24-XD	1826	PRI-24-24-XD	1876	85 lbs.	20
	30"	121 lbs.	PRI-19-30-XD	1940	PRI-24-30-XD	1998	90 lbs.	27
	36"	147 lbs.	PRI-19-36-XD	2071	PRI-24-36-XD	2134	95 lbs.	37
w/ 10-CIRCUIT COLD PLATE								
11" DEEP	24"	70 lbs.	PRI-19-24-10	2392	PRI-24-24-10	2416	140 lbs.	18
	30"	89 lbs.	PRI-19-30-10	2535	PRI-24-30-10	2649	173 lbs.	24
	36"	108 lbs.	PRI-19-36-10	2698	PRI-24-36-10	2763	150 lbs.	24
	42"	127 lbs.	PRI-19-42-10	2999	PRI-24-42-10	3100	155 lbs.	31
	48"	146 lbs.	PRI-19-48-10	3683	PRI-24-48-10	3924	160 lbs.	31
15" DEEP	24"	80 lbs.	PRI-19-24-10-XD	2881	PRI-24-24-10-XD	2891	165 lbs.	20
	30"	121 lbs.	PRI-19-30-10-XD	3084	PRI-24-30-10-XD	3164	175 lbs.	27
	36"	147 lbs.	PRI-19-36-10-XD	3226	PRI-24-36-10-XD	3835	175 lbs.	27

ICE BIN & BOTTLE STORAGE COMBO

11" Deep Insulated Ice Bin • 29" Working Height

- Welded Partition Between Bins
- **PRC-24 Series** Has Rear Deck For Extra Storage

L And R Indicate Ice Bin Location On Either Right Or Left Side. LR Indicates Ice Bin Is Centered.

Overall Length	# Of Independent Bins	Ice Bin Capacity	20" WIDE	Price	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
36"	2	70/32 lbs.	PRC-19-36L or R	\$2239	PRC-24-36L or R	\$2323	105 lbs.	15
42"	2	89/32 lbs.	PRC-19-42L or R	2397	PRC-24-42L or R	2502	110 lbs.	20
48"	2	108/32 lbs.	PRC-19-48L or R	2562	PRC-24-48L or R	2685	120 lbs.	20
48"	3	32/70/32 lbs.	PRC-19-48LR	3147	PRC-24-48LR	3280	160 lbs.	22
54"	3	32/89/32 lbs.	PRC-19-54LR	3263	PRC-24-54LR	3397	165 lbs.	27
60"	3	32/108/32 lbs.	PRC-19-60LR	3394	PRC-24-60LR	3534	170 lbs.	27
w/ 10-CIRCUIT COLD PLATE								
36"	2	70/32 lbs.	PRC-19-36L-10 or R-10	3935	PRC-24-36L-10 or R-10	4025	165 lbs.	24
42"	2	89/32 lbs.	PRC-19-42L-10 or R-10	4223	PRC-24-42L-10 or R-10	4202	175 lbs.	31
48"	2	108/32 lbs.	PRC-19-48L-10 or R-10	4259	PRC-24-48L-10 or R-10	4380	185 lbs.	33
48"	3	32/70/32 lbs.	PRC-19-48LR-10	4848	PRC-24-48LR-10	4979	195 lbs.	33
54"	3	32/89/32 lbs.	PRC-19-54LR-10	4963	PRC-24-54LR-10	5097	200 lbs.	40
60"	3	32/108/32 lbs.	PRC-19-60LR-10	5090	PRC-24-60LR-10	5235	205 lbs.	40

*Reverse Ice Bin Capacities For L or R Models.

WANT TO UPGRADE? Add **SU-74** For All Stainless Steel Construction: **\$486**

For Prestige Ice Bin Covers, See Page 117.

Pass-Thru Units & Service Cabinet

PASS-THRU WORKSTATION

With Two Deep Drawn Sink Bowls • 29" Working Height

- Stainless Steel Top & Sides
- Blender Shelf With Duplex Outlet Hidden Underneath
- Double Tier Speed Rail
- Tubing Chase For Soda Gun
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- 4" O.C. Deck Mounted Lead Free Compliant Swing Spout Faucet
- Insulated Ice Bin w/ 10-Circuit Cold Plate Sealed Into Bottom

- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet & Welded Cross-Bracing
- **Side Panel Models** Include Removable Perforated Top w/ Drain & Front Apron; Units Are Supported By Side Panels & Do Not Require Legs


GFI Duplex Receptacle Hidden Beneath Blender Shelf




PR-44X42SP-10-L

Model #	Price	O.A. Length	Description	Ice Capacity	Approx. Weight	Approx. Cu. Ft.
PR-42X30-10-L or R	\$5252	42"	Stainless Steel Legs	70 lbs.	250 lbs.	38
PR-42X42-10-L or R	8707	42"	Stainless Steel Legs	174 lbs.	400 lbs.	58
SIDE PANELS WITH PERFORATED DRAINBOARD SHELF						
PR-44X30SP-10-L or R	7415	44"	Side Panels w/ Perforated Drbd. Shelf	70 lbs.	350 lbs.	59
PR-44X42SP-10-L or R	12500	44"	Side Panels w/ Perforated Drbd. Shelf	174 lbs.	575 lbs.	88


NOTE: To determine left or right hand model, Ice Bin is either Left (L) or Right (R) of the sink from the bartender side.




PR-42X42-10-L Shown



PR-44X30SP-10-L Shown



PR-44X42SP-10-L Shown



PR-42X30-10-L Shown


OVERSHELVES FOR PASS-THRU WORKSTATIONS

(For SP Models Only - Factory Installed)


- 44" Wide x 16 3/4" Length
- Removable Perforated Pans
- Square Stainless Steel Posts
- 20 Gauge, 300 Stainless Steel

-G Models:

- Include Stemware Glass Rack
- 18 Gauge, 302 Stainless Steel
- Stainless Steel Shelf With Splash On Three Sides



Single Shelf
PRSO-44-G Shown



Double Shelf
PRDO-44 Shown

Model #	Price	Description	Wt.	Cu. Ft.
PRSO-44	\$1174	Single Overshelf	65 lbs.	5
PRSO-44-G	1679	Single Overshelf w/ Stemware Glass Rack	85 lbs.	5
PRDO-44	2040	Double Overshelf	125 lbs.	17
PRDO-44-G	2776	Double Overshelf w/ Stemware Glass Rack	145 lbs.	17

PASS-THRU ICE BINS

11" Deep Insulated Ice Bin • 29" Working Height



Shown With
Optional
Speed Rail

- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- **PRPT-2442-10** Has 10-Circuit Cold Plate Sealed Into The Bottom

Sliding Stainless Steel Cover

PRA-SSC-PT \$463

Model #	Price	Size W x L x H	Ice Capacity	Wt.	Cu. Ft.
PRPT-2442	\$2309	42" x 24" x 29"	174 lbs.	80 lbs.	13
PRPT-2442-10	4012	42" x 24" x 29"	174 lbs.	150 lbs.	13

BEER BOX

18" Deep • 29" Working Height

- Perforated False Bottom Allows Melted Ice To Drain
- Removable False Bottom
- Stainless Steel Legs w/ Stainless Steel Bullet Feet
- 7" Backsplash



PRBB-48

Model #	Price	Size W x L x H	Capacity Of Bottle Beer	Wt.	Cu. Ft.
PRBB-48	\$2838	25" x 48" x 33"	12 Cases	220 lbs.	14
PRBB-60	3043	25" x 60" x 33"	18 Cases	225 lbs.	15

BEER BOX LOCKING COVERS

Includes Padlock & 2 Keys

SU-35C	48" Cover	\$755
SU-35D	60" Cover	935

Add Stainless Steel Dividers
SU-55 \$160 ea.

Beer Box Covers Must Be Removed During Normal Operation

PRD & PRGS Series Feature:

- Removable Perforated Drainboard Top
- Stainless Steel Top, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 7" Backsplash
- 1" IPS Drain
- Sound Deadened


PRESTIGE
Signature Series

Underbar Drainboards

DRAINBOARDS

29" Working Height

- Stainless Steel Apron
- **PRD-24 Series** has Rear Deck For Extra Storage



Removable Perforated
Drainboard Top



All Drainboards Are NSF Approved



PRD-19 Series
20" Wide Units



PRD-24 Series
25" Wide Units

L	20" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRD-19-12	\$836	38 lbs.	8	PRD-24-12	\$896	45 lbs.	10
18"	PRD-19-18	859	45 lbs.	8	PRD-24-18	939	52 lbs.	10
24"	PRD-19-24	928	52 lbs.	8	PRD-24-24	1020	59 lbs.	10
30"	PRD-19-30	1024	59 lbs.	12	PRD-24-30	1086	66 lbs.	14
36"	PRD-19-36	1063	65 lbs.	12	PRD-24-36	1165	73 lbs.	14
42"	PRD-19-42	1239	70 lbs.	16	PRD-24-42	1366	79 lbs.	19
48"	PRD-19-48	1332	75 lbs.	16	PRD-24-48	1388	86 lbs.	19

RECESSED DRAINBOARDS

Holds Multiple Tiers Of Glassware • 18" Working Height


- 14" Side Splashes
- **PRGS-24 Series** has Rear Deck For Extra Storage

L	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRGS-19-12	\$732	40 lbs.	8	PRGS-24-12	\$828	45 lbs.	10
18"	PRGS-19-18	767	45 lbs.	8	PRGS-24-18	830	52 lbs.	10
24"	PRGS-19-24	824	52 lbs.	8	PRGS-24-24	882	59 lbs.	10
30"	PRGS-19-30	905	59 lbs.	12	PRGS-24-30	991	66 lbs.	14



PRGS-19 Series
25" Wide Units

Removable Perforated
Drainboard Top



PRGS-24 Series
30" Wide Units

WANT TO UPGRADE? Add [SU-74](#) For All Stainless Steel Construction **\$486**

SPECIALTY DRAINBOARDS


Beer Drainer

21 1/4" Working Height



PRBD-19-24

- 3" x 6" Rear Column For Beer Lines
- Removable Perforated Drainboard Top
- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 1" IPS Drain
- 14 3/4" Backsplash



Removable
Perforated
Drainboard Top

L	20" WIDE	Price	Wt.	Cu. Ft.
18"	PRBD-19-18	\$1253	50 lbs.	7
24"	PRBD-19-24	1271	57 lbs.	8

L	25" WIDE	Price	Wt.	Cu. Ft.
18"	PRBD-24-18	\$1319	57 lbs.	7
24"	PRBD-24-24	1389	64 lbs.	10

Frozen Drink Machine Stands

21" Working Height



PRFD-18

- Lower Working Height Accommodates The Height Of Most Drink Machines For Underbar Use
- Beveled Front
- Top Pitched To 1" IPS Drain
- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 15" Backsplash

L	30" WIDE	Price	Wt.	Cu. Ft.
18"	PRFD-18	\$1204	57 lbs.	14
30"	PRFD-30	1701	80 lbs.	20

POINT OF SERVICE CABINET



PRPOS-18-DR
Shown with
Optional
Door Lock



- 25" Working Height
- 11" High Backsplash & Side Splashes
- Louvered Door w/ Flush Handle
- 2" Access Hole In Work Surface For Power Cord
- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet

LOCK IT UP!
Add A Door Lock [SU-27](#) **\$286**

L	25" WIDE	Price	Wt.	Cu. Ft.
18"	PRPOS-18-DR	\$2038	60 lbs.	14
24"	PRPOS-24-DR	2278	150 lbs.	20


Underbar Corner Drainboard & Fillers

90° CORNER DRAINBOARD

Includes Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet



- Free-Standing Corner Drainboard
- 7" High x 1-3/4" Thick Backsplash
- 1" I.P.S. Drain

Model #	Price	Size* (A) x (B)	Approx. Weight	Approx. Cu. Ft.
PRFD-2020	\$984	20" x 20"	68 lbs.	7
PRFD-2025	1041	20" x 25"	72 lbs.	12
PRFD-2030	1080	20" x 30"	78 lbs.	16
PRFD-2035	1169	20" x 35"	82 lbs.	16
PRFD-2520	1041	25" x 20"	69 lbs.	7
PRFD-2525	1091	25" x 25"	73 lbs.	12
PRFD-2530	1118	25" x 30"	79 lbs.	16
PRFD-2535	1226	25" x 35"	83 lbs.	16
PRFD-3020	1080	30" x 20"	78 lbs.	7
PRFD-3025	1118	30" x 25"	79 lbs.	12
PRFD-3030	1260	30" x 30"	82 lbs.	16
PRFD-3035	1320	30" x 35"	86 lbs.	16
PRFD-3520	1169	35" x 20"	82 lbs.	16
PRFD-3525	1226	35" x 25"	83 lbs.	16
PRFD-3530	1320	35" x 30"	86 lbs.	16
PRFD-3535	1393	35" x 35"	90 lbs.	16




Includes Stainless Steel
Legs w/ Adjustable
Stainless Steel Bullet Feet

All Units On This Page Feature
A Removable Perforated
Drainboard Top



PRFD-3020



PRFD-2030


"A" represents the distance on the left side from the back wall until the front edge of the left unit.

"B" represents the distance on the right side from the back wall until the front edge of the right unit.


90° CORNER FILLERS

- Must Be Bolted to Existing Line Up Equipment
- 7" High x 1-3/4" Thick Backsplash
- Available On Left or Right Side
- 1" I.P.S. Drain


Inside Corner




PRF-20-90IC Shown



Outside Corner



PRF-20-90OC Shown




Model #	Price	Size (A) x (B)	Approx. Weight	Approx. Cu. Ft.
PRF-20-90IC or OC*	\$1052	20" x 20"	82 lbs.	16
PRF-25-90IC or OC*	1091	25" x 25"	84 lbs.	16

* IC = Inside Corner OC = Outside Corner


45° CORNER FILLERS

- Must Be Bolted to Existing Line Up Equipment
- 7" High x 1-3/4" Thick Backsplash
- 1" I.P.S. Drain


Inside Corner




PRF-20-45IC Shown



Outside Corner



PRF-20-45OC Shown



Model #	Price	Size (A) x (B)	Approx. Weight	Approx. Cu. Ft.
PRF-20-45IC or OC*	\$806	20" x 20"	82 lbs.	16
PRF-25-45IC or OC*	890	25" x 25"	84 lbs.	16

* IC = Inside Corner OC = Outside Corner

PLEASE NOTE: FILLERS BUILT TO ORDER & CAN NOT BE RETURNED

OPTIONAL LEGS & CUSTOM SIZES AVAILABLE
Consult Factory For Details

Blender Stations & Uni-Serv Speed Bar

FREE-STANDING BLENDER STATIONS

Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
Adjustable Stainless Steel Side Cross-bracing



15A - 120V GFI Duplex
Receptacle Hidden Beneath
Blender Shelf



PRRS-19 Series
25" Wide Units With
Splash Mount Faucet



PRRS-24 Series
30" Wide Units With
Deck Mount Faucet

w/ Deep Drawn Sink

- Deep Drawn Sink
- Recessed Step w/ Grommet Hole For Blenders
- 7" Backsplash
- 3 1/2" Basket Drain w/ 1 1/2" IPS
- Sound Deadened

- **PRRS-19 Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **PRRS-24 Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage

Overall Length	w/ SPLASH MT. FAUCET				w/ DECK MT. FAUCET			
	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRRS-19-12	\$1210	49 lbs.	9	PRRS-24-12	\$1327	51 lbs.	9
18"	PRRS-19-18	1298	56 lbs.	9	PRRS-24-18	1413	58 lbs.	12



PRDB-19 Series
25" Wide Units



PRDB-24 Series
30" Wide Units

w/ Drainboard

- Removable Perforated Drainboard Top
- Recessed Step w/ Grommet Hole For Blenders
- 7" Backsplash
- 1" IPS Drain

- Sound Deadened
- **PRDB-24 Series** Has Rear Deck For Extra Storage

Overall Length	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRDB-19-12	\$812	45 lbs.	9	PRDB-24-12	\$899	47 lbs.	9
18"	PRDB-19-18	957	50 lbs.	9	PRDB-24-18	1054	53 lbs.	12

NOTE: Blender Stations Can Not Accommodate A Speed Rail

BLENDER STATION ACCESSORIES & MODIFICATIONS

SU-73	Add Mirror Finish Factory Install Only		\$408
SU-74	All Stainless Steel Construction Upgrade		486
SU-75	Add Welded Stainless Steel Cross-Bracing		117



Add A Liquid Waste Chute

- 5-1/2" Diameter Liquid Waste Chute
- Includes K-54 Push-Back Water Filler Faucet
- Perforated Drainboard Top Not Included

SU-36 \$833

UNI-SERV SPEED BAR

Includes 30" Speed Rail • 7" Backsplash



PRU-24-60R Shown

- **48" Units:** 9" x 9" x 4" Deep Drawn Sink Bowl
- **60" Units:** 10" x 14" x 7" Deep Drawn Sink Bowl
- Recessed 18" Blender Station
- 3 1/2" Basket Drain
- Grommet Hole For Cord
- 30" x 11" Deep Insulated Ice Bin with Two Removable Plastic Bottle Racks
- Optional 10-Circuit Cold Plate Sealed Into The Bottom Of Ice Bin
- 1" I.P.S. Drain (1/2" I.P.S. Drain For Cold Plate Models)
- 7" Backsplash with 1 3/4" Return With

- Soda Gun Knock Out
- Recessed Drainboard with Removable Perforated Top with 1" I.P.S. Drain
- Stainless Steel Top, Apron, Sides & Legs with Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- **PRU-19 Series:** 4" O.C. Splash Mounted Swing Spout Faucet
- **PRU-24 Series:** 4" O.C. Deck Mounted Swing Spout Faucet


L	25" WIDE	O.A. Size	Price	30" WIDE	O.A. Size	Price	Approx. Weight	Approx. Cu. Ft.
48"	PRU-19-48LorR	25"x48"	\$3658	PRU-24-48LorR	30"x48"	\$4065	135 lbs.	35
60"	PRU-19-60LorR	25"x60"	4289	PRU-24-60LorR	30"x60"	4343	135 lbs.	35
w/ 10-CIRCUIT COLD PLATE								
48"	PRU-19-48L-10orR-10	25"x48"	4867	PRU-24-48L-10orR-10	30"x48"	5336	170 lbs.	46
60"	PRU-19-60L-10orR-10	25"x60"	5989	PRU-24-60L-10orR-10	30"x60"	6044	170 lbs.	46

L and R Indicate Ice Bin Location.



15A - 120V GFI Duplex
Receptacle Hidden
Beneath Blender Shelf

Underbar Cabinets



Removable
Perforated
Drainboard
Top

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.



All Drainboards Are
NSF Approved

DRAINBOARD CABINETS

All Stainless Steel Construction

- Sturdy Base Cabinet
- Removable Perforated Drainboard Top
- Removable Hinged Doors
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- 1" IPS Drain
- Sound Deadened

	L	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
OPEN BASE	12"	PRSCO-19-12	\$1257	48 lbs.	12	PRSCO-24-12	\$1376	55 lbs.	15
	18"	PRSCO-19-18	1372	55 lbs.	12	PRSCO-24-18	1491	62 lbs.	15
	24"	PRSCO-19-24	1526	62 lbs.	12	PRSCO-24-24	1636	69 lbs.	15
	30"	PRSCO-19-30	1814	69 lbs.	15	PRSCO-24-30	1924	76 lbs.	18
	36"	PRSCO-19-36	2091	75 lbs.	18	PRSCO-24-36	2204	82 lbs.	22
	42"	PRSCO-19-42	2357	80 lbs.	21	PRSCO-24-42	2467	90 lbs.	28
W/ HINGED DOORS	48"	PRSCO-19-48	2644	85 lbs.	24	PRSCO-24-48	2755	92 lbs.	30
	12"	PRSCD-19-12	1515	58 lbs.	12	PRSCD-24-12	1638	65 lbs.	15
	18"	PRSCD-19-18	1630	65 lbs.	12	PRSCD-24-18	1753	72 lbs.	15
	24"	PRSCD-19-24	1818	72 lbs.	12	PRSCD-24-24	1929	79 lbs.	15
	30"	PRSCD-19-30	2106	79 lbs.	15	PRSCD-24-30	2217	85 lbs.	18
	36"	PRSCD-19-36	2385	85 lbs.	18	PRSCD-24-36	2496	92 lbs.	22
	42"	PRSCD-19-42	2651	90 lbs.	21	PRSCD-24-42	2876	98 lbs.	28
	48"	PRSCD-19-48	2940	95 lbs.	24	PRSCD-24-48	3047	102 lbs.	30

20" WIDE CABINETS AVAILABLE!

LOCK IT UP!

Use 25" Wide Model # & Add SU-77 \$83

Add A Door Lock SU-27 \$286



Open Base
PRSCO-19-24 Shown



w/ Hinged Doors
PRSCD-24-24 Shown

ADD MID-SHELF TO PRSCO SERIES \$447 /shelf

Add An "M" After The Model Number

(For example, PRSCO-19-18 would read PRSCO-19-18-M)

ADD A SINK (Includes Faucet)

10" x 14" x 10" SU-22A \$924

9 1/2" x 11 1/2" x 6" SU-22B \$924

9" x 9" x 4" SU-22C \$924

5 1/2" Stainless Steel
Open Waste Chute



A-6
\$309
Factory
Installed

5 1/2" Dipperwell with
Insert and Drain



A-7
\$384
Factory Installed.
Includes TA-34 Cutout

W/ BUILT-IN DUMP SINK & WASTE CHUTE

All Stainless Steel Construction

- 9" x 9" x 4" Dump Sink
- 5-1/2" Diameter Waste Chute
- Optional Removable Hinged Doors w/ Lock
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- PRWC-19 Series Includes 4" O.C. Splash Mt. Swing Spout Faucet
- PRWC-24 Series Includes 4" O.C. Deck Mt. Swing Spout Faucet & Has Rear Deck For Extra Storage

L	Style	w/ SPLASH MT. FAUCET		w/ DECK MT. FAUCET		Approx. Wt.	Approx. Cu. Ft.
		25" WIDE	Price	30" WIDE	Price		
18"	Open Base	PRWC-19-18	\$2038	PRWC-24-18	\$2080	62 lbs.	15
18"	w/ Hinged Door	PRWC-19-18-DR	2302	PRWC-24-18-DR	2345	67 lbs.	15



Open Base
PRWC-19-18 Shown



w/ Hinged Door
PRWC-19-18-DR Shown

W/ STORAGE DRAWERS

All Stainless Steel Construction


- 6" Deep Drawers
- Removable Perforated Drainboard Top
- 1" IPS Drain
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet



PR-25-DWR



PR-25-3DWR



Removable Perforated
Drainboard Top

L	Style	25" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
24"	1 Drawer & 1 Door	PR-25-DWR	\$2536	PR-30-DWR	\$3343	62 lbs.	15
24"	3 Drawers	PR-25-3DWR	2766	PR-30-3DWR	3689	85 lbs.	18

112 ADDITIONAL DRAINBOARD CABINET SIZES AVAILABLE - Consult Factory For Details

ALL STAINLESS STEEL TRASH RECEPTACLES

Trash Bin Not Included

36" High Trash Receptacle Cabinet

- Open Bottom w/ Hinged Door
- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gal. Cap.)
- S/S Legs w/ Adj. Stainless Steel Bullet Feet
- Overall Size: 12" x 25" x 36". 60 lbs. 9 Cu. Ft.



PRSJ-12-DR \$1557

19" High Trash Receptacle Cabinet

- Open Bottom w/ Hinged Door
- Units Mount Between Equipment Line Up
- Removable S/S Sliding Cover
- Overall Size: 12" x 25" x 21". 35 lbs. 4 Cu. Ft.



PRT-12 \$1268

Trash Receptacle Cover

- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gallon Capacity)
- Units Mount Between Equipment Line Up
- Overall Size: 12" x 25" x 9". 33 lbs. 4 Cu. Ft.



PRSJ-12 \$698

Glassware & Liquor Storage

Glass & Liquor Racks Not Included

GLASS RACK STORAGE CABINETS

Featuring All Stainless Steel Construction

- Holds Up To 3 Glass Racks
- Adjustable Glass Rack Slides
- 7" Backsplash
- 1" IPS Drain On Bottom Shelf

- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- 30" Wide Units Have Rear Deck For Extra Storage



Open Top

PROR-24-24
Shown



Drainboard Top

- Removable Perforated Drainboard Top
- 1" IPS Drain

PRCR-19-24
Shown



Slanted Top

- Accommodates Liquor Rack On Slanted Top

PRSR-24-24
Shown

Model #	Price	Size	Wt.	Cu.
PROR-19-24	\$1984	24" x 25" x 36"	50 lbs.	12
PROR-24-24	2072	24" x 30" x 36"	57 lbs.	12

Model #	Price	Size	Wt.	Cu.
PRCR-19-24	\$1528	24" x 25" x 36"	80 lbs.	16
PRCR-24-24	1645	24" x 30" x 36"	85 lbs.	17

Model #	Price	Size	Wt.	Cu.
PRSR-19-24	\$2165	24" x 25" x 36"	50 lbs.	12
PRSR-24-24	2256	24" x 30" x 36"	57 lbs.	12



Add Stainless Steel
Full Extension Roller Slides

SU-46 \$913 /cabinet



Add Stainless Steel
Concealing Drawer Front
Requires SU-46

SU-47 \$457 /cabinet

LIQUOR DISPLAYS

Tiered Steps & Retaining Bars Securely Display Liquor Bottles



PLD-2524



PRLR-24

Liquor Display Rack

- Retaining Bars Secure Bottles On Steps
- Sound Deadened
- 7" Backsplash
- Stainless Steel Top, Sides & Legs w/ Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 30" Wide Units Has Rear Deck For Extra Storage

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
25" WIDE	PLD-2512	\$1124	12"	15	25 lbs.	10
	PLD-2518	1201	18"	20	30 lbs.	10
	PLD-2524	1444	24"	30	35 lbs.	10
	PLD-2530	1554	30"	35	40 lbs.	14
	PLD-2536	1710	36"	45	50 lbs.	14
30" WIDE	PLD-3012	1288	12"	15	30 lbs.	12
	PLD-3018	1345	18"	20	35 lbs.	12
	PLD-3024	1455	24"	30	40 lbs.	12
	PLD-3030	1580	30"	35	45 lbs.	17
	PLD-3036	1740	36"	45	55 lbs.	17

Liquor Display Cabinet

- All Stainless Steel Construction
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
25" WIDE	PRLR-12	\$1334	12"	15	35 lbs.	7
	PRLR-18	1408	18"	20	36 lbs.	10
	PRLR-24	1476	24"	30	42 lbs.	13
	PRLR-30	1596	30"	35	47 lbs.	14
	PRLR-36	1759	36"	45	50 lbs.	15

REMOVABLE STAINLESS STEEL LIQUOR DISPLAY COVERS

Includes Padlock & Two Keys



Display Rack Cover
For PLD Models Only

	Length	Model #	Price
25" WIDE	12"	PRLC-2512	\$656
	18"	PRLC-2518	713
	24"	PRLC-2524	770
	30"	PRLC-2530	827
	36"	PRLC-2536	884
30" WIDE	12"	PRLC-3012	725
	18"	PRLC-3018	907
	24"	PRLC-3024	953
	30"	PRLC-3030	987
	36"	PRLC-3036	1021



Display Cabinet Cover
For PRLR Models Only

	Length	Model #	Price
25" WIDE	12"	PRLC-12	\$793
	18"	PRLC-18	935
	24"	PRLC-24	1017
	30"	PRLC-30	1057
	36"	PRLC-36	1117

For Prestige Speed Rails, See Pages 114.

COVERS ARE FACTORY INSTALLED ONLY

Speed Rails & Blender Shelves

ALL STAINLESS STEEL SPEED RAILS

For Prestige Underbar Equipment

- Sound Deadened
- Bolt Holes For Mounting

Single & Double Tier Options Available



Single Tier
PRSSR-36 Shown



Double Tier
PRDSR-36 Shown

L	STANDARD SPEED RAILS						W/ LOCKING COVER Includes Keyed Lock						Approx. Wt.	Approx. Cu. Ft.
	SINGLE	Price	Cap.	DOUBLE	Price	Cap.	SINGLE	Price	Cap.	DOUBLE	Price	Cap.		
12"	PRSSR-12	\$184	3	PRDSR-12	\$288	6	PRSSR-12-LC	\$406	3	PRDSR-12-LC	\$621	6	8 lbs.	1
18"	PRSSR-18	197	4	PRDSR-18	359	8	PRSSR-18-LC	506	4	PRDSR-18-LC	820	8	10 lbs.	2
24"	PRSSR-24	212	6	PRDSR-24	424	12	PRSSR-24-LC	560	6	PRDSR-24-LC	942	12	12 lbs.	2
30"	PRSSR-30	227	7	PRDSR-30	487	14	PRSSR-30-LC	615	7	PRDSR-30-LC	1072	14	14 lbs.	3
36"	PRSSR-36	243	9	PRDSR-36	546	18	PRSSR-36-LC	669	9	PRDSR-36-LC	1187	18	14 lbs.	3
42"	PRSSR-42	256	10	PRDSR-42	614	20	PRSSR-42-LC	727	10	PRDSR-42-LC	1319	20	16 lbs.	4
48"	PRSSR-48	268	12	PRDSR-48	678	24	PRSSR-48-LC	782	12	PRDSR-48-LC	1446	24	16 lbs.	4
54"	PRSSR-54	286	13	PRDSR-54	745	26	NOT AVAILABLE						18 lbs.	5
60"	PRSSR-60	301	15	PRDSR-60	805	30							20 lbs.	5
72"	PRSSR-72	328	18	PRDSR-72	935	36							24 lbs.	6
84"	PRSSR-84	358	21	PRDSR-84	1062	42							28 lbs.	7
96"	PRSSR-96	387	24	PRDSR-96	1175	48							32 lbs.	8

Hang-On Style Speed Rails

- Designed To Hang-on The First Tier Of Any PRSSR Series Speed Rails
- Doubles Liquor Storage
- Removable

Not To Be Used With Any Other Manufacturers Speed Rails



L	Model #	Price	Cap.	Approx. Wt.	Approx. Cu. Ft.
12"	PRHSR-12	\$203	3	4 lbs.	1
18"	PRHSR-18	218	4	4 lbs.	2
24"	PRHSR-24	233	6	5 lbs.	2
30"	PRHSR-30	247	7	6 lbs.	2
36"	PRHSR-36	266	9	6 lbs.	3
42"	PRHSR-42	279	10	7 lbs.	3
48"	PRHSR-48	299	12	7 lbs.	4

For Prestige Liquor Racks & Cabinets, See Page 109.

BLENDER SHELVES

Mounts To The Front Apron Of Ice Bin

- All Stainless Steel Construction
- 10" Wide
- Grommet Hole For Blender Power Cords
- 15A - 120V Duplex Outlet Hidden Beneath Blender Shelf
- Keyhole Installation



15A - 120V Duplex Receptacle Hidden Beneath Blender Shelf



EXCLUSIVELY

For Prestige Underbar Equipment

PRA-BS-12	12" Shelf	\$249
PRA-BS-18	18" Shelf	267
PRA-BS-24	24" Shelf	305
PRA-BS-30	30" Shelf	315

For Free-Standing Blender Stations,
See Page 111.

FRIDGE & COOLERS

Back Bar Refrigeration & Coolers

GLASS FROSTERS

- Stainless Steel Sliding Lids
- 2 Adjustable Dividers & Shelving
- **GF24-B:** 100 8" Plates/76 Mugs
- **GF34-B:** 150 8" Plates/94 Mugs
- Foam Polyurethane Insulation
- Automatic Defrosting
- R404A Refrigerant
- Black Vinyl Coated Steel
- 6' NEMA5-15P Electrical Cord
- 7 Amps/115V/1 Phase
- 2 Year Parts/Labor 5 Year Compressor (Parts) Warranty



NEMA PLUG 5-15P



GF24-B

Model #	Price	Size	Wt.	Cu. Ft.
GF24-B	\$7026	24" x 26" x 33 5/8"	183 lbs.	13
GF34-B	7109	34" x 26" x 33 5/8"	227 lbs.	19
GF48-B	9037	48" x 26" x 33 5/8"	276 lbs.	26

BOTTLE/CAN COOLERS

- Stainless Steel Construction w/ Black Vinyl Exterior
- Sliding Stainless Steel Lid(s)
- Built In Bottle Opener & Cap Catcher
- Adjustable Dividers
- Ventilated Cooling Fan System
- Uses R134A Refrigerant
- Efficient Forced-Air Refrigeration System To Maintain Temperatures Between 32° And 41° Fahrenheit
- Automatic Defrosting
- Foam Polyurethane Insulation
- 8' NEMA5-15P Electrical Cord
- Single Phase Wiring
- 2 Year Parts/Labor 5 Year Compressor (Parts) Warranty



NEMA PLUG 5-15P



BC-B-50

Black Finish	Price	O.A. Dimensions	# of 12 oz. Bottles/Cans	Dividers	Lids	Amps/Volts	HP	Wt.	Cu.
BC-B-35	\$6007	35" x 26 1/2" x 33 7/8"	9-1/3 Cases / 11-1/2 Cases	2	1	4.5/115v	1/5	214 lbs.	19
BC-B-50	6707	50" x 26 1/2" x 33 7/8"	17-1/2 Cases / 23-3/4 Cases	3	2	6.3/115v	1/3	378 lbs.	27
BC-B-65	7530	65" x 26 1/2" x 33 7/8"	25-1/4 Cases / 34-3/4 Cases	4	2	6.3/115v	1/3	388 lbs.	35

BACK BAR REFRIGERATION



- Stainless Steel Top w/ Black Vinyl Coated Steel Sides
- Hinged Door(s) With Locks
- Adjustable Epoxy Shelves
- Interior Lighting with On/Off switch
- 8' NEMA5-15P Electrical Cord
- Single Phase Wiring
- Uses R134A Refrigerant
- 2 Year Parts/Labor 5 Year Compressor (Parts) Warranty



BBR-48

	Model #	Price	O.A. Dimensions	# of Kegs	Shelves	Doors	Amps/Volts	HP	Wt.	Cu.
23 1/2" WIDE	BBR-36	\$8257	36" x 23 1/2" x 36"	2	2	1	5.0/115v	1/5	250 lbs.	18
	BBR-48	8524	48" x 23 1/2" x 36"	2	4	2	5.0/115v	1/4	306 lbs.	26
	BBR-72	9722	72" x 23 1/2" x 36"	3	6	3	5.0/115v	1/4	366 lbs.	36
28 3/16" WIDE	BBR-59	8856	59" x 28 3/16" x 37 1/4"	2	4	2	7.2/115v	1/3	354 lbs.	37
	BBR-79	11320	79" x 28 3/16" x 37 1/4"	4	4	3	7.2/115v	1/3	439 lbs.	50
	BBR-95	13171	95" x 28 3/16" x 37 1/4"	5	6	3	7.2/115v	1/3	498 lbs.	60



NEMA PLUG 5-15P

Stainless Steel Exterior Upgrade
BBR-1
\$749 /per unit
 For BBR Series, BC-B Series, GF Series Only

Add Glass Doors



SU-100
\$1177 /per unit
 For BBR Series

Add Casters



BBR-25-3 3" Casters
\$461/per unit
 For BBR Series, BC-B Series, GF Series Only

BBR-25-6 6" Casters
\$485/per unit
 For BBR Series

UNDERBAR ACCESSORIES

Underbar Modifications & Accessories

More Underbar Accessories

A-1	Perforated Cover for 10" x 14" x 10" Sink Bowl		\$120
A-8	24" Condiment Rack (5 Condiment Cups) Condiment Racks Hang On Backsplash Of Ice Bin		559
SU-17	Interior Partition (For Underbar Basics & Prestige Drainboard Cabinets - Factory Installed Only)		210
K-12	Replacement Deck Mounted Soap Dispenser		144
SU-55	Removable Stainless Steel Divider For Beer Box		169

Underbar Modifications

A-51	6" Hole In Drainboard Surface (Waste Chute Installation)		146
PR-STRAP	Stainless Steel Straps For Speed Rails (Set of 2 - For KS-2K Speed Rail Only)		43
SU-4	Modify Prestige Series Backsplash to 4" Tall		24 Lin. Ft.
SU-10A	Upgrade To S/S Legs & Bullet Feet (18" Legs - Includes Adjustable Front-to-Back Cross-Bracing)		243
SU-10B	Upgrade To S/S Legs & Bullet Feet (10" Legs - Includes Adjustable Front-to-Back Cross-Bracing)		243
SU-10C	Upgrade To S/S Legs & Bullet Feet (14" Legs - Includes Adjustable Front-to-Back Cross-Bracing)		243
SU-13	Upgrade to 10-Circuit Cold Plate (Applies to units with 7-Circuit Cold Plate)		447
SU-18RorL	Right or Left Welded Side Splash for 18" Wide Unit		161
SU-18RL	Right & Left Welded Side Splash for 18" Wide Unit		325
SU-21RorL	Right or Left Welded Side Splash for 21" Wide Unit		175
SU-21RL	Right & Left Welded Side Splash for 21" Wide Unit		341
SU-22A	Add 10"x14"x10" Sink To Drbd. Cabinet (Includes Splash Mt. Faucet)		924
SU-22B	Add 9-1/2"x11-1/2"x6" Sink To Drbd. Cabinet (Includes Splash Mt. Faucet)		924
SU-22C	Add 9" x 9" x 4" Sink To Drbd. Cabinet (Includes Splash Mt. Faucet)		924
SU-24	Provision To Connect Underbar Equipment (Price Per Every Two Units)		140
SU-30	Soda Chase Provision - Tip-Out (For Ice Bins w/ Backsplash Only)		447
SU-33	Working Height to Underbar Equipment		95
SU-34	Top Cutout for Under Bar Equipment		95
SU-36	Add 5-1/2" Diameter Waste Chute (Blender Stations & Drainboard Cabinets Only)		833
SU-40	Prep Unit For Installation Of Speed Rails		81
SU-41	Make Speed Rail An Odd Length		68
SU-42	Make Speed Rail Accommodate 1/2 Gallon Bottles		89
SU-61	Special Sizing To Reduce Length		N/C
SU-61A	Special Modification		249
SU-62C	Recess GFI Outlet For Bar Die		480
SU-68	Omit Corrugation On Drainboards (Flat Top Work Surface)		145
SU-79	Additional Drainboard Length (Flat Top Work Surface)		136 Lin. Ft.

PERFORATED BASKETS FOR UNDERBAR SINKS



A-16 \$239
Fits 10" x 14" x 10" Sink



A-17 \$234
Fits 9 1/2" x 11 1/2" x 6" Sink
A-17A \$242
Fits 9" x 9" x 4" Sink



A-23 \$224
Fits 6" x 11" x 6" Sink

REMOVABLE BLACK PLASTIC BOTTLE RACKS



A-19 \$16 ea.
Single Bottle Rack
5 1/4" x 5 1/4"



A-20 \$46 ea.
3-Pack Bottle Rack
(6 Per Carton. Must Order in Qtys. of 6)
5 1/4" x 15 7/8"



A-18 \$42 ea.
4-Pack Bottle Rack
5" x 16 1/2"

STAINLESS STEEL FALSE BOTTOM



A-41	For 24" Ice Bin.....	\$112
A-42	For 30" Ice Bin.....	122
A-43	For 36" Ice Bin.....	135
A-44	For 42" Ice Bin.....	146
A-45	For 48" Ice Bin.....	156

SLIDING STAINLESS STEEL COVER For Free-Standing Underbar Basics Ice Bins




SSC-12	For 12" Ice Bin	\$169
SSC-24	For 24" Ice Bin	174
SSC-30	For 30" Ice Bin	190
SSC-36	For 36" Ice Bin	205
SSC-42	For 42" Ice Bin	256
SSC-48	For 48" Ice Bin.....	263
SSC-PT	For Pass-Thru Ice Bin.....	335

Replacement Sliding S/S Covers For Drop-in Ice Bins, See Page 84

STAINLESS STEEL ICE BIN PARTITION



A-38	8" High	\$122
A-39	12" High	122
A-40	16" High	122



A-24 \$169
8" x 8" Add-On Blender Shelf
w/ Duplex Outlet Hidden Beneath Shelf



K-316-LU \$114
Add Wrist Handles
For Deck Or Splash Mt. Faucets

UNDERBAR ACCESSORIES

Prestige Underbar Modifications & Accessories

Prestige Ice Bin Accessories



PRA-BR-3	3-Bottle Well Support Frame For Ice Bin (For 20" Wide Units & Required For Use w/ Cover - Bottle Wells Not Included - Use A-20)		\$108
PRA-2405	24" Condiment Rack (5 Condiment Cups) Condiment Racks Hang On Backsplash Of Ice Bin		559

Prestige Bar Sink Accessories

SU-20RorL	Right or Left Side Splash for 20" Wide Unit		179
SU-20RL	Right & Left Side Splash for 20" Wide Unit		375
SU-25RorL	Right or Left Side Splash for 25" Wide Unit		213
SU-25RL	Right & Left Side Splash for 25" Wide Unit		402

Prestige Underbar Modifications

SU-4	Modify Prestige Series Backsplash to 4" Tall		24	Lin. Ft.
SU-27	Cabinet Door Lock w/ Key		286	
SU-30	Soda Chase Provision (For Ice Bins w/ Backsplash Only)		447	
SU-36	Add Waste Chute (Blender Stations Only)		833	
SU-44	Add S/S Glass Rack Slides (Prestige Glass Rack Storage Cabinets Only)		548	2/Set
SU-46	Add S/S Full Extension Roller Slides (Prestige Glass Rack Storage Cabinets Only)		913	
SU-47	Add S/S Concealing Drawer Front (Prestige Glass Rack Storage Cabinets Only)		457	
SU-62C	Recess GFI Outlet For Bar Die (Wiring by Others)		480	
SU-73	Add Mirror Finish Factory Install Only		408	
SU-74	All Stainless Steel Construction Upgrade		486	
SU-75	Add Welded Stainless Steel Cross-Bracing		117	
SU-77	Modify Cabinet to be 25" Wide (Prestige Drainboard Cabinets Only)		83	

SODA GUN HOLDER

Mounts In Prestige Underbar Line Up

- Provides Housing For WunderBar® Soda Gun (14 Button or Smaller)
- Built-In Soda Gun Holder with Drip Cup
- Cover Allows Easy Access To Make Adjustments
- Keeps Tubing Lines Hidden For A Cleaner Workspace
- Includes Backsplash



PRSH-19-6
Shown

Model #	Price	Size* L x W x H	Approx. Weight	Approx. Cu. Ft.
SINGLE SODA GUN HOLDER (Holds One Gun On One Side)				
PRSH-19-6	\$610	20" x 6" x 36"	19 lbs.	3
PRSH-24-6	696	25" x 6" x 36"	20 lbs.	3

For 4" Wide Soda Holder add **SU-61 N/C**

*Height is from the finished floor to the top of the splash

NOTE: Drain Connection Is Required On Drip Cup

PRESTIGE
Signature Series

TUBING CHASE



PRA-19-TC	For 20" Unit.....	\$203
PRA-24-TC	For 25" Unit.....	211

STAINLESS STEEL TRASH RECEPTACLE COVER


Trash Bin Not Included • Factory Install Only



PRSJT-12 \$698

- Open Unit
- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gallon Capacity)*
- Units Mount Between Equipment Line Up
- Overall Size: 12" x 25" x 21"
- 33 lbs. 4 Cu. Ft.

SLIDING STAINLESS STEEL COVERS For Ice Bins




PRA-SSC-12	Fits 12" Ice Bin	\$193
PRA-SSC-18	Fits 18" Ice Bin	196
PRA-SSC-24	Fits 24" Ice Bin	200
PRA-SSC-30	Fits 30" Ice Bin	218
PRA-SSC-36	Fits 36" Ice Bin	234
PRA-SSC-42	Fits 42" Ice Bin	294
PRA-SSC-48	Fits 48" Ice Bin	302
PRA-SSC-PT30	Fits PR-44X30SP-10L or R	430
	& PR-42X30-10L or R	
PRA-SSC-PT42	Fits PRPT-2442, PRPT-2442-10,	463
	PR-44X42SP-10L or R	
	& PR-42X42-10L or R	

PRESTIGE UNDERBAR ADD-ONS

Stainless Steel Underbar Fillers

Multiple Angles Available • Optional Legs



Corner Filler Shown

- Removable Perforated Drainboard Top
 - Bolt On To Sides Of Equipment
 - For Odd Shape Underbar Line Ups
- See Page 110

Stainless Steel Base Cabinet

Available With Or Without Doors



- Provides Extra Storage In Bar Line Up
- Optional Door Lock

Contact Our SmartFab Department For Details & Pricing.

SmartFab@advantecabco.com • 800-645-3166

FAUCETS

Underbar Equipment Faucets

All Items on This Page Ship via UPS

All Faucets Meet Federal Lead Free Standards

UNDERBAR DECK MOUNTED SINK FAUCETS

6" Deck
Mounted
Faucet

K-51 \$452
4" O.C.



3-1/2"
Gooseneck

K-52 \$221
4" O.C.



12"
Swing
Spout

K-53 \$427
4" O.C.



Water Filler
Faucet

K-54
8-1/4" High **\$468**
K-54A
12" High **\$576**



Deck Mt. 6"
Extended
Spout 4" O.C.

K-124
\$326



Dipper Well
Faucet

A-33
\$153



Gooseneck Deck Mount
Melt Down Nozzle 4" O.C.

A-29 \$499 **A-30 \$570** (Installed)



UNDERBAR SPLASH MOUNTED SINK FAUCETS

3-1/2" Splash
Mounted
Faucet

K-59
\$221
4" O.C.



Extra Heavy Duty
Splash Mounted
Faucet

K-69
\$444
4" O.C.



Splash Mt. 6"
Extended Spout 4" O.C.

K-123
\$326



Splash Mt. 6" Extended
Spout with Wrist Handles

K-206
\$425
4" O.C.



6" Splash
Mounted
Faucet

K-125
\$295
4" O.C.



10" Splash
Mounted
Spout

K-126
\$295
4" O.C.



Wrist Handles
for Faucets

K-316-LU
\$114



UNDERBAR SINK ACCESSORIES

WASTE OUTLETS & CHUTES

1" Waste Outlet

A-10
(6 per carton)
\$18



1-1/2" Waste Outlet

A-11
(6 per carton)
\$19



5-1/2" Stainless Steel
Open Waste Chute



A-6 \$309

Factory Installed

5-1/2" Dipper Well
with Insert and Drain



A-7 \$384

Factory Installed (Includes
TA-34 Table Top 6" Cut-Out)
1-1/2" NPT Drain Connection

STAINLESS STEEL OVERFLOW PIPES



1" Pipe
(6 per carton)

A-12 \$18 ea.



1-1/2" Pipe
(6 per carton)

A-13 \$19 ea.

(Price per each, sold in a carton of 6.
Broken carton price \$25.00 list per each)

SOAP DISPENSERS & HOLDERS

Deck Mounted
Soap Dispenser

K-12
\$144



Chrome
Towel Ring
(Packed Loose)

A-15 \$96



PORTABLE BARS

Heavy Duty Portable Bars

ALL STAINLESS STEEL INTERIOR! Designed For Heavy-Duty, High Volume Operation!


HEAVY DUTY OPEN BASE

- All Stainless Steel Bartender Side
- 19" x 13-1/2" x 11" Stainless Steel Integral Insulated Ice Bin
- Full Perimeter Bumpers
- 5" Heavy Duty Swivel Plate Casters (2 w/ Brakes)

- Drain & Shut-Off Valve
- Stainless Steel Speed Rails
- Open Bottom Shelf For Glass Rack Storage

Custom
Styles Available!
(See Below)

Bar Top, Front, & Sides Material	Model	Price	Length	Width	Bar Top Width	# Of Speed Rails	Speed rail Capacity	Wt.	Cu. Ft.
Black Mica	AMS-5B	\$5857	62 1/4"	27 1/4"	12"	2	10 Btls.	315 lbs.	70
Black Mica	AMS-6B	6508	74 3/8"	27 1/4"	12"	3	15 Btls.	399 lbs.	73



HEAVY DUTY WITH DOORS

- All Stainless Steel Bartender Side
- 19" x 13-1/2" x 11" Stainless Steel Integral Insulated Ice Bin
- Full Perimeter Bumpers
- 5" Heavy Duty Swivel Plate Casters (2 w/ Brakes)
- Drain & Shut-Off Valve

- Stainless Steel Speed Rails
- Bottom Shelf For Glass Rack Storage
- Center Stainless Steel Panel For Extra Support
- Hinged Door With Lock On Left & Right Side Of Center Support Panel

Bar Top, Front, & Sides Material	Model	Price	Length	Width	Bar Top Width	# Of Speed Rails	Speed rail Capacity	Wt.	Cu. Ft.
Black Mica	AMD-5B	\$6531	62 1/4"	28 1/8"	12"	2	10 Btls.	340 lbs.	71
Black Mica	AMD-6B	7183	74 3/8"	28 1/8"	12"	3	15 Btls.	399 lbs.	73



Upgrade with Cold Plates - Add suffix -7 after model # and add \$1712 to Bars cost.
See Page 120 For All Portable Bar Modifications & Accessories.



Laminates & Stainless Steel Panels for Portable Series Bars

Add model number at end of Portable bar model number when ordering & add additional cost.
 (Example: AMD-6B-LCW)



-LMP Add \$1830
 Marula Pine
 Exterior front & sides only



-LCW Add \$1830
 Columbian Walnut
 Exterior front & sides only



-LCM Add \$1830
 Calcutta Marble
 Exterior front & sides only



-SS Add \$3200
 All Stainless Steel
 Including Top



Need a Custom Color?



Custom Colors
 Available
SU-81
 Consult Factory For
 Pricing & Details

See Page 120 For Even More Options

PORTABLE BARS

Portable Bars



**Designed For Heavy-Duty Use.
Perfect for High Volume Operation!**

STANDARD BLACK MICA BAR

- All Black Mica Finish
- Stainless Steel Countertop
- 18" x 20" x 10" Stainless Steel Integral Insulated Ice Bin
- Drain & Shut-Off Valve
- Open Bottom Shelf For Glass Rack Storage
- Towel Ring
- Dual Plastic Speed Rails (10 Bottle Capacity)
- 4" Swivel Plate Casters (2 w/ Brakes)

Top, Front, Back & Sides Material	Model	Price	Length	Width	Bar Top Width	Wt.	Cu. Ft.
Black Mica	D-B	\$4628	61"	24.50"	11"	310 lbs.	60



D-B Bartender Side Shown

BAR WITH ALL STAINLESS STEEL WORK AREA

- Stainless Steel Countertop, Backsplash & Inside Side Panels
- 19" x 13-1/2" x 11" Stainless Steel Integral Insulated Ice Bin
- Dual Plastic Speed Rails (10 Bottle Capacity)
- Open Bottom Shelf & Mid Shelf For Glass Rack Storage
- 5" Heavy Duty Swivel Plate Casters (2 w/ Brakes)
- 2 Towel Rings

Top, Front, Back & Sides Material	Model	Price	Length	Width	Bar Top Width	Wt.	Cu. Ft.
Black Mica	R-8-B	\$9842	95.75"	24.50"	12"	550 lbs.	117




R-8-B Bartender Side Shown

Portable Bar Modifications & Accessories



BK-2




DT-2



SU-80



-7



SU-81

-7 7-Circuit Cold Plate Sealed Into Bottom **\$1712**
Of Ice Bin Add The Suffix -7 To The Model
Number & Add To Cost (Factory Installed Only)

BK-2 Stainless Steel Speed Rail **106**

DT-2 Double Tier Stainless Steel **191**
Speed Rail

SU-80 Continuous Bumper on 3 Sides..... **940**

SU-81 Custom Mica Colors Or S/S Panels **Call Factory**
Custom Colors Include Exterior Finishes Only
(Bar Front And Sides. Additional Charge For
Bar Top. All Interiors Are Standard Black Finish,
Excluding AMS & AMD Series)

See Page 119 For Optional Laminates & Stainless Steel Options

ADVANCE TABCO HOT & COLD FOOD TABLES & DROP-INS

Features:

- Stainless Steel Body, Top & Sides
- Fiberglass Insulation (Excludes Solid Top Tables)
- 1" I.P.S. Drain (Excludes Solid Top Tables)
- Galvanized Legs with Adjustable Bullet Feet

Refrigerated & Hot Well Drop-Ins



Electric & Gas Hot Food Tables



Solid Top Tables



Everyday Buffet Tables



Ice-Cooled Tables



Refrigerated Tables



Sealed Wells

These units allow water to be poured directly into the unit and get heated. Food bins may be used without the use of a Spillage Pan.




Standard Wells

Never pour water directly into these type of units. To use hot water in these units, must use with **Model# SP-A** Aluminum Spillage Pans or **Model # SP-S** S/S Spillage Pans.



Refrigerated

These units are designed to maintain chilled foods at the proper temperature.



Non-Refrigerated


Units are designed to cool foods already chilled using only ice within its insulated bin. There is no refrigeration unit in this equipment.

HOT WELL DROP-INS

Electric Sealed Well Hot Food Drop-In Units

- 304 Stainless Steel Top
- Fiberglass Insulation Between Compartments
- 12" X 20" Die Stamped Pan Openings
- 6" Deep Units

- 1" I.p.s. Drain
- Remote Control Panel
- Infinite Control Knobs
- Indicator Lights



Individual Sealed Well
Compartments



DISW-3-120 Shown

STANDARD DROP-IN UNITS

Model #	Price	Length	Width	# of Wells	Cut-Out Size W x L	Volts	Amps	Watts	Approx. Wt.	Cu. Ft.
DISW-1-120	\$2101	15-1/2"	24-1/2"	1	23-1/4" x 15-1/4"	120	9.17	1100	73 lbs.	6
DISW-2-120	3039	30-1/2"	24-1/2"	2	23-1/4" x 29-1/4"	120	12.34	2200	110 lbs.	6
DISW-3-120	3689	44-1/2"	24-1/2"	3	23-1/4" x 43-1/4"	120	27.51	3300	135 lbs.	6
DISW-1-240	2101	15-1/2"	24-1/2"	1	23-1/4" x 15-1/4"	208/240	3.97/4.58	825/1100	73 lbs.	6
DISW-2-240	3039	30-1/2"	24-1/2"	2	23-1/4" x 29-1/4"	208/240	7.94/9.16	1650/2200	110 lbs.	6
DISW-3-240	3689	44-1/2"	24-1/2"	3	23-1/4" x 43-1/4"	208/240	11.91/13.74	2475/3300	135 lbs.	18
DISW-4-240	4382	58-1/2"	24-1/2"	4	23-1/4" x 57-1/4"	208/240	15.88/18.32	3300/4400	180 lbs.	23
DISW-5-240	5706	72-1/2"	24-1/2"	5	23-1/4" x 71-1/4"	208/240	19.85/22.90	4125/5500	208 lbs.	35
DISW-6-240*	6729	86-1/2"	24-1/2"	6	23-1/4" x 85-1/4"	208/240	23.82/27.48	4950/6600	275 lbs.	35

*6-well unit include two sets of control panels

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures



DISLSW-2-120 Shown

SLIMLINE DROP-IN UNITS

Model #	Price	Length	Width	# of Wells	Cut-Out Size W x L	Volts	Amps	Watts	Approx. Wt.	Cu. Ft.
DISLSW-2-120	\$3361	46-1/2"	16-1/2"	2	15-1/4" x 45-1/4"	120	18.34	2200	95 lbs.	11
DISLSW-3-120	4033	68-1/2"	16-1/2"	3	15-1/4" x 67-1/4"	120	27.51	3300	125 lbs.	11
DISLSW-2-240	3361	46-1/2"	16-1/2"	2	15-1/4" x 45-1/4"	208/240	3.94/9.16	1600/2200	95 lbs.	18
DISLSW-3-240	4033	68-1/2"	16-1/2"	3	15-1/4" x 67-1/4"	208/240	11.90/13.34	2475/3300	150 lbs.	18
DISLSW-4-240	5663	90-1/2"	16-1/2"	4	15-1/4" x 89-1/4"	208/240	15.88/18.32	3300/4400	155 lbs.	23

Drop-In Unit Options & Accessories


OPTIONAL NEMA 6' CORD WITH PLUGS AVAILABLE:

Drop-In Units to be hard
wired in the field.
Please consult the factory
for more information.



NEMA 5-15P
SU-P-234

1 well, 120v Units



NEMA L5-30P
SU-P-232

1, 2, 3 or 6 well, 240v Units
(6 well unit requires 2 Cords)



NEMA 6-20P
SU-P-231

2 or 3 well, 120v Units




NEMA L6-30P
SU-P-233

4 or 5 well, 240v Units

Autofill Upgrade

Automatically fills & maintains water level.
For DISW, DISLSW, SW & HDSW Series.
Requires added cost Manifold Drain Assembly
(Except HDSW series). See below.

SU-90 \$1980 Autofill Only



Manifold Drain Assembly

Add The Suffix **-M** To The Model Number And
Add Additional Pricing Below.

\$242 Per Well

Filler Faucet

- Hot Water Supply Only
- Requires **-M** Manifold Drain Assembly
- Faucet Location To Be Specified When Ordering

K-49 \$371



6" Spout

3-Phase Upgrade

Upgrade 240 volt units to 3 Phase Wiring.

SU-72 \$470 Per Unit

Thermostatic Controls

Add The Suffix **-T** To The Model Number
And Add Additional Pricing Below.

\$213 Per Well



HOT FOOD TABLES

Electric Hot Food Tables



- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Fiberglass Insulation Between Each Compartment
- 8" Wide Poly Cutting Board Shelf - Ships K.D.

- Galvanized Liner. (Optional Stainless Steel Liner upgrade available **Model # SU-32 \$121 per well**)
- Infinite Control Knobs & Indicator Lights
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$470**)



w/ Undershelf
HF-2E-240 Shown

Undershelf

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
HF-2E-120	\$2093	31-13/16"	30-5/8"	2	120	8.33	1000	5-20P	92 lbs.	28
HF-3E-120	2255	47-1/8"	30-5/8"	3	120	12.50	1500	5-20P	130 lbs.	41
HF-4E-120	3052	62-7/16"	30-5/8"	4	120	16.67	2000	L5-30P	152 lbs.	55
HF-2E-240	2093	31-13/16"	30-5/8"	2	208/240	7.21/8.33	1500/2000	6-20P	92 lbs.	28
HF-3E-240	2255	47-1/8"	30-5/8"	3	208/240	10.82/12.50	2250/3000	6-20P	120 lbs.	41
HF-4E-240	3052	62-7/16"	30-5/8"	4	208/240	14.42/16.67	3000/4000	L6-30P	152 lbs.	55
HF-5E-240	4035	77-3/4"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	170 lbs.	67

*Width Includes 8" Cutting Board

See Below For Stainless Steel Legs & Undershelf Upgrade

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
HF-2E-120-BS	\$4053	31-13/16"	30-5/8"	2	120	8.33	1000	5-20P	92 lbs.	28
HF-3E-120-BS	4467	47-1/8"	30-5/8"	3	120	12.50	1500	5-20P	210 lbs.	41
HF-4E-120-BS	5426	62-7/16"	30-5/8"	4	120	16.67	2000	L5-30P	250 lbs.	55
HF-2E-240-BS	4053	31-13/16"	30-5/8"	2	208/240	7.21/8.33	1500/2000	6-20P	92 lbs.	28
HF-3E-240-BS	4467	47-1/8"	30-5/8"	3	208/240	10.82/12.50	2250/3000	6-20P	210 lbs.	41
HF-4E-240-BS	5426	62-7/16"	30-5/8"	4	208/240	14.42/16.67	3000/4000	L6-30P	250 lbs.	55
HF-5E-240-BS	6470	77-3/4"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	290 lbs.	67

*Width Includes 8" Cutting Board



Enclosed Base
HF-5E-240-BS Shown with
Optional TA-255P Casters

Enclosed Base w/ Sliding Doors

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
HF-2E-120-DR	\$4671	31-13/16"	30-5/8"	2	120	8.33	1000	5-20P	127 lbs.	28
HF-3E-120-DR	5233	47-1/8"	30-5/8"	3	120	12.50	1500	5-20P	155 lbs.	41
HF-4E-120-DR	6186	62-7/16"	30-5/8"	4	120	16.67	2000	L5-30P	197 lbs.	55
HF-2E-240-DR	4671	31-13/16"	30-5/8"	2	208/240	7.21/8.33	1500/2000	6-20P	127 lbs.	28
HF-3E-240-DR	5233	47-1/8"	30-5/8"	3	208/240	10.82/12.50	2250/3000	6-20P	155 lbs.	41
HF-4E-240-DR	6186	62-7/16"	30-5/8"	4	208/240	14.42/16.67	3000/4000	L6-30P	197 lbs.	55
HF-5E-240-DR	7195	77-3/4"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	215 lbs.	67

*Width Includes 8" Cutting Board




w/ Sliding Doors
HF-5E-240-DR Shown

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures


Food Table Modifications & Accessories

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 134-138

Stainless Steel Legs & Undershelf Upgrade \$692			
2 Wells	3 Wells	4 Wells	5 Wells
SU-23A	SU-23B	SU-23C	SU-23D



Galvanized Undershelf For Food Tables			
2 Wells	3 Wells	4 Wells	5 Wells
SU-30-UG2 \$254	SU-30-UG3 \$323	SU-30-UG4 \$415	SU-UG5 \$468



SU-25S Add Casters to Food Units w/Undershelf (Includes 4 - 5" Swivel Casters, 2 w/ Brakes & Legs that maintain height)	\$394 Set of 4	SU-19 Prepare Hot Tables To Be Locked Together (One Charge For Each Table To Be Interlocked)	\$539 ea.
TA-255P Add Casters to Enclosed Base Food Units (Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)	636 Set of 4	SU-32 Upgrade to a Stainless Steel Lining (For Electric Units. Excludes Sealed Hot Well Units)	121 per well
SU-5G Replacement Galvanized legs with Bullet Foot For Hot/Ice Cooled Table with Undershelf (HF, SW, WB, STU or CPU Series)	69 ea.	SP-A Aluminum Spillage Pan	125 ea.
TCB-OMIT Remove Poly Cutting Board & Shelf	-200 ea.	SP-S Stainless Steel Spillage Pan	219 ea.
CB-OMIT Remove Poly Cutting Board Only	-100 ea.	SU-72 Upgrade 240 volt units to 3-Phase Wiring	470 ea.

HOT FOOD TABLES

Electric Sealed Well Hot Food Tables



- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Stainless Steel Lining
- Fiberglass Insulation Between Each Compartment
- Drains With Gate Valves Per Well

- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- 6 Ft. Electric Cord w/ Plug Included
- Infinite Control Knobs & Indicator Lights
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$470**)



Sealed Well with Drain Shown



Individual Sealed Well Compartments

Undershelf

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
SW-2E-120	\$2520	31-13/16"	30-5/8"	2	120	10.67	1280	5-20P	92 lbs.	28
SW-3E-120	3025	47-1/8"	30-5/8"	3	120	16	1920	5-20P	135 lbs.	55
SW-4E-120	4266	62-7/16"	30-5/8"	4	120	21.33	2560	L5-30P	230 lbs.	55
SW-2E-240	2520	31-13/16"	30-5/8"	2	208/240	7.94/9.16	1650/2200	6-20P	92 lbs.	28
SW-3E-240	3025	47-1/8"	30-5/8"	3	208/240	11.91/13.74	2475/3300	6-20P	135 lbs.	41
SW-4E-240	4266	62-7/16"	30-5/8"	4	208/240	15.88/18.32	3300/4400	L6-30P	230 lbs.	55
SW-5E-240	5299	77-3/4"	30-5/8"	5	208/240	19.85/22.90	4125/5500	L6-30P	220 lbs.	67

*Width Includes 8" Cutting Board

See Below For Stainless Steel Legs & Undershelf Upgrade



w/ Undershelf
SW-3E-120 Shown

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
SW-2E-120-BS	\$4719	31-13/16"	30-5/8"	2	120	10.67	1280	5-20P	127 lbs.	28
SW-3E-120-BS	5420	47-1/8"	30-5/8"	3	120	16	1920	5-20P	155 lbs.	41
SW-4E-120-BS	6662	62-7/16"	30-5/8"	4	120	21.33	2560	L5-30P	197 lbs.	54
SW-2E-240-BS	4719	31-13/16"	30-5/8"	2	208/240	7.94/9.16	1650/2200	6-20P	127 lbs.	28
SW-3E-240-BS	5420	47-1/8"	30-5/8"	3	208/240	11.91/13.74	2475/3300	6-20P	155 lbs.	41
SW-4E-240-BS	6662	62-7/16"	30-5/8"	4	208/240	15.88/18.32	3300/4400	L6-30P	197 lbs.	55
SW-5E-240-BS	7853	77-3/4"	30-5/8"	5	208/240	19.85/22.90	4125/5500	L6-30P	215 lbs.	67

*Width Includes 8" Cutting Board



Enclosed Base
SW-5E-240-BS Shown
with Optional TA-255P Casters

Enclosed Base w/ Sliding Doors

Model #	Price	Length	Width*	# of Wells	Volts	True Amps/ Watts Per Unit	NEMA Plug	Wt.	Cu. Ft.
SW-2E-120-DR	\$5237	31-13/16"	30-5/8"	2	120	10.67/1280	5-20P	157 lbs.	28
SW-3E-120-DR	6407	47-1/8"	30-5/8"	3	120	16/1920	5-20P	145 lbs.	41
SW-4E-120-DR	7871	62-7/16"	30-5/8"	4	120	21.33/2560	L5-30P	187 lbs.	54
SW-2E-240-DR	5237	31-13/16"	30-5/8"	2	208/240	9.17/2200	6-20P	157 lbs.	28
SW-3E-240-DR	6407	47-1/8"	30-5/8"	3	208/240	13.75/3300	6-20P	145 lbs.	41
SW-4E-240-DR	7871	62-7/16"	30-5/8"	4	208/240	18.33/4400	L6-30P	260 lbs.	54
SW-5E-240-DR	8508	77-3/4"	30-5/8"	5	208/240	22.92/5500	L6-30P	281 lbs.	67

*Width Includes 8" Cutting Board



w/ Sliding Doors
SW-5E-240-DR Shown


NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Food Table Accessories & Modifications

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 134-138


Stainless Steel Legs & Undershelf Upgrade \$692

2 Wells	3 Wells	4 Wells	5 Wells
SU-23A	SU-23B	SU-23C	SU-23D



Galvanized Undershelf For Food Tables

2 Wells	3 Wells	4 Wells	5 Wells
SU-30-UG2 \$254	SU-30-UG3 \$323	SU-30-UG4 \$415	SU-UG5 \$468



-T Thermostatic Control (Per Well)

\$213 ea.

-M Manifold Drains (Per Well)

242 ea.

SP-A Aluminum Spillage Pan

125 ea.

SP-S Stainless Steel Spillage Pan

219 ea.

SU-255 Add Casters to Food Units w/Undershelf

394 Set of 4

(Includes 4 - 5" Swivel Casters, 2 w/ Brakes & Legs that maintain height)

TA-255P Add Casters to Enclosed Base Food Units

636 Set of 4

(Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)

SU-5G Replacement Galvanized Legs with Bullet Foot For Hot/Ice

69 ea.

Cooled Table with Undershelf
(HF, SW, WB, STU or CPU Series)

SU-32G Upgrade to a Stainless Steel Lining

\$121 per well

(For Gas Units. Excludes Wetbath Units)



new

SU-90 Automatically fills & maintains water level.

*1980 Autofill Only

For DISW, DISLSW, SW & HDSW Series. Requires added cost Manifold Drain Assembly (Except HDSW series). See page 122.

K-49 Filler Faucet for Hot Tables

371 ea.

(Hot water supply only. Requires -M Manifold Drain & SU-15 Prepare for Filler Faucet Provision)

SU-15 Prepare Hot food Table For Filler Faucet

726 ea.

(For Gas Units. Excludes Wetbath Units)

TCB-OMIT Remove Poly Cutting Board & Shelf

-200 ea.

CB-OMIT Remove Poly Cutting Board Only

-100 ea.



HOT FOOD TABLES

Gas Powered Hot Food Tables

For Use with Optional Spillage Pans

- These Units Are Designed For Dry Operation Only.
- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Galvanized Liner. (Optional Stainless Steel Liner upgrade available **Model # SU-32G \$121 per well**)
- 3500 BTU'S Per burner
- Fiberglass Insulation Between Each Compartment
- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- Pilot Indicator Openings
- 1/2" Female NPT Connection To Regulator
- Infinite Control Knobs

Available For Natural Gas (NAT) Or Bottled Gas (LP)

Undershelf

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
HF-2G-NAT or LP	\$2163	31-13/16"	30-5/8"	2	92 lbs.	28
HF-3G-NAT or LP	2408	47-1/8"	30-5/8"	3	130 lbs.	41
HF-4G-NAT or LP	2924	62-7/16"	30-5/8"	4	165 lbs.	55
HF-5G-NAT or LP	3600	77-3/4"	30-5/8"	5	170 lbs.	67

*Width Includes 8" Cutting Board

For Stainless Steel Legs & Undershelf Upgrade See Page 118



w/ Undershelf
HF-3G-NAT Shown

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
HF-2G-NAT or LP-BS	\$3752	31-13/16"	30-5/8"	2	117 lbs.	28
HF-3G-NAT or LP-BS	4335	47-1/8"	30-5/8"	3	145 lbs.	41
HF-4G-NAT or LP-BS	5314	62-7/16"	30-5/8"	4	205 lbs.	55
HF-5G-NAT or LP-BS	6084	77-3/4"	30-5/8"	5	250 lbs.	67

*Width Includes 8" Cutting Board



Enclosed Base
HF-5G-LP-BS Shown
with Optional TA-255P Casters

SU-19 Prepare Hot Tables to be Locked Together **\$539 ea.**
(One Charge For Each Table To Be Interlocked)

NOTE: External pressure regulator is required. 4" WC pressure in for Natural Gas and 10" WC pressure in for LP.

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Sleek Shields™

GLASS FOOD SHIELDS

Mounts To Top Of Hot/Cold Food Table

Self-Serve Style

- 18" Standard Height (Top of Table To Top)
- 1" Stainless Steel Tubing Posts (1 5/8" Posts Also Available)
- Includes Two 18" W x 15 3/8" H Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides
- Shipped KD



Includes TA-47
Mounting Brackets
For In-Field Installation



Chamber Lock™
Allows Front Glass To Lock
In Place At 15° Intervals



NSG-15-4WELL Shown

15" Wide Stainless Steel Shelf			15" Wide w/ Glass Top			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H	Model #	Price	O.A. Size L x W x H			
NSG-15-2WELL	\$3291	33 9/16" x 19 3/4" x 18 1/2"	GSG-15-2WELL	\$3949	34 9/16" x 19 3/4" x 18"	Fits 2-Well Unit	109 lbs.	15
NSG-15-3WELL	3426	47 7/8" x 19 3/4" x 18 1/2"	GSG-15-3WELL	4097	49 7/8" x 19 3/4" x 18"	Fits 3-Well Unit	143 lbs.	22
NSG-15-4WELL*	4010	64 3/16" x 19 3/4" x 18 1/2"	GSG-15-4WELL*	4359	65 3/16" x 19 3/4" x 18"	Fits 4-Well Unit	189 lbs.	29
NSG-15-5WELL**	4380	78 1/2" x 19 3/4" x 18 1/2"	Not Available	Not Available		Fits 5-Well Unit	215 lbs.	38

GSG Series Food Shields are slightly longer than the table they rest on. They will extend about 7/8" on either end
*3/8" Thick Heat-Tempered Glass Required For Front Glass **Requires a Single Center Post (Factory Print Included)

For Full Line Of Glass Top Food Shields
& Food Table Accessories, See Page 135-137.

HOT FOOD TABLES

Gas Powered Wetbath Tables



- Stainless Steel Body & Top
- Galvanized Legs, Undershaft & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Stainless Steel Liner
- Stainless Steel Dish Shelf
- 8" Wide Poly Cutting Board Shelf - Ships K.D.

- 1/2" Female NPT Connection To Regulator
- Pilot Indicator Openings
- Infinite Control Knobs
- **2 & 3 Comp:** 15,000 BTU's
- **4 & 5 Comp:** 25,000 BTU's

Filler Faucet K-49 \$371



- Hot Water Supply Only
- Requires **-M** Manifold Drain Assembly & **SU-15** Filler Faucet Provision
- Faucet Location To Be Specified When Ordering

Available For Natural Gas (NAT) Or Bottled Gas (LP)

Undershaft

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
WB-2G-NAT or LP	\$2703	31-13/16"	30-5/8"	2	96 lbs.	28
WB-3G-NAT or LP	2956	47-1/8"	30-5/8"	3	130 lbs.	41
WB-4G-NAT or LP	3415	62-7/16"	30-5/8"	4	157 lbs.	55
WB-5G-NAT or LP	4016	77-3/4"	30-5/8"	5	176 lbs.	67

See Below For Stainless Steel Legs & Undershaft Upgrade



w/ Undershaft
WB-4G-LP Shown

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
WB-2G-NAT or LP-BS	\$4314	31-13/16"	30-5/8"	2	145 lbs.	28
WB-3G-NAT or LP-BS	4633	47-1/8"	30-5/8"	3	175 lbs.	41
WB-4G-NAT or LP-BS	5178	62-7/16"	30-5/8"	4	225 lbs.	55
WB-5G-NAT or LP-BS	5792	77-3/4"	30-5/8"	5	296 lbs.	67

*Width Includes 8" Cutting Board



Enclosed Base
WB-4G-NAT-BS Shown

NOTE: External pressure regulator is required. 4" WC pressure in for Natural Gas and 10" WC pressure in for LP.

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Food Table Modifications & Accessories

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 131-134

Galvanized Undershaft For Food Tables			
2 Wells	3 Wells	4 Wells	5 Wells
SU-30-UG2 \$254	SU-30-UG3 \$323	SU-30-UG4 \$415	SU-UG5 \$468

SU-15 Prepare Hot Food Table for Filler Faucet (Faucet Not Included. Stationary Models Only) **\$726 ea.**

SU-19 Prepare Hot Tables To Be Locked Together (One Charge For Each Table To Be Interlocked) **539 ea.**

SU-25S Add Casters to Food Units w/Undershaft **394 Set of 4**
(Includes 4 -5" Swivel Casters, 2 w/ Brakes)

TA-255P Add Casters to Enclosed Base Food Units (Includes 4 -5" Bolted Swivel Casters, 2 w/ Brakes) **636 Set of 4**

SU-5G Replacement Galvanized Legs with Bullet Foot For Hot/Ice Cooled Table with Undershaft **69 ea.**
(HF, SW, WB, STU or CPU Series)

SU-45A 12" x 1" Adapter Bar **55 ea.**


SU-45B 20" x 3" Adapter Bar **61 ea.**

SP-A Aluminum Spillage Pan **125 ea.**

SP-S Stainless Steel Spillage Pan **219 ea.**

TCB-OMIT Remove Poly Cutting Board & Shelf **-200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**



15" Height
10" Wide Serving Shelf
with Built-In Food Shield

Model	Price	Length	Approx. Wt.	Cu. Ft.
TSS-2	\$1025	31-13/16"	15 lbs.	3
TSS-3	1166	47-1/8"	17 lbs.	4
TSS-4	1272	62-7/16"	19 lbs.	5
TSS-5	1367	77-3/4"	21 lbs.	6



Acrylic Side Panel for Serving Shelf

Add side panels to meet additional NSF requirements (1 panel per side)

TSP-1 \$259 One End

TSP-2 \$518 Two Ends

Field Installation Available

SOLID FOOD TABLES

Solid Top Tables

- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- 8" Wide Poly Cutting Board Shelf - Ships K.D.



Undershelf

Model #	Price	Length	Width*	Wt.	Cu. Ft.
STU-2	\$1352	31-13/16"	30-5/8"	90 lbs.	12
STU-3	1573	47-1/8"	30-5/8"	118 lbs.	17
STU-4	1866	62-7/16"	30-5/8"	150 lbs.	23
STU-5	2350	77-3/4"	30-5/8"	168 lbs.	41

*Width Includes 8" Cutting Board

For Stainless Steel Legs & Undershelf Upgrade See Page 120



w/Undershelf
STU-3 Shown

Enclosed Base

Model #	Price	Length	Width*	Wt.	Cu. Ft.
STU-2-BS	\$4383	31-13/16"	30-5/8"	115 lbs.	26
STU-3-BS	4625	47-1/8"	30-5/8"	143 lbs.	36
STU-4-BS	5483	62-7/16"	30-5/8"	185 lbs.	46
STU-5-BS	6114	77-3/4"	30-5/8"	203 lbs.	56

*Width Includes 8" Cutting Board



Enclosed Base
STU-3-BS Shown

w/ Doors

Model #	Price	Length	Width*	Wt.	Cu. Ft.
STU-2-DR	\$4748	31-13/16"	30-5/8"	125 lbs.	26
STU-3-DR	6412	47-1/8"	30-5/8"	153 lbs.	36
STU-4-DR	5980	62-7/16"	30-5/8"	195 lbs.	46
STU-5-DR	6989	77-3/4"	30-5/8"	213 lbs.	56

*Width Includes 8" Cutting Board



w/ Doors
STU-5-DR Shown

SU-19 Prepare Hot Tables to be Locked Together **\$539 ea.**

(One Charge For Each Table To Be Interlocked)

TCB-OMIT Remove Poly Cutting Board & Shelf **-200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

Food Table Overshelves

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 136-138



Single Overshelves



Double Overshelves

12" WIDE			18" WIDE					12" WIDE			18" WIDE				
Model	Price	Approx Wt.	Model	Price	Length	Approx Wt.	Cu. Ft.	Model	Price	Approx Wt.	Model	Price	Length	Approx Wt.	Cu. Ft.
STOS-2	\$823	18 lbs.	STOS-2-18	\$1047	31-13/16"	20 lbs.	3	TOS-2	\$1494	32 lbs.	TOS-2-18	\$1776	31-13/16"	35 lbs.	3
STOS-3	935	21 lbs.	STOS-3-18	1128	47-1/8"	23 lbs.	4	TOS-3	1745	38 lbs.	TOS-3-18	2050	47-1/8"	41 lbs.	4
STOS-4	1053	24 lbs.	STOS-4-18	1221	62-7/16"	26 lbs.	5	TOS-4	1993	44 lbs.	TOS-4-18	2343	62-7/16"	47 lbs.	5
STOS-5	1140	27 lbs.	STOS-5-18	1332	77-3/4"	30 lbs.	6	TOS-5	2242	49 lbs.	TOS-5-18	2629	77-3/4"	53 lbs.	6
STOS-6	1390	33 lbs.	STOS-6-18	1625	93-1/8"	35 lbs.	6	TOS-6	2735	56 lbs.	TOS-6-18	3207	93-1/8"	61 lbs.	6

COLD WELL DROP-INS

Drop-In Cold Pan Units

ICE-COOLED DROP-IN COLD PAN UNITS

- 304 Stainless Steel Top
- 9" Deep Ice Bin With Fiberglass Insulation

- Black Molding with Thermal Breaker
- 1" I.P.S. Drain



	Model #	Price	Length	Width	Cut-Out Size	Ice Capacity	Approx. Wt.	Cu. Ft.
SLIMLINE	DISLCP-2	\$2332	47-9/16"	16-1/2"	15-1/8" x 45-7/8"	93	46 lbs.	11
	DISLCP-3	2816	70-3/8"	16-1/2"	15-1/8" x 68-3/4"	141	58 lbs.	18
	DISLCP-4	3215	93-3/16"	16-1/2"	15-1/8" x 91-1/2"	186	70 lbs.	23
STANDARD	DICP-1	1619	18-13/16"	26-3/4"	23-3/8" x 17-1/4"	45	85 lbs.	6
	DICP-2	1919	34-1/8"	26-3/4"	23-3/8" x 32-5/8"	93	88 lbs.	10
	DICP-3	2201	49-7/16"	26-3/4"	23-3/8" x 47-7/8"	141	110 lbs.	14
	DICP-4	2737	64-3/4"	26-3/4"	23-3/8" x 63-1/4"	188	132 lbs.	18
	DICP-5	3159	80-1/8"	26-3/4"	23-3/8" x 78-1/2"	236	154 lbs.	23
	DICP-6	3479	95-3/8"	26-3/4"	23-3/8" x 93-7/8"	284	176 lbs.	27



Slimline
DISLCP-3 Shown



Standard
DICP-2 Shown

SU-45A 12" x 1" Adapter Bars **\$55 ea.**

SU-45B 20" x 3" Adapter Bars **\$61 ea.**


REFRIGERATED DROP-IN COLD PAN UNITS

- 304 Stainless Steel Top
- 9" Deep Ice Bin With Fiberglass Insulation
- Full Insulation Galvanized Outer Jacket
- Black Molding with Thermal Breaker
- High Cooling Capacity
- Sight Glass To Ensure Properly Charges System
- Low Running Current

- 1" I.P.S. Drain
- Precision Thermostat For Exact Temperature Control
- Includes Adapter Bars For 12" X 20" Food Pans (Pans not Included)
- Cord & Plug Included



Slimline
DISLRCP-2 Shown



Standard
DIRCP-3 Shown

	Model #	Price	Length	Width	Cut-Out Size	# of Wells	Refrigerant	Approx. Wt.	Cu. Ft.
SLIMLINE	DISLRCP-2	\$6220	49-5/8"	18-5/8"	17-1/8" x 48-3/8"	2	R404-A	205 lbs.	25
	DISLRCP-3	6986	71-1/4"	18-5/8"	15-3/8" x 70"	3	R404-A	257 lbs.	31
	DISLRCP-4	7763	92-7/8"	18-5/8"	17-3/8" x 91-5/8"	4	R404-A	325 lbs.	46
STANDARD	DIRCP-1	4716	20"	26-3/4"	25-1/2" x 18-5/8"	1	R404-A	163 lbs.	14
	DIRCP-2	5041	33-1/2"	26-3/4"	25-1/2" x 32-1/8"	2	R404-A	205 lbs.	22
	DIRCP-3	5535	47"	26-3/4"	25-1/2" x 45-5/8"	3	R404-A	257 lbs.	31
	DIRCP-4	6165	60-1/2"	26-3/4"	25-1/2" x 59-1/8"	4	R404-A	325 lbs.	39
	DIRCP-5	7224	74"	26-3/4"	25-1/2" x 72-5/8"	5	R404-A	365 lbs.	47
	DIRCP-6	7745	87-1/2"	26-3/4"	25-1/2" x 86-1/8"	6	R404-A	398 lbs.	55

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit **\$484 Per Unit**
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)



SU-P-234 - 6' Cord with
NEMA 5-15P plug Included

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures

COLD FOOD TABLES

Standard Ice-Cooled Tables

- 304 Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Fiberglass Insulation
- 1" I.P.S. Drain
- 8" Wide Poly Cutting Board Shelf - Ships K.D.


Undershelf

Model #	Price	Length	Width*	Wt.	Cu. Ft.
CPU-2	\$1530	31-13/16"	30-5/8"	90 lbs.	12
CPU-3	1980	47-1/8"	30-5/8"	118 lbs.	18
CPU-4	2398	62-7/16"	30-5/8"	150 lbs.	23
CPU-5	2820	77-3/4"	30-5/8"	168 lbs.	29

*Width Includes 8" Cutting Board

Stainless Steel Legs & Undershelf Upgrade \$692

2 Wells	3 Wells	4 Wells	5 Wells
SU-23A	SU-23B	SU-23C	SU-23D



SU-5G Replacement Galvanized Legs with Bullet Foot For Hot/Ice Cooled Table with Undershelf (HF, SW, WB, STU or CPU Series) **69 ea.**



w/ Undershelf
CPU-3 Shown



Enclosed Base
CPU-5-BS Shown
with Optional Caster Kit



W/ Doors
CPU-5-DR Shown

Enclosed Base

Model #	Price	Length	Width*	Wt.	Cu. Ft.
CPU-2-BS	\$3801	31-13/16"	30-5/8"	115 lbs.	18
CPU-3-BS	4508	47-1/8"	30-5/8"	143 lbs.	34
CPU-4-BS	5332	62-7/16"	30-5/8"	227 lbs.	44
CPU-5-BS	5631	77-3/4"	30-5/8"	203 lbs.	54

*Width Includes 8" Cutting Board

w/ Doors

Model #	Price	Length	Width*	Wt.	Cu. Ft.
CPU-2-DR	\$4006	31-13/16"	30-5/8"	125 lbs.	24
CPU-3-DR	4802	47-1/8"	30-5/8"	153 lbs.	34
CPU-4-DR	5755	62-7/16"	30-5/8"	195 lbs.	44
CPU-5-DR	6126	77-3/4"	30-5/8"	213 lbs.	54

*Width Includes 8" Cutting Board

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures

CONNECT IT!

Prepare Tables To Be Locked Together While Keeping Them Lined Up!
(One Charge For Each Table To Be Interlocked)

SU-19 \$539 per table



Sleek Shields™

Protected By: Patent No. US 9,010,883 B2

Self-Serve Style

- 18" Standard Height (Top of Table To Top)
- 1" Stainless Steel Tubing Posts (1 5/8" Posts Also Available)
- Includes Two 18" W x 15 3/8" H Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides
- Shipped KD

GLASS FOOD SHIELDS

Mounts To Top Of Hot/Cold Food Table



Includes TA-47
Mounting Brackets
For In-Field Installation



Chamber Lock™
Allows Front Glass To Lock
In Place At 15° Intervals



NSG-15-4WELL Shown

15" Wide Stainless Steel Shelf			15" Wide w/ Glass Top			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H	Model #	Price	O.A. Size L x W x H			
NSG-15-2WELL	\$3291	33 9/16" x 19 3/4" x 18 1/2"	GSG-15-2WELL	\$3949	34 9/16" x 19 3/4" x 18"	Fits 2-Well Unit	67 lbs.	5
NSG-15-3WELL	3426	47 7/8" x 19 3/4" x 18 1/2"	GSG-15-3WELL	4097	49 7/8" x 19 3/4" x 18"	Fits 3-Well Unit	72 lbs.	6
NSG-15-4WELL*	4010	64 3/16" x 19 3/4" x 18 1/2"	GSG-15-4WELL*	4359	65 3/16" x 19 3/4" x 18"	Fits 4-Well Unit	80 lbs.	10
NSG-15-5WELL††	4380	78 1/2" x 19 3/4" x 18 1/2"	Not Available	Not Available	Not Available	Fits 5-Well Unit	88 lbs.	10

GSG Series Food Shields are slightly longer than the table they rest on. They will extend about 7/8" on either end

*3/8" Thick Heat-Tempered Glass Required For Front Glass

††Requires a Single Center Post (Factory Print Included)

For Full Line Of Glass Top Food Shields
& Food Table Accessories, See Page 135-137.

Mechanically Assisted Cold Pan Tables



REFRIGERATED COLD PAN TABLES

- 304 Stainless Steel Body, Top and Legs
- Adjustable Bullet Feet
- Heavy Duty Cabinet Base
- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- 1" I.P.S. Drain

- Precision Thermostat For Exact Temperature Control
- High Cooling Capacity
- Sight Glass To Ensure Properly Charges System
- Low Running Current

Enclosed Base

Model #	Price	Length	Width*	Refrigerant	Wt.	Cu. Ft.
MACP-2-BS	\$9372	31-3/16"	30-5/8"	R404-A	230 lbs.	39
MACP-3-BS	10582	47-1/8"	30-5/8"	R404-A	256 lbs.	56
MACP-4-BS	11436	62-7/16"	30-5/8"	R404-A	380 lbs.	73
MACP-5-BS	12478	77-3/4"	30-5/8"	R404-A	465 lbs.	90

*Width Includes 8" Cutting Board



SU-P-234 - 6' Cord with
NEMA 5-15P plug Included



Enclosed Base
MACP-3-BS Shown



Sliding Doors
MACP-3-DR Shown

w/ Sliding Doors

Model #	Price	Length	Width*	Refrigerant	Wt.	Cu. Ft.
MACP-3-DR	\$10983	47-1/8"	30-5/8"	R404-A	385 lbs.	41
MACP-4-DR	12717	62-7/16"	30-5/8"	R404-A	420 lbs.	73
MACP-5-DR	13924	77-3/4"	30-5/8"	R404-A	505 lbs.	90

*Width Includes 8" Cutting Board

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit **\$484 Per Unit**
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)

Cold Pan Table Covers

- Stainless Steel
- Plastic Handles
- Piano Hinge(s)
- Fits CPU, DICP
MACP & BMACP
Units


Model #	Price	Length	Wt.	Cu. Ft.
HC-2	\$377	28-9/16"	12 lbs.	3
HC-3	564	43-7/8"	16 lbs.	4
HC-4	617	59-3/16"	20 lbs.	5
HC-5	717	74-1/2"	24 lbs.	6

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures

WARNING: Refrigerated Equipment on this page may expose you to chemicals, including Ethanes, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

Food Table Shelving

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 136-138



15" Height

Single Overshelves

12" WIDE				18" WIDE			
Model	Price	Approx Wt.		Model	Price	Approx Wt.	Cu. Ft.
STOS-2	\$823	18 lbs.		STOS-2-18	\$1047	31-13/16"	20 lbs. 3
STOS-3	935	21 lbs.		STOS-3-18	1128	47-1/8"	23 lbs. 4
STOS-4	1053	24 lbs.		STOS-4-18	1221	62-7/16"	26 lbs. 5
STOS-5	1140	27 lbs.		STOS-5-18	1332	77-3/4"	30 lbs. 6
STOS-6	1390	33 lbs.		STOS-6-18	1625	93-1/8"	35 lbs. 6

12" Height

15" Height



Double Overshelves

12" WIDE				18" WIDE			
Model	Price	Approx Wt.		Model	Price	Approx Wt.	Cu. Ft.
TOS-2	\$1494	32 lbs.		TOS-2-18	\$1776	31-13/16"	35 lbs. 3
TOS-3	1745	38 lbs.		TOS-3-18	2050	47-1/8"	41 lbs. 4
TOS-4	1993	44 lbs.		TOS-4-18	2343	62-7/16"	47 lbs. 5
TOS-5	2242	49 lbs.		TOS-5-18	2629	77-3/4"	53 lbs. 6
TOS-6	2242	56 lbs.		TOS-6-18	2629	93-1/8"	61 lbs. 6

Food Table Accessories

SU-25S Add Casters to Food Units w/Undershelf **\$394 Set of 4**
(Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)

SU-25 Add Casters to Food Units w/Undershelf **394 Set of 4**
(For Units Built Before October 2015. Includes 4 - 5" Swivel Casters, 2 w/ Brakes.)

TA-25 Replacement Casters For Undershelf Units **394 Set of 4**
(For Units Built After October 2015. Includes 4 - 5" Swivel Casters, 2 w/ Brakes.)

TA-255P Add Casters to Enclosed Base Food Units **636 Set of 4**
(Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)

SU-19 Prepare Hot Tables to be Locked Together **\$539 ea.**
(One Charge For Each Table To Be Interlocked)

SU-45A 12" x 1" Adapter Bar **55 ea.**

SU-45B 20" x 3" Adapter Bar **61 ea.**

TCB-OMIT Remove Poly Cutting Board & Shelf **-200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

Sleek Shields™ Are Also Available For Hot & Cold Food Tables. See Pages 136 For Details.

HEAVY DUTY TABLES

Heavy Duty Tables

HEAVY DUTY ELECTRIC SEALED WELL TABLES

- Heavy Duty Construction 300 Stainless Steel Body, Top and Legs
- Adjustable Stainless Steel Bullet Feet
- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- Sealed Wells w/ Manifold Drains
- Thermostatic Controls
- 6 Ft. Electric Cord w/ Plug Included
- Control Knobs & Indicator Lights
- Removable Front Panel To Access Elements
(Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$470**)



Enclosed Base
HDSW-3-240-BS Shown
with Optional TA-255P Casters



Enclosed Base

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	Wt.	Cu. Ft.
HDSW-2-120-BS	\$8888	31-13/16"	35-3/4"	2	120	10.67	1280	225	31
HDSW-3-120-BS	10709	47-1/8"	35-3/4"	3	120	16	1920	340	45
HDSW-4-120-BS	12319	62-7/16"	35-3/4"	4	120	21.33	2560	430	60
HDSW-2-240-BS	8888	31-13/16"	35-3/4"	2	208/240	7.94/9.16	1650/2200	225	31
HDSW-3-240-BS	10709	47-1/8"	35-3/4"	3	208/240	11.91/13.74	2475/3300	340	45
HDSW-4-240-BS	12319	62-7/16"	35-3/4"	4	208/240	15.88/18.32	3300/4400	430	60
HDSW-5-240-BS	16077	77-3/4"	35-3/4"	5	208/240	19.85/22.90	4125/5500	520	74
HDSW-6-240-BS	18764	93-1/8"	35-3/4"	6	208/240	23.82/27.48	4850/6600	610	88

*Width Includes 8" Cutting Board

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Autofill Upgrade

Automatically fills & maintains water level. For DISW, DISLSW, SW & HDSW Series. Requires added cost Manifold Drain Assembly (Except HDSW series). See page 122.

SU-90 \$1980 Upgrade



Filler Faucet

- Hot Water Supply Only
- Faucet Location To Be Specified When Ordering
- Requires -M Manifold Drain Assembly
- Add **SU-15 \$726** for Filler Faucet Provision



K-49 \$371

HEAVY DUTY Refrigerated Cold Well Tables

- Heavy Duty Construction 300 Stainless Steel Body, Top & Legs
- Adjustable Stainless Steel Bullet Feet
- Heavy Duty Cabinet Base
- 1" I.P.S. Drain
- Poly Cutting Board Shelf - Ships K.D.
- High Cooling Capacity
- Includes Adapter Bars For Optional Spillage Pans
- Low Running Current
- Precision Thermostat For Exact Temperature Control
- Single Phase Wiring



Enclosed Base
HDRCP-3-BS Shown
with Optional TA-255P Casters



CONNECT IT!

Prepare Tables To Be Locked Together While Keeping Them Lined Up!
(One Charge For Each Table To Be Interlocked)

SU-19 \$539 per table

Model #	Price	Length	Width*	Refrigerant	Wt.	Cu. Ft.
HDRCP-2-BS	\$13794	31-13/16"	36-1/4"	R404-A	300 lbs.	39
HDRCP-3-BS	14468	47-1/8"	36-1/4"	R404-A	420 lbs.	56
HDRCP-4-BS	16077	62-1/2"	36-1/4"	R404-A	510 lbs.	73
HDRCP-5-BS	18756	77-3/4"	36-1/4"	R404-A	568 lbs.	90
HDRCP-6-BS	20631	93-3/4"	36-1/4"	R404-A	633 lbs.	90

*Width Includes 8" Cutting Board

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit **\$484 Per Unit**
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)


WARNING: Refrigerated Equipment on this page may expose you to chemicals, including Ethanes, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

HEAVY DUTY ICE-COOLED TABLES

- Stainless Steel Body, Top And Legs
- Adjustable Stainless Steel Bullet Feet
- High Cooling Capacity
- Heavy Duty Cabinet Base
- 8" Wide Poly Cutting Board Shelf - Ships K.D.



Enclosed Base
HDCPU-3-BS Shown
with Optional TA-255P Casters



Enclosed Base

Model #	Price	Length	Width*	Wt.	Cu. Ft.
HDCPU-2-BS	\$6754	31-13/16"	36-1/4"	117 lbs.	27
HDCPU-3-BS	7994	47-1/8"	36-1/4"	145 lbs.	39
HDCPU-4-BS	8644	62-1/2"	36-1/4"	205 lbs.	58
HDCPU-5-BS	10711	77-3/4"	36-1/4"	250 lbs.	69
HDCPU-6-BS	11727	93-1/8"	36-1/4"	295 lbs.	81

*Width Includes 8" Cutting Board

With Doors

Model #	Price	Length	Width*	Wt.	Cu. Ft.
HDCPU-2-DR	\$6975	31-13/16"	36-1/4"	127 lbs.	27
HDCPU-3-DR	8409	47-1/8"	36-1/4"	155 lbs.	39
HDCPU-4-DR	8901	62-1/2"	36-1/4"	215 lbs.	58
HDCPU-5-DR	11091	77-3/4"	36-1/4"	264 lbs.	69
HDCPU-6-DR	12202	93-1/8"	36-1/4"	309 lbs.	81

See Pages 135-137 For Shelving & Accessories! For Shelving On 6 Well Units, Please Consult Our Smart Fabrication™ Dept.

BUFFET TABLES

Everyday Buffet Hot Food Tables

For Use with Optional Spillage Pans

- Stainless Steel Top And Body
- Matte Black Vinyl Clad
- 8" Deep Liners For Optional **SP-A** Or **SP-S** Spillage Pans
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard & Side Panels
- 4" Swivel Casters, Two With Brakes
- Fiberglass Insulation
- Pre-Drilled For Optional Solid Drop-Down Tray Shelf available for one or both sides

- Infinite Control Knobs
- Indicator Lights
- 6' Electrical Cord With Plug
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$470**)
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350



Open Base
B3-120-B-S Shown

Open Base

Galvanized Liners	Price	Stainless Steel Liners	Price	Length	# of Wells	NEMA Plug	Volts	Amps	Watts	Wt.	Cu. Ft.
B2-120-B	\$4111	B2-120-B-S	\$4608	31-13/16"	2	5-20P	120	8.33	1000	135 lbs.	39
B3-120-B	4366	B3-120-B-S	4831	47-1/8"	3	5-20P	120	12.50	1500	246 lbs.	56
B4-120-B	5107	B4-120-B-S	5581	62-7/16"	4	L5-30P	120	16.67	2000	301 lbs.	73
B2-240-B	4111	B2-240-B-S	4608	31-13/16"	2	6-20P	208/240	7.21/8.33	1500/2000	135 lbs.	39
B3-240-B	4366	B3-240-B-S	4831	47-1/8"	3	6-20P	208/240	10.82/12.50	2250/3000	170 lbs.	57
B4-240-B	5107	B4-240-B-S	5581	62-7/16"	4	L6-30P	208/240	14.42/16.67	3000/4000	310 lbs.	73
B5-240-B	6297	B5-240-B-S	6597	77-3/4"	5	L6-30P	208/240	18.03/20.84	3750/5000	343 lbs.	90

Enclosed Base

Galvanized Liners	Price	Stainless Steel Liners	Price	Length	# of Wells	NEMA Plug	Volts	Amps	Watts	Wt.	Cu. Ft.
B2-120-B-SB	\$5132	B2-120-B-S-SB	\$5380	31-13/16"	2	5-20P	120	8.33	1000	135 lbs.	39
B3-120-B-SB	5681	B3-120-B-S-SB	6054	47-1/8"	3	5-20P	120	12.50	1500	170 lbs.	56
B4-120-B-SB	6229	B4-120-B-S-SB	6859	62-7/16"	4	L5-30P	120	16.67	2000	310 lbs.	73
B2-240-B-SB	5132	B2-240-B-S-SB	5380	31-13/16"	2	6-20P	208/240	7.21/8.33	1500/2000	135 lbs.	39
B3-240-B-SB	5681	B3-240-B-S-SB	6054	47-1/8"	3	6-20P	208/240	10.82/12.50	2250/3000	170 lbs.	56
B4-240-B-SB	6229	B4-240-B-S-SB	6859	62-7/16"	4	L6-30P	208/240	14.42/16.67	3000/4000	210 lbs.	73
B5-240-B-SB	7166	B5-240-B-S-SB	7723	77-3/4"	5	L6-30P	208/240	18.03/20.84	3750/5000	235 lbs.	90



Enclosed Base
B3-120-B-SB Shown

BUFFET TABLE SEALED WELL WITH ENCLOSED BASE

- Stainless Steel Top And Body
- Stainless Steel Sealed Wells with Manifold Drains
- Matte Black Vinyl Clad
- 10 Gauge Aluminum Dome Shape Heat Element
- 20 Gauge Stainless Steel Deep Drawn Bowls With 1" Drain
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard And Side Panels
- 4" Swivel Casters, Two With Brakes
- Fiberglass Insulation

- Optional Solid Drop-Down Tray Shelf available for one or both sides
- Infinite Control Knobs
- Indicator Lights
- Single Phase Wiring
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$470**)
- 6' Electrical Cord With Plug
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350



Enclosed Base
BSW3-120-B-SB Shown

Enclosed Base

Stainless Steel Liners	Price	Length	# of Wells	NEMA Plug	Volts	Amps	Watts	Wt.	Cu. Ft.
BSW2-120-B-SB	\$6105	31-13/16"	2	5-20P	120	10.67	1280	300 lbs.	30
BSW3-120-B-SB	6516	47-1/8"	3	5-20P	120	16	1920	325 lbs.	43
BSW4-120-B-SB	7348	62-7/16"	4	L5-30P	120	21.33	2560	356 lbs.	55
BSW2-240-B-SB	6105	31-13/16"	2	6-20P	208/240	7.94/9.16	1650/2200	300 lbs.	30
BSW3-240-B-SB	6516	47-1/8"	3	6-20P	208/240	11.91/13.74	2475/3300	325 lbs.	43
BSW4-240-B-SB	7348	62-7/16"	4	L6-30P	208/240	15.88/18.32	3300/4400	356 lbs.	55
BSW5-240-B-SB	8574	77-3/4"	5	L6-30P	208/240	19.85/22.90	4125/5500	370 lbs.	68

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

See Pages 135-137 For Shelving & Accessories!

END SHELF FOR HOT/COLD TABLES

(Excludes HDSW, HDRCP & HDCPU Units)

- 10" Wide x 22 1/2" Length
- Stainless Steel

Stationary **Drop-Down**
TES-1 **TES-1D**
\$690 **\$815**



BUFFET TABLES

Everyday Buffet Ice-Cooled Tables

For Use with Optional Spillage Pans

- Stainless Steel Top And Body
- Matte Black Vinyl Clad
- 8" Deep Liners With Adapter Bars For Optional **SP-A** Or **SP-S** Spillage Pans
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard And Side Panels
- 4" Swivel Casters, Two With Brakes
- Fiberglass Insulation
- Pre-Drilled For Optional Solid Drop-Down Tray Shelf available for one or both sides
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350

Open Base

Model	Price	Length	# of Wells	Wt.	Cu. Ft.
B2-CPU-B	\$3854	31-13/16"	2	225 lbs.	53
B3-CPU-B	4216	47-1/8"	3	250 lbs.	76
B4-CPU-B	4579	62-7/16"	4	310 lbs.	97
B5-CPU-B	5245	77-3/4"	5	350 lbs.	119



Open Base
B3-CPU-B Shown

Enclosed Base

Model	Price	Length	# of Wells	Wt.	Cu. Ft.
B2-CPU-B-SB	\$4352	31-13/16"	2	235 lbs.	53
B3-CPU-B-SB	4512	47-1/8"	3	260 lbs.	76
B4-CPU-B-SB	4934	62-7/16"	4	320 lbs.	97
B5-CPU-B-SB	5706	77-3/4"	5	360 lbs.	119



Enclosed Base
B3-CPU-B-SB Shown

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures

Everyday Buffet Tables with Solid Top

- Stainless Steel Top And Body
- Solid Stainless Steel Top
- Matte Black Vinyl Clad
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard on top and side panels and Side Panels
- 4" Swivel Casters, Two With Brakes
- Optional Solid Drop-Down Tray Shelf available for one or both sides
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350

Open Base

Model	Price	Length	Wt.	Cu. Ft.
B2-STU-B	\$3985	31-13/16"	260 lbs.	53
B3-STU-B	4261	47-1/8"	300 lbs.	76
B4-STU-B	4787	62-7/16"	330 lbs.	97
B5-STU-B	5474	77-3/4"	370 lbs.	119



Open Base
B3-STU-B Shown

ENCLOSED BASE

Model	Price	Length	Wt.	Cu. Ft.
B2-STU-B-SB	\$4236	31.8125"	270 lbs.	53
B3-STU-B-SB	4785	47.125"	310 lbs.	76
B4-STU-B-SB	5336	62.4375"	340 lbs.	97
B5-STU-B-SB	5635	77.75"	380 lbs.	119



Enclosed Base
B3-STU-B-SB Shown

See Pages 134-138 For Shelving & Accessories!

BUFFET TABLES

Mechanically Assisted Everyday Buffet Tables

For Use with Optional Spillage Pans



COLD PAN TABLES WITH ENCLOSED BASE

- Stainless Steel Top, Liner And Body
- Self contained condensing unit provided with a hermetically sealed compressor with a digital, programmable thermostat
- Full Insulation With 22 Gauge Galvanized Outer Jacket
- Removable access door to compressor
- Fiberglass Insulation
- High Cooling Capacity
- Sight Glass To Ensure Properly Charges System
- Low Running Current
- Precision Thermostat For Exact Temperature Control
- 1" I.P.S. Drain

- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard And Side Panels
- 4" Swivel Casters, Two With Brakes
- Includes Food Pan Adapters For optional 12" X 20" Pans
- Matte Black Vinyl Clad
- Pre-Drilled For Optional Solid Drop-Down Tray Shelf available for one or both sides
- Single Phase Wiring
- 6' Electrical Cord With Plug
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350



Enclosed Base
BMACP3-B-SB Shown

Model	Price	Length	# of Wells	NEMA Plug	Refrigerant	Wt.	Cu. Ft.
BMACP2-B-SB	\$9788	31-13/16"	2	5-20P	R404-A	250 lbs.	30
BMACP3-B-SB	10460	47-1/8"	3	5-20P	R404-A	300 lbs.	43
BMACP4-B-SB	10999	62-7/16"	4	5-20P	R404-A	345 lbs.	55
BMACP5-B-SB	11713	77-3/4"	5	5-20P	R404-A	395 lbs.	68

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)

\$484 Per Unit



CONNECT IT!

Prepare Tables To Be Locked Together
While Keeping Them Lined Up!
(One Charge For Each Table To Be Interlocked)
SU-19 \$539 per table

WARNING: Refrigerated Equipment on this page may expose you to chemicals, including Ethanes, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

PORTABLE CASH REGISTER STANDS

WITH DRAWER & KEY LOCK

- 20 Gauge, 304 Stainless Steel Frame
- Locking Drawer
- 4" Swivel Casters With Two Brakes
- Open Storage Area
- Access Hole For Power Cord
- Matte Black Vinyl Clad

(Cash Register not included)



Model	Price	Length	Width	Height	Wt.	Cu. Ft.
BCRS-B	\$2406	21 1/2"	22 1/2"	34 3/8"	140 lbs.	19

WITH LOCKING DOOR

- Stainless Steel Interior, Frame And Bottom
- Adjustable Hinges & Locking Door w/ Key
- Full Perimeter Bumpers
- Mid-Shelf
- Black Mica Finish On Door, Top & Sides
- Open Bottom Shelf For Glass Rack Storage
- 4" Swivel Casters With Two Brakes



Model	Price	Length	Width	Height	Wt.	Cu. Ft.
AMD-2B	\$2179	24.5"	23.5"	40.5"	160 lbs.	27

EVERYDAY BUFFET SILVERWARE STAND

- 20 Gauge, 304 Stainless Steel Frame
- Includes 12 Plastic Silverware Cups
- 4" Swivel Casters With Two Brakes
- Matte Black Vinyl Clad

(Trays & silverware shown not included)



Model	Price	Length	Width	Height	Wt.	Cu. Ft.
BSWS-B	\$2932	31.875"	22.4"	40"	160 lbs.	28

Food Table Modifications & Accessories

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 131-134

TCB-OMIT Remove Poly Cutting Board **-\$200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

SP-A Aluminum Spillage Pan **125 ea.**

SP-S Stainless Steel Spillage Pan **219 ea.**

SU-6 Hot/Cold Food Table Handle **\$169 ea.**

SU-19 Prepare Hot Tables To Be Locked Together
(One Charge For Each Table To Be Interlocked) **539 ea.**

SU-72 Upgrade 240 volt units to 3-Phase Wiring **470 ea.**



ACCESSORIES

Hot/Cold Food Table Shelving

TRAY SHELVES

10" Wide Stainless Steel Tray Shelves



Stationary Shelf



Drop-Down Shelf

STATIONARY		DROP-DOWN		Length	Approx Wt.	Cu. Ft.
Model	Price	Model	Price			
TTS-2	\$722	TTS-2D	\$847	31-13/16"	15 lbs.	3
TTS-3	852	TTS-3D	985	47-1/8"	17 lbs.	4
TTS-4	872	TTS-4D	1049	62-3/8"	19 lbs.	5
TTS-5	1047	TTS-5D	1171	77-3/4"	22 lbs.	6
TTS-6	1276	TTS-6D	1428	93-1/8"	25 lbs.	6

12" Wide Stainless Steel Tray Rails



Stationary Shelf



Drop-Down Shelf

STATIONARY		DROP-DOWN		Length	Approx Wt.	Cu. Ft.
Model	Price	Model	Price			
TTR-2	\$655	TTR-2D	\$767	31-13/16"	14 lbs.	3
TTR-3	805	TTR-3D	923	47-1/8"	16 lbs.	4
TTR-4	904	TTR-4D	990	62-3/8"	18 lbs.	5
TTR-5	1050	TTR-5D	1140	77-3/4"	21 lbs.	6
TTR-6	1281	TTR-6D	1390	93-1/8"	23 lbs.	6

8" WIDE SHELF

With Removable
3/8" Thick Poly Cutting Board



- All Stainless Steel Construction
- Cutting Board Attaches To Top Shelf Using Acorn Nuts

Model	Price	Length	Approx Wt.	Cu. Ft.
TCB-2	\$311	31-13/16"	16 lbs.	3
TCB-3	423	47-1/8"	19 lbs.	4
TCB-4	530	62-3/8"	23 lbs.	5
TCB-5	617	77-3/4"	26 lbs.	6

TCB-OMIT Remove Poly Cutting Board & Shelf **-\$200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

Replacement 3/8" Poly Cutting Boards



Model	Price	Length	Approx Wt.
SU-P-342	\$165	31-13/16"	9 lbs.
SU-P-343	200	47-1/8"	11 lbs.
SU-P-344	226	62-3/8"	13 lbs.
SU-P-345	240	77-3/4"	15 lbs.
SU-P-346	275	93-1/8"	18 lbs.

7" WIDE DISH SHELF

Connects To TCB Series Shelf

Includes 2 Side Panels & Lower Shelf



Poly Cutting Board &
Top Shelf Not Included

Model	Price	Length	Approx Wt.	Cu. Ft.
TDS-2	\$573	31-13/16"	20 lbs.	3
TDS-3	684	47-1/8"	27 lbs.	4
TDS-4	904	62-3/8"	31 lbs.	5
TDS-5	1042	77-3/4"	38 lbs.	6

END SHELF FOR HOT/COLD TABLES

(Excludes HDRCP, HDSW & HDCPU Units)

- 10" Wide x 22 1/2" Length
- Stationary or Drop-Down
- All Stainless Steel Construction



Stationary Shelf
Shown

STATIONARY		DROP-DOWN		Approx Wt.	Cu. Ft.
Model	Price	Model	Price		
TES-1	\$690	TES-1D	\$815	15 lbs.	3

TABLE MOUNTED OVERSHELVES

- TOS Series: Upper Shelf Secures To Lower Shelf With Expander Hardward (Included)
- Shipped KD



15" Height



12" Height

15" Height

12" Wide			18" Wide			Length	Cu. Ft.
Model	Price	Approx Wt.	Model	Price	Approx Wt.		
Single Tier							
STOS-2	\$823	18 lbs.	STOS-2-18	\$1047	20 lbs.	31-13/16"	3
STOS-3	935	21 lbs.	STOS-3-18	1128	23 lbs.	47-1/8"	4
STOS-4	1053	24 lbs.	STOS-4-18	1221	26 lbs.	62-3/8"	5
STOS-5	1140	27 lbs.	STOS-5-18	1332	30 lbs.	77-3/4"	6
STOS-6	1390	33 lbs.	STOS-6-18	1625	35 lbs.	93-1/8"	6
Double Tier							
TOS-2	1494	32 lbs.	TOS-2-18	1776	35 lbs.	31-13/16"	3
TOS-3	1745	38 lbs.	TOS-3-18	2050	56 lbs.	47-1/8"	4
TOS-4	1993	44 lbs.	TOS-4-18	2343	47 lbs.	62-3/8"	5
TOS-5	2242	49 lbs.	TOS-5-18	2629	53 lbs.	77-3/4"	6
TOS-6	2735	56 lbs.	TOS-6-18	3207	61 lbs.	93-1/8"	6

ACCESSORIES

Hot/Cold Food Table Food Shields

Sleek Shields™

Protected By: Patent No. US 9,010,883 B2



Meets Latest
NSF Standards




FEATURING ADVANCE TABCO'S REVOLUTIONARY
CHAMBER LOCK™ ROTATION SYSTEM

Front Glass Locks Into Place At 15° Intervals

For Double Sided Sleek Shields™
On Everyday Buffets Please Consult Factory



NSG-15-4WELL Shown



Includes TA-47
Mounting Brackets
For In-Field Installation

GLASS FOOD SHIELDS

Mounts To Top Of Hot/Cold Food Tables On Pg. 123-130
(Excluding Drop-In Wells)

- 18 3/4" Standard Height (Top of Table To Top)
- 15" Wide Glass Top or Stainless Steel Shelf
- NSG/NSGC Models: Shelves Have Square Edges On All Four Sides.
- GSG Models: Glass Top Features 3/8" Heat-Tempered Glass Top
- 1" Stainless Steel Tubing Posts
- Includes Two 18" Wide x 15-3/8" High Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides*
- Ships KD

Self-Serve - Single Side

15" Wide Stainless Steel Shelf			15" Wide w/ Glass Top			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H	Model #	Price	O.A. Size L x W x H			
NSG-15-2WELL	\$3291	33 9/16" x 19 3/4" x 18 1/2"	GSG-15-2WELL	\$3949	34 9/16" x 19 3/4" x 18"	Fits 2-Well Unit	109 lbs.	15
NSG-15-3WELL	3426	47 7/8" x 19 3/4" x 18 1/2"	GSG-15-3WELL	4097	49 7/8" x 19 3/4" x 18"	Fits 3-Well Unit	143 lbs.	22
NSG-15-4WELL*	4010	64 3/16" x 19 3/4" x 18 1/2"	GSG-15-4WELL*	4359	65 3/16" x 19 3/4" x 18"	Fits 4-Well Unit	186 lbs.	29
NSG-15-5WELL††	4380	78 1/2" x 19 3/4" x 18 1/2"	Not Available		Not Available	Fits 5-Well Unit	215 lbs.	38

GSG Series Food Shields are slightly longer than the table they rest on. They will extend about 7/8" on either end

*3/8" Thick Heat-Tempered Glass Required For Front Glass

††Requires a Single Center Post (Factory Print Included)

Cafeteria Style - Single Side



15" Wide Stainless Steel Shelf			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H			
NSGC-15-2WELL	\$3948	33 9/16" x 19 3/4" x 18 1/2"	Fits 2-Well Unit	135 lbs.	15
NSGC-15-3WELL	4065	47 7/8" x 19 3/4" x 18 1/2"	Fits 3-Well Unit	176 lbs.	22
NSGC-15-4WELL*	4453	64 3/16" x 19 3/4" x 18 1/2"	Fits 4-Well Unit	232 lbs.	29
NSGC-15-5WELL††	4738	78 1/2" x 19 3/4" x 18 1/2"	Fits 5-Well Unit	265 lbs.	38

*3/8" Thick Heat-Tempered Glass Required For Front Glass

††Requires a Single Center Post (Factory Print Included)



NSGC-15-4WELL Shown

For Sleek Shield™ Modifications, Accessories
and Heat Lamps, See Page 71

Self-Serve - Double Sided



- 18 3/4" Standard Height (Top of Table To Top)
- 25" Wide Stainless Steel Shelf with Square Edges On All Four Sides.
- 1" Stainless Steel Tubing Posts
- Includes Two 15-3/8" High Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides*
- Ships Set Up

25" Wide Stainless Steel Shelf			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H			
NSGD-26-2WELL	\$5604	33 9/16" x 35 3/8" x 18 1/2"	Fits 2-Well Unit	285 lbs.	20
NSGD-26-3WELL	5754	47 7/8" x 35 3/8" x 18 1/2"	Fits 3-Well Unit	340 lbs.	27
NSGD-26-4WELL*	6416	64 3/16" x 35 3/8" x 18 1/2"	Fits 4-Well Unit	425 lbs.	36
NSGD-26-5WELL*	6546	78 1/2" x 35 3/8" x 18 1/2"	Fits 5-Well Unit	515 lbs.	44

*3/8" Thick Heat-Tempered Glass Required For Front Glass ††Requires a Single Center Post (Factory Print Included)



NSGD-26-4WELL Shown

ACCESSORIES

Hot & Cold Table Accessories

CAFETERIA SHELVES w/ BUILT-IN ACRYLIC FOOD SHIELDS

Features Removable Stainless Steel Shelf

Single Sided Cafeteria Style

- 15" High
- 1" Clearance From Table Top

Model	Price	Length	Approx Wt.	Cu. Ft.
TSS-2	\$1025	31-13/16"	17 lbs.	2
TSS-3	1166	47-1/8"	20 lbs.	3
TSS-4	1272	62-7/16"	23 lbs.	4
TSS-5	1367	77-3/4"	33 lbs.	4



Acrylic Side Panel for TSS Series Shelves

Add Side Panels To Meet Additional NSF Requirements (1 Panel Per End) **TSP-1 \$259 One End**
TSP-2 \$518 Two Ends

Field Installation Available

Double Sided Self-Serve Style

- 19-3/4" High
- 10" Clearance From Table Top

Model	Price	Length	Approx Wt.	Cu. Ft.
TBS-2	\$1628	31-13/16"	28 lbs.	2
TBS-3	1679	47-1/8"	33 lbs.	3
TBS-4	1833	62-7/16"	38 lbs.	4
TBS-5	2099	77-3/4"	45 lbs.	4



Acrylic Side Panel for TBS Series Shelves

Add Side Panels To Meet Additional NSF Requirements (2 Panels Per End) **TBP-1 \$311 One End**
TBP-2 \$623 Two Ends

Field Installation Available


LED Display Lighting

For Everyday Buffets & Hot/Cold Table Shelving



- Aluminum Rail with Shatter-Proof Optics
- Natural Aluminum Finish (Black or White Available On Request)
- Includes Class 2 Low Voltage Power Supply 120V-277V
- High Impact Resistant Mounting Clips


NOTE: Require 6" clearance on both sides to fit above LED Lighting. **PRINT REQUIRED FOR PROPER LED LOCATION. FACTORY INSTALLED ONLY**



LED-B Series
For Everyday Buffets



LED-H Series
For Overshelves or Food Shields




LED-G Series
For GSG Series Food Shields

Fits # of Wells	For use with Everyday Buffets		For use with STOS, TOS, TBS, TSS, NSG or NSGC Overshelves or Food Shields		For use with GSG Food Shields		LED Length
	Model #	Price	Model #	Price	Model #	Price	
2	LED-B-2	\$1415	LED-H-2	\$1415	LED-G-24	\$644	24"
3	LED-B-3	1659	LED-H-3	1659	LED-G-36	712	36"
4	LED-B-4	1906	LED-H-4	1906	LED-G-48	776	48"
5	LED-B-5	2182	LED-H-5	2181	Consult Factory		60"
6	Not Available		LED-H-6	2468	Consult Factory		72"

Individual Well Covers For Hot Food Tables

- Stainless Steel
- Removable
- Fits All Advance Tabco Hot Well Units



HFC-1 \$342 Per Well

Flip-Up Cover For Hot Food Tables

- Stainless Steel
- Removable
- Fits Advance Tabco Hot Well Units




Model #	Price	Fits # of Comp.	Wt.	Cu.
RC-1	\$711	1	23	5
RC-2	805	2	60	10
RC-3	928	3	74	15
RC-4*	1293	4	120	20
RC-5**	1441	5	134	25

* Supplied with Two RC-2 Covers


** Supplied with One RC-2 & One RC-3 Cover

Hinge Style Cover For Cold Food Tables

- Stainless Steel
- Plastic Handles & Piano Style Hinge(s)
- Fits CPU, DICP & MACP & BMACP Units



Model #	Price	Fits # of Comp.	Wt.	Cu.
HC-2	\$377	2	12	3
HC-3	564	3	16	4
HC-4	617	4	20	5
HC-5	717	5	24	6



SP-A



TA-255P



SU-25S

Stainless Steel Legs & Undershelf Upgrade \$692

2 Well Table	3 Well Table	4 Well Table	5 Well Table	
SU-23A	SU-23B	SU-23C	SU-23D	
SU-6	Hot/Cold Food Table Handle			\$169 ea.
SU-25S	Add Casters to Food Units w/Undershelf (Includes 4 - 5" Swivel Casters, 2 w/ Brakes)			394 Set of 4
SU-25	Add Casters to Food Units w/Undershelf (For Units Built Before October 2015. Includes 4 - 5" Swivel Casters, 2 w/ Brakes.)			394 Set of 4
SU-19	Connect Cafeteria Items (One Charge For Each Table To Be Interlocked)			539 per table
TA-25	Replacement Casters For Undershelf Units (For Units Built after October 2015. Includes 4 - 5" Swivel Casters, 2 w/ Brakes.)			394 Set of 4
TA-255P	Add Casters to Enclosed Base Food Units (Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)			636 Set of 4
SU-32G	Upgrade to a Stainless Steel Lining (For Gas Units. Excludes Wetbath Units)			121 per well
SP-A	Aluminum Spillage Pan			125 ea.
SP-S	Stainless Steel Spillage Pan			219 ea.
TCB-OMIT	Remove Poly Cutting Board & Shelf			-200 ea.
CB-OMIT	Remove Poly Cutting Board			-100 ea.

REPLACEMENT PARTS

Replacement Parts For Hot Food Tables

 All Items on This Page Ship via UPS

FOR GAS HOT FOOD TABLES



Gas Valve

Hi/Med/Low

SU-P-101 \$76



Valve Adapter

SU-P-104 \$45



Gas Pilot Valve

SU-P-108 \$56



Gas Regulator

SU-P-109 \$104



Jet Burners

SU-P-105 \$117

NAT 5/16 #61

SU-P-106 \$117


LP 5/16 #74



Gas Pilot

For Wet Bath Units

SU-P-107 \$182



Gas Deflector

SU-P-411 \$32

Standard HFxG Units

SU-P-412 \$47

Stainless For SU-32G Wells



Pilot Assembly

HF-xG

SU-P-102 \$86



Gas Infinite Control Knob

SU-P-202 \$43



1 1/2" Drain

Stainless Steel

For Wetbath Tables

SU-P-103 \$61



new

Strainer Screen

For Sealed Well Tables

SU-P-403 \$19

FOR ELECTRIC HOT FOOD TABLES

ELECTRIC HEATING ELEMENTS

For Exposed Element (Dry) Models




SU-P-207 \$117

500W 120V

SU-P-204 \$117

1000W 240V

For Concealed Element Sealed Well (Wet) Models



SU-P-209 \$134

640W 120V

SU-P-206 \$134

1100W 240V

SU-P-210 \$134

1100W 120V - For Drop-In Units Only



Thermostatic Control

Replacement Thermostatic Control

SU-P-220A \$213 Per Well

120v/240v, 24" lead For Free-Standing Sealed Well Hot Food Units

SU-P-220B \$213 Per Well

120v/240v, 24" lead For Drop-In Sealed Well Hot Food Units



Electric Infinite Control Knob

SU-P-201 \$43



Thermostatic Knob

(For Units with Thermostatic Control)

SU-P-219 \$46



Infinite Control

SU-P-205 \$103

120V

SU-P-215 \$103

240V



Indicator Lights

SU-P-216 \$74

120V

SU-P-217 \$74


240V



High Limit Switch Assembly

SU-P-208 \$158

250F



Replacement Sealed Well Sub-Assembly

SU-P-401 \$726

Without Element or High Limit Switch



SU-P-402 \$42

Sealed Well or Element Pan Only

NEMA Plugs

6' Cord Set



SU-P-230 \$98

NEMA 5-20P




SU-P-231 \$273

NEMA L5-30P



SU-P-232 \$98

NEMA 6-20P



SU-P-233 \$273

NEMA L6-30P



SU-P-234 \$152


NEMA 5-15

ALUMINUM RACKS


Aluminum Pan Racks



FRONT LOAD



SIDE LOAD



K.D. PAN RACKS


- 6 Cylindrical Support Bars
- 1" Square Tubing
- 5" Poly Stem Bolted Casters
- 1 1/2" Ribbed Angles
- Shipped K.D.
- Easy To Assemble

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
PR10-3K	\$579	Front Load	10 Full or 20 Half Size	3"	20 1/4" x 26" x 38 1/4"	14 lbs.
PR12-5K	609	Front Load	12 Full or 24 Half Size	5"	20 1/4" x 26" x 69 1/4"	24 lbs.
PR18-3K	727	Front Load	18 Full or 36 Half Size	3"	20 1/4" x 26" x 63 1/4"	31 lbs.
PR20-3K	687	Front Load	20 Full or 40 Half Size	3"	20 1/4" x 26" x 69 1/4"	33 lbs.
PR30-2K	737	Front Load	30 Full Size	2"	20 1/4" x 26" x 69 1/4"	39 lbs.
PR18-3KS	683	Side Load	18 Full Size	3"	28 1/4" x 18" x 63 1/4"	31 lbs.
PR20-3KS	717	Side Load	20 Full Size	3"	28 1/4" x 18" x 69 1/4"	27 lbs.

SEE PAGE 144
FOR
PROPER
REPLACEMENT
CASTERS



ALL WELDED - CURVED TOP - STANDARD



SIDE LOAD

FRONT LOAD



- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 5" Poly Stem Bolted Casters
- 6 Cross Supports
- 1 1/2" Heavy Duty Ribbed Angles

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
PR10-3W	\$671	Front Load	10 Full or 20 Half Size	3"	20 1/4" x 26" x 38 1/2"	25 lbs.
PR10-6W	792	Front Load	10 Full or 20 Half Size	6"	20 1/4" x 26" x 69 1/4"	27 lbs.
PR12-5W	807	Front Load	12 Full or 24 Half Size	5"	20 1/4" x 26" x 69 1/4"	28 lbs.
PR15-4W	817	Front Load	15 Full or 30 Half Size	4"	20 1/4" x 26" x 69 1/4"	31 lbs.
PR18-3W	830	Front Load	18 Full or 36 Half Size	3"	20 1/4" x 26" x 63 1/4"	34 lbs.
PR20-3W	840	Front Load	20 Full or 40 Half Size	3"	20 1/4" x 26" x 69 1/4"	35 lbs.
PR30-2W	985	Front Load	30 Full or 60 Half Size	2"	20 1/4" x 26" x 69 1/4"	43 lbs.
PR10-6WS	899	Side Load	10 Full Size	6"	28 1/4" x 18" x 69 1/4"	26 lbs.
PR12-5WS	910	Side Load	12 Full Size	5"	28 1/4" x 18" x 69 1/4"	27 lbs.
PR15-4WS	1007	Side Load	15 Full Size	4"	28 1/4" x 18" x 69 1/4"	30 lbs.
PR18-3WS	1031	Side Load	18 Full Size	3"	28 1/4" x 18" x 63 1/4"	27 lbs.
PR20-3WS	1041	Side Load	20 Full Size	3"	28 1/4" x 18" x 69 1/4"	34 lbs.

ALUMINUM RACKS

Specialty Racks

ENCLOSED PAN CABINETS

- 14 Ga. Aluminum, Heavy Duty Welded Construction
- Enclosed Extrusions
- 5" Poly Plate Casters, 2 With Brakes
- Flip Style Door Latch Handle
- Side Door Lock to Prevent Opened Door From Swinging
- 37 Pan Capacity
- Optional Bumpers Available
- Optional Pull Handle For Improved Mobility.
- Does Not Interfere With Other Side By Side Units.

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
EPC-40	\$2310	Front Load	37 Full or 74 Half Size	1 1/2"	20 1/2" x 27 1/2" x 66 1/4"	110 lbs.



Optional Accessories

Model #	Description	Price
RA-21	Optional Pull Handle	\$333
RA-22	Full Perimeter Bumpers	233
RA-23	Corner Bumpers	186

FULL & HALF SIZE CAN RACKS

Aluminum Top Poly Top Stainless Steel Top



Half Can Racks



Full Can Rack



Full Can Rack With Casters

SPEC-LINE



- Heavy Duty Welded Construction
- Metal Bullet Feet on CR10-162 only
- 4" Plate Casters with two Brakes. Standard on all Can Racks EXCEPT CR10-162 (See CR10-162M).

Model #	Price	Description	Can Capacity		Overall Size	Approx. Wt.
			#10	#5		
CR10-162	\$1514	Full Can Rack	162	216	24 3/4" x 35 1/8" x 71"	65 lbs.
CR10-162M	1948	Full Can Rack (with Casters)	162	216	24 3/4" x 35 1/8" x 71"	76 lbs.
CR10-72	1526	Aluminum Top	72	96	24 3/4" x 35 1/8" x 40 1/8"	59 lbs.
CR10-54	1255	Aluminum Top	54	72	24 3/4" x 35 1/8" x 32 5/8"	54 lbs.
CRPL10-72	1683	Poly Top	72	96	24 3/4" x 35 1/8" x 40 1/8"	79 lbs.
CRPL10-54	1462	Poly Top	54	72	24 3/4" x 35 1/8" x 32 5/8"	74 lbs.
CRSS10-72	1605	Stainless Steel Top	72	96	24 3/4" x 35 1/8" x 40 1/8"	63 lbs.
CRSS10-54	1584	Stainless Steel Top	54	72	24 3/4" x 35 1/8" x 32 5/8"	55 lbs.

ALUMINUM RACKS

Aluminum Pan Racks



Front Load

SPEC-LINE OVEN RACKS

Featuring High Temp Oven Plate Casters
and All Welded Curved Top



- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 6 Cross Supports
- 4" Oven Plate Casters
- 1 1/2" Ribbed Angles

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
CFL10	\$812	Front Load	10 Full or 20 Half Size	6"	20 1/4" x 26" x 68 5/8"	37 lbs.
CFL20	1033	Front Load	20 Full or 40 Half Size	3"	20 1/4" x 26" x 68 5/8"	45 lbs.
CFL30	1078	Front Load	30 Full or 60 Half Size	2"	20 1/4" x 26" x 68 5/8"	53 lbs.

Optional Accessories



Model #	Description	Price
RA-10	Pan Stop	\$126
RA-20	Track Pin.....	106
ORL-B	Oven Lift	159
	(For Front Load Pan Racks)	

REACH-IN RACKS

- All Welded Construction
- 1" Square Tubing
- Holds up to 16 Full or 32 Half Size Pans
- 3" Shelf Spacing
- 1" Front and Rear Cross Bracing
- Shipped KD

Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
RR-16	\$605	16 Full or 32 Half Size	3"	23 lbs.



BUS BOX RACK

- Heavy Duty Welded Construction
- Curved Top
- 5" Stem Bolted Casters
- Overall Size: 20 3/8" x 19" x 40 7/8"



Model #	Price	Bus Box Capacity	Approx. Wt.
BC3	\$547	3	18 lbs.

Consult Factory For All Welded Reach-In Racks

KEG RACKS

- 76" High, Aluminum Alloy Construction
- Shelves Are 1-3/4" Square Tubing
- 60 Lbs. Per Sq. Ft. Load Capacity Per Shelf
- Center Support Included On 93" Keg Shelves



Model #	Price	Size	# of Kegs (Per Unit)	Approx. Wt.
KR-42	\$1242	20" x 42"	4	50 lbs.
KR-60	1323	20" x 60"	6	68 lbs.
KR-72	1398	20" x 72"	8	80 lbs.
KR-80	1454	20" x 80"	8	88 lbs.
KR-93	1799	20" x 93"	10	100 lbs.



Keg Rack Rear Strap

Prevents Kegs From Sliding Off Rear Of Keg Rack Shelf

Model #	Price	Approx. Wt.
KR-1-42	\$146	6 lbs.
KR-1-60	161	7 lbs.
KR-1-72	163	8 lbs.
KR-1-80	180	9 lbs.
KR-1-93	197	10 lbs.

SPECIALTY RACKS

Specialty Racks


PIZZA PAN & DOUGH RACKS

Pizza Pan Rack



19 5/8"

- All Welded Construction
- Solid Aluminum Top
- 12 Pan Capacity
- Holds Both Round And Square Pizza Pans
- 2" Shelf Spacing
- 5" Poly Stem Bolted Casters
- 4" Wide Slides




18 1/8"

PDB7

- All Welded Construction
- Solid Aluminum Top
- 7 Box Capacity
- 3 3/4" Shelf Spacing
- 5" Poly Stem Bolted Casters
- 2" Wide Slides

Pizza Dough Box Racks



18 1/4"

PDB14

- All Welded Construction
- No Top
- 14 Box Capacity
- 3 3/4" Shelf Spacing
- 4" Plate Casters
- 2" Wide Slides

Model #	Price	Description	Overall Size	Approx. Wt.
PZ12	\$1065	Pizza Pan Rack	22" x 20" x 33 3/4"	52 lbs.
PDB7	1133	Pizza Dough Box Rack	26" x 20 1/4" x 33 3/4"	33 lbs.
PDB14	1876	Pizza Dough Box Rack (No Top)	26" x 20 1/4" x 61 1/2"	63 lbs.

HALF SIZE RACKS

- All Welded Construction
- 5" Poly Stem Bolted Casters
- 1-1/2" Ribbed Angles

PR7-4KT SERIES

- Removable Aluminum Top

PR7-4KT Shown



PR10-3WT Shown



Model #	Price	Top	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
PR7-4KT	\$734	Aluminum Top	Front Load	7 Full/14 Half Size	3 3/4"	20 5/8" x 26 7/8 x 36"	28 lbs.
PR10-3WT	883	Aluminum Top	Front Load	10 Full/20 Half Size	3"	20 1/4" x 26" x 38 1/2"	30 lbs.
PR10-3PT	1103	Poly Top	Front Load	10 Full/20 Half Size	3"	20 1/4" x 26" x 39"	45 lbs.
PR10-3ST	1331	Stainless Steel Top	Front Load	10 Full/20 Half Size	3"	20 1/4" x 26" x 39"	35 lbs.


*Top shelf spacing on the PR7-4KT is 2-1/8"

SPECIAL PURPOSE RACKS


Nesting Pan Rack

SPACESAVING DESIGN

- Nested Design To Facilitate Maximum Storage In Minimum Space
- Heavy Duty Welded Construction With "Diagonal" Cross Supports
- 1 1/4" Square Tubing
- 1" X 1-1/2" Ribbed Angles
- Heavy Duty Stem Casters
- 500 Lb. Capacity



18 1/4"



14 1/2"

Steam Table Pan Rack

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 6 Cross Supports
- 5" Poly Stem Bolted Casters



Model #	Price	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
NR-12	\$1022	12 Full or 24 Half Size	5"	21" x 26" x 69 1/4"	28 lbs.
NR-20	\$1250	20 Full or 40 Half Size	3"	21" x 26" x 69 1/4"	29 lbs.

Model #	Price	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
STR20-3W	\$1133	20 Full or 40 Half Size	3"	16 3/4" x 21 1/4" x 69 1/4"	34 lbs.

ALUMINUM RACKS


Aluminum Racks

PLATTER RACK

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 5" Poly Stem Bolted Casters
- 1 1/2" Ribbed Angles



12 5/8"
inside dim.




Model #	Price	Platter Capacity	Platter Size	Overall Size L x W x H	Approx. Wt.
PL6-12	\$866	6	12 1/2"	14 7/8" x 30" x 38 1/2"	21 lbs.

LUG CARTS

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 5" Stem Bolted Casters




Model #	Price	Lug Capacity	Overall Size L x W x H	Approx. Wt.
LR1	\$592	1	15 3/4" x 23 1/2" x 18 3/4"	15 lbs.
LR2	611	2	19" x 26" x 31 3/4"	18 lbs.
LR4	620	4	19" x 26" x 52 3/4"	21 lbs.
LR6	659	6	19" x 26" x 69 3/4"	23 lbs.



UNIVERSAL RACKS

- Heavy Duty Welded Construction
- 1-1/4" Square Tubing
- 6 Cross Supports
- Heavy Duty 5" Stem Bolted Casters
- Stepped Angles
- Overall Size: 26" x 26" x 69 1/4"
- Front Tray Load

Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
UR10	\$1462	10 Full or 20 Half Size	6"	86 lbs.
UR12	1584	12 Full or 24 Half Size	5"	100 lbs.




TRAY RACKS

Holds Baking Pans,
Steam Table Pans
& Service Trays

- Heavy Duty Welded Construction
- 1-1/4" Square Tubing
- Heavy Duty 5" Poly Stem Bolted Casters
- 4" Wide Angles
- Overall Size: 26" x 28" x 69 1/4"
- Front Tray Load


Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
OT10-6	\$1099	10 Full or 20 Half Size	6"	68 lbs.
OT20-3	1537	20 Full or 40 Half Size	3"	102 lbs.



DONUT RACK

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 6 Cross Supports
- 5" Poly Stem Bolted Casters
- Holds 23" x 23" and 24" x 24" Donut Screens
- Overall Size: 26 3/8" x 24" x 69 1/4"
- Front Tray Load

Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
DR20-3	\$852	20 Full or 40 Half Size	3"	39 lbs.



WIRE PAN RACKS

- Heavy Duty Welded Frame Construction
- Curved Top
- 36 Full Size Pan Capacity
- 1 1/2" Shelf Spacing
- 6 Cross Supports
- 5" Stem Bolted Casters
- Nickel Chrome Plated Steel Wire Racks

Front Load Shown



Model #	Price	Tray Load	Pan Capacity	Overall Size	Approx. Wt.
WR-36	\$1041	Front	36 Full or 72 Half Size	20 1/4" x 25" x 70 1/4"	72 lbs.
WR-36S	1107	Side	36 Full Size	28 1/4" x 19 1/8" x 70 1/4"	64 lbs.

BUN PANS

Bun Pans & Accessories



Look For Our Advertised
Specials on Sheet
Pan Pricing

ALUMINUM BUN PANS

 = All Bun Pans Ship via UPS

Model #	Price	Size	Style	Gauge	Approx. Wt.
18-A-26	\$38 ea.	18" x 26"	Heavy Duty	16	48 lbs.
18-8A-26	33 ea.	18" x 26"	Standard	18	40 lbs.
18-8P-26	44 ea.	18" x 26"	Perforated	18	33 lbs.
18-8A-13	28 ea.	18" x 13"	Half Size	18	24 lbs.

Packed One Dozen per Carton.
No splitting of CARTONS permitted.

PAN RACK ACCESSORIES

All Pan Rack Accessories Ship via UPS



12" Tall
Vertical
Bumper



Stem Bolted
Caster



PRC-1



PRC-2

Model #	Description	Weight Capacity	Approx. Weight	Price
RA-10	Pan Stop	-	3 lbs.	\$126
RA-20	Track Pin	-	3 lbs.	106
RA-24	12" Vertical Bumpers (Set of 4)	-		145
RA-25	5" Stem Bolted Caster	125 lbs.	4 lbs.	53 ea.
RA-26	5" Stem Bolted Caster w/ Brake	125 lbs.	4 lbs.	63 ea.
RA-25SV	5" Stem Bolted Caster for PR1803K, PR20-3K & PR12-5K ONLY	125 lbs.	4 lbs.	53 ea.
RA-26SV	5" Stem Bolted Caster w/Brake for PR1803K, PR20-3K & PR12-5K ONLY	125 lbs.	4 lbs.	63 ea.
RA-30	4" Plate Caster w/ Built-in Zerk Grease Fitting	400 lbs.	4 lbs.	180 ea.
RA-35	4" Plate Caster w/ Brake	400 lbs.	4 lbs.	189 ea.
RA-40	4" Hi-temp Oven Plate Casters w/ Built-in Zerk Grease Fitting	300 lbs.	4 lbs.	129 ea.
RA-45	4" Hi-Temp Oven Plate Caster w/ Brake	300 lbs.	4 lbs.	140 ea.
RA-50	3" Bun Pan Dolly Caster	250 lbs.		58 ea.
RA-60	5" Heavy Duty Stem Caster for Universal & Oval Racks Only.	300 lbs.	4 lbs.	84 ea.
RA-65	5" Heavy Duty Stem Caster with Brake for Universal & Oval Racks Only.	300 lbs.	4 lbs.	93 ea.
ORL-B	18" Oven Lift For Front Load Pan Racks	-	1 lbs.	159 ea.

Bun Pan Rack Covers with 3 Zippers

PRC-1 Enclosed Heavy Duty Plastic Cover.....**\$297 ea.**
with Clear Front

PRC-2 Economy See-Thru Plastic Cover..... **219 ea.**

**For Full Line of Aluminum Pan Racks,
See Page 139-143**

RACKS & CARTS

Racks & Carts

PAN TRUCK

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- Heavy Duty 3" Plate Casters
- Holds 60 Full Size Pans
- 600 lb. Weight Capacity



Model #	Price	Size	Approx. Wt.
PD-1	\$480	20" x 26 1/2" x 32"	20 lbs.

UTILITY CARTS

- 2 Chrome Plated Numbered Posts
- 3 Adjustable Stainless Steel Shelves with Tapered Split Sleeves
- 4 Swivel Casters (2 w/Brakes) & Donut Bumpers
- 150 lb. Load Capacity
- Shipped Knocked Down



Model #	Price	Size	Shelf Size	Approx. Wt.
UC-3-1827	\$1357	31 3/4" x 18" x 38 1/4"	18" x 27"	25 lbs.
UC-3-2433	\$1771	37 3/4" x 24" x 38 1/4"	24" x 33"	40 lbs.

GLASS RACK & PAN RACK DOLLIES

Bun Pan Dolly

- Heavy Duty Welded Construction
- 3" Plate Casters
- Holds 60 Full Size Pans
- 600 lb. Weight Capacity




Glass Rack Dolly

- Heavy Duty Welded Construction
- 3" Plate Casters
- 600 lb. Weight Capacity



Model #	Price	Description	Size	Approx. Wt.
 BPD-1	\$516	Bun Pan Dolly	26 3/4" x 18 3/4" x 5"	15 lbs.
 GRD-1	449	Glass Rack Dolly	20 1/2" x 20 1/2" x 5 1/4"	14 lbs.



Optional
Glass Rack Dolly Handle
(Assembly Required)
RA-14 \$435

ALUMINUM DUNNAGE RACKS

Stationary Dunnage Racks

8" & 12" Height Available



12" Height		8" Height		Size	# of Legs	Distribution Weight Capacity	Approx. Wt.
Model #	Price	Model #	Price				
DUN-2036	\$273	DUN-2036-8	\$273	20" x 36"	4	1500 lbs.	10 lbs.
DUN-2048	316	DUN-2048-8	316	20" x 48"	4	1800 lbs.	12 lbs.
DUN-2060	359	DUN-2060-8	359	20" x 60"	6	2000 lbs.	16 lbs.
DUN-2436	309	DUN-2436-8	309	24" x 36"	4	1500 lbs.	11 lbs.
DUN-2448	359	DUN-2448-8	359	24" x 48"	4	1800 lbs.	13 lbs.
DUN-2460	401	DUN-2460-8	401	24" x 60"	6	2000 lbs.	17 lbs.

Mobile Dunnage Racks

- Four 6" Plate Casters (2 Swivel, 2 Stationary)
- Includes Pull Handle For Easier Mobility
- 2000 Lb. Rolling Capacity



36" Height with Handle

Model #	Price	Size	Distribution Weight Capacity	Approx. Wt.
DUN-2036C	\$729	20" x 36"	1500 lbs.	35 lbs.
DUN-2048C	804	20" x 48"	1800 lbs.	40 lbs.
DUN-2060C	936	20" x 60"	2000 lbs.	45 lbs.



SHELVING

Chrome & Green Epoxy Wire Shelving

 All Items on This Page Ships via UPS

WIRE SHELVES

Each Shelf Holds Up To 800 Lbs. Distributed Weight




Posts are
Numbered
for easy
assembly

	Shelf Size	CHROME	GREEN EPOXY	Price (Each)	Price (Set of 4)	Approx. Boxed Wt.	Boxed Cu. Ft.
14" WIDE	14" x 24"	EC-1424	EG-1424	\$61	\$244	35 lbs.	1.5
	14" x 30"	EC-1430	EG-1430	64	256	41 lbs.	2
	14" x 36"	EC-1436	EG-1436	68	272	47 lbs.	2.5
	14" x 42"	EC-1442	EG-1442	75	300	52 lbs.	3
	14" x 48"	EC-1448	EG-1448	83	332	58 lbs.	3.5
	14" x 60"	EC-1460	EG-1460	91	364	38 lbs.	2
	14" x 72"	EC-1472	EG-1472	123	492	45 lbs.	2.5
18" WIDE	18" x 24"	EC-1824	EG-1824	67	268	39 lbs.	2
	18" x 30"	EC-1830	EG-1830	69	276	45 lbs.	2.5
	18" x 36"	EC-1836	EG-1836	75	300	51 lbs.	3
	18" x 42"	EC-1842	EG-1842	88	352	56 lbs.	3.5
	18" x 48"	EC-1848	EG-1848	91	364	64 lbs.	4
	18" x 54"	EC-1854	EG-1854	116	464	35 lbs.	2
	18" x 60"	EC-1860	EG-1860	120	480	41 lbs.	2.5
21" WIDE	21" x 24"	EC-2124	EG-2124	71	284	42 lbs.	2.5
	21" x 30"	EC-2130	EG-2130	83	332	49 lbs.	3
	21" x 36"	EC-2136	EG-2136	89	356	56 lbs.	3.5
	21" x 42"	EC-2142	EG-2142	105	420	62 lbs.	4
	21" x 48"	EC-2148	EG-2148	111	444	70 lbs.	4.5
	21" x 54"	EC-2154	EG-2154	121	484	39 lbs.	2.5
	21" x 60"	EC-2160	EG-2160	135	540	45 lbs.	3
24" WIDE	24" x 24"	EC-2424	EG-2424	82	328	44 lbs.	3
	24" x 30"	EC-2430	EG-2430	91	364	51 lbs.	3.5
	24" x 36"	EC-2436	EG-2436	102	408	58 lbs.	4
	24" x 42"	EC-2442	EG-2442	111	444	64 lbs.	5
	24" x 48"	EC-2448	EG-2448	120	480	72 lbs.	5.5
	24" x 54"	EC-2454	EG-2454	140	560	41 lbs.	3
	24" x 60"	EC-2460	EG-2460	147	588	47 lbs.	3.5
	24" x 72"	EC-2472	EG-2472	168	672	55 lbs.	4

24" To 48" Length Shelves Are Packed 4 To A Box And 54", 60" And 72" Shelves Are Packed 2 To A Box.
4 Pair Plastic Split Sleeves Are Included With Each Shelf.

POSTS FOR WIRE SHELVING

Posts Are Numbered




Post Height	Posts With Adjustable Foot				Posts For Casters (Casters Priced Separately)				Approx. Boxed Wt.	Approx. Cu. Ft.
	CHROME	GREEN EPOXY	Each	Set of 4	CHROME	GREEN EPOXY	Each	Set of 4		
14"	ECP-14	EGP-14	\$28	\$112	ECPC-14	EGPC-14	\$29	\$116	4 lbs.	.07
34"	ECP-34	EGP-34	36	144	ECPC-34	EGPC-34	36	144	8 lbs.	.18
54"	ECP-54	EGP-54	40	160	ECPC-54	EGPC-54	41	164	12 lbs.	.28
64"	ECP-64	EGP-64	44	176	ECPC-64	EGPC-64	47	188	15 lbs.	.33
74"	ECP-74	EGP-74	51	204	ECPC-74	EGPC-74	51	204	17 lbs.	.39
86"	ECP-86	EGP-86	61	244	ECPC-86	EGPC-86	61	244	20 lbs.	.45

5" CASTERS

Sets Feature 4 - 5" Swivel Casters
(2 w/ Brakes & 4 Donut Bumpers)

Casters For Wire Shelving Only,
See [Page 66](#) For Casters For Tables.



1000 lb. Max. Load Capacity For Shelving Casters

[EC-25](#) Rubber Casters.....**\$269 /set of 4**

[EC-26](#) Poly Casters..... **330 /set of 4**

SHELVING

Shelving Combos

CHROME & GREEN EPOXY WIRE SHELVING COMBOS

Includes 4 Wire Shelves And 4 - 74" Posts



Chrome



Green Epoxy

Chrome		Green Epoxy		Shelf Size	Post Height	Approx. Wt.
Model #	Price	Model #	Price			
ECC-1436	\$476	EGG-1436	\$476	14" x 36"	74"	64 lbs.
ECC-1442	504	EGG-1442	504	14" x 42"	74"	69 lbs.
ECC-1448	536	EGG-1448	536	14" x 48"	74"	75 lbs.
ECC-1460	568	EGG-1460	568	14" x 60"	74"	93 lbs.
ECC-1472	696	EGG-1472	696	14" x 72"	74"	107 lbs.
ECC-1836	504	EGG-1836	504	18" x 36"	74"	68 lbs.
ECC-1842	556	EGG-1842	556	18" x 42"	74"	73 lbs.
ECC-1848	568	EGG-1848	568	18" x 48"	74"	81 lbs.
ECC-1854	668	EGG-1854	668	18" x 54"	74"	88 lbs.
ECC-1860	684	EGG-1860	684	18" x 60"	74"	99 lbs.
ECC-1872	764	EGG-1872	764	18" x 72"	74"	115 lbs.
ECC-2436	612	EGG-2436	612	24" x 36"	74"	75 lbs.
ECC-2442	648	EGG-2442	648	24" x 42"	74"	81 lbs.
ECC-2448	684	EGG-2448	684	24" x 48"	74"	89 lbs.
ECC-2454	764	EGG-2454	764	24" x 54"	74"	97 lbs.
ECC-2460	792	EGG-2460	792	24" x 60"	74"	111 lbs.
ECC-2472	876	EGG-2472	876	24" x 72"	74"	127 lbs.

MOBILE CARTS

Includes 4 Chrome Wire Shelves
And 4 - 64" Posts

- 4 Swivel Casters
(2 with Brakes & 4 Donut Bumpers)
- Finished Height of 70"
- Weight Capacity Not To Exceed
1000 lbs. Total Weight



w/ Rubber Casters		w/ Poly Casters		Shelf Size	Approx. Wt.
Model #	Price	Model #	Price		
MC-1836R	\$745	MC-1836P	\$806	18" x 36"	43 lbs.
MC-1848R	809	MC-1848P	870	18" x 48"	55 lbs.
MC-1860R	925	MC-1860P	986	18" x 60"	86 lbs.
MC-2436R	853	MC-2436P	914	24" x 36"	62 lbs.
MC-2448R	925	MC-2448P	986	24" x 48"	76 lbs.
MC-2460R	1033	MC-2460P	1094	24" x 60"	98 lbs.

FOR ADDITIONAL SHELVING, SEE PAGE 142

WIRE UTILITY CARTS

- 3 Chrome Wire Shelves
- Tubular Numbered Handles
- 12 Plastic Split Sleeves
- 32" Finished Height
- 4 - Swivel Casters (2 w/ Brakes & Donut Bumpers)



Rubber Casters		Poly Casters		Size	Approx. Wt.	Approx. Cu. Ft.
Model #	Price	Model #	Price			
WUC-1836R	\$696	WUC-1836P	\$757	18" x 36"	53 lbs.	3
WUC-1842R	735	WUC-1842P	796	18" x 42"	55 lbs.	4
WUC-2436R	777	WUC-2436P	838	24" x 36"	58 lbs.	4
WUC-2442R	804	WUC-2442P	865	24" x 42"	61 lbs.	5
800 lb. Capacity		1000 lb. Capacity				

UTILITY CART HANDLES


34" Tubular Numbered Posts
(Fits EC-25 And EC-26 Casters)

Model #	Price	Width
UCH-18	\$87 ea.	18"
UCH-24	101 ea.	24"



SOLID STAINLESS STEEL SHELVES

Use With Chrome Posts Only
(Posts Not Included)



Load Capacity = 15 lbs./sq. Ft.
(Evenly Distributed)

Model #	Price	Width
SH-1824	\$299 ea.	18" x 24"
SH-1836	375 ea.	18" x 36"
SH-1842	402 ea.	18" x 42"
SH-1848	448 ea.	18" x 48"
SH-1860	542 ea.	18" x 60"

WIRE SHELVING

Specialty Wire Shelving & Accessories

WALL SHELF MOUNTING BRACKETS

Single Mount Includes 2 Brackets
& 4 Collar Filler Caps

Double Mount Includes 1 Bracket



Single



Double

Chrome	Green Epoxy	Price	Size	Approx. Wt.
SINGLE BRACKET				
SB-14	GB-14	\$102	14"	2 lbs.
SB-18	GB-18	127	18"	3 lbs.
DOUBLE BRACKET (For Adjoining Shelves)				
DB-14	GDB-14	117	14"	3 lbs.
DB-18	GDB-18	152	18"	4 lbs.

WALL MOUNTED SHELVING SYSTEM

Mounting Hardware Included • Shelves Sold Separately

End Mount Kit

- 4 Single Shelf Brackets
- 2 - 34" Posts
- Collar Filler Caps

AB2-14 \$229

14" Wide

AB2-18 \$306

18" Wide

Mid-Mount Kit


- 2 Double Shelf Brackets
- 1 - 34" Posts
- For Adjoining Shelves

ABM2-14 \$158

14" Wide

ABM2-18 \$188

18" Wide



For Additional Tiers, Order Larger Posts On Page 140 With EC-50 Mounting Hardware For Each Post And Use The Following Brackets.

WALL MOUNTED SHELVING SYSTEM EXPANSION KITS

- Includes Adjustable Bracket(s)

2 Single End Mount Brackets

AAB-14 \$63

14" Wide

AAB-18 \$71

18" Wide

1 Double Mid- Mount Bracket

AABM-14 \$81

14" Wide

AABM-18 \$92

18" Wide

Mounting Hardware

- Includes 2 End Mounts
& 1 Mid-Mount Per Post

EC-50 \$51

REPLACEMENT PARTS & ACCESSORIES



EC-10



EC-16



EC-20



EC-30



EC-15



EC-11



EC-5



EC-40

EC-5	Post Clamp	\$18 ea.
EC-10	Replacement Leveling Foot	12 ea.
EC-11	Foot Plate	17 ea.
EC-15	Chrome Collar Filler Caps	15 /pack
	(For Add-Shelving and Wall Mounted Shelves - 4 per pack)	
EC-16	Plastic Post Cap (4 pair per pack)	13 /pack
EC-20	Tapered Split Sleeves (4 per pack)	15 /pack
EC-30	S Hooks for add-shelving (2 pair per pack)	24 /pack
EC-40	Black Label Holder (3" x 1")	24 ea.

CASTERS FOR WIRE SHELVING

5" Swivel Stem Casters (2 w/ Brakes & 4 - Donut Bumpers)

Load Capacity Is 500 Lbs. Per Set.



Rubber

EC-25 \$269
Set of 4



Poly

EC-26 \$330
Set of 4

THESE CASTERS ARE FOR WIRE SHELVING UNITS ONLY.

See Page 62 For S/S Worktable Casters.

ADVANCE TABCO WARRANTY

General Terms for all Advance Tabco items (including those listed below):

- Warranty applies in the 48 contiguous United States only
- ALL WARRANTY WORK MUST BE AUTHORIZED BY THE FACTORY BEFORE ANY WORK IS PERFORMED. Work performed without prior authorization shall be covered under this warranty only at the sole discretion of Advance Tabco
- At no time will expenses to be paid under warranty exceed the original cost of the item
- Routine maintenance and wear items are not covered by warranty.
- Repair parts are sent by ground transportation. Any expedited freight charges will be at the expense of the end user
- Warranty applies only under conditions of normal use and does not apply to defects which result from negligence, misuse, freight damage, improper installation or accidents.
- Warranty does not include any coverage for loss of business, damages, freight or other miscellaneous expenses incurred due to the defect or in servicing the unit.
- This warranty is made in lieu of all other warranties express or implied and no additional warranties express or implied, including one of merchantability or fitness for a particular purpose are given.
- If defects are the result of **freight or handling damage** your first recourse MUST be to notify the delivering freight carrier of the damage. If possible any damage should be noted on the delivery receipt at the time of delivery. Defects due to freight damage should be referred to the freight carrier for correction and compensation (this applies regardless of who was responsible for paying the freight charges or selecting the carrier).
- **Hot Food and Refrigerated Tables and Drop-Ins** are warranted for 12 months from the date of shipment from the factory or 6 months from the date first placed into service (whichever comes first) and include the following terms:
 - Applies only to parts directly related to the electric, gas or refrigeration components of covered items (see below for all other parts)
 - Covers parts and labor during the warranty period (refrigeration components include labor coverage for 12 months from date of shipment or 3 months from date placed into service, with parts covered as described above). Labor performed after hours, as overtime, on weekends or on holidays is not covered by this warranty (end user may authorize and pay such expenses directly to service agency if desired)
 - Includes travel up to 100 miles round trip or 2 hours of travel time (additional travel will be at the end users expense)
- **Refrigeration Compressors for Tables and Drop-ins are eligible for additional optional warranty coverage (if purchased):**
 - Must be purchased at the time the covered unit is ordered from the factory
 - Valid for 60 months from the date of shipment from the factory
 - Covers parts only (no labor, no freight). Applies only to the compressor unit
 - Excludes the cost of refrigerant
- **Refrigerated underbar equipment (Glass Frosters, Bottle Coolers, Back Bar Refrigeration)** is warranted for 24 months from the date of shipment from the factory and includes the following terms:
 - Covers parts and labor during the warranty period. Labor performed after hours, as overtime, on weekends or on holidays is not covered by this warranty (end user may authorize and pay such expenses directly to service agency if desired)
 - Includes travel up to 100 miles round trip or 2 hours of travel time (additional travel will be at the end users expense)
 - Compressors only are warranted for a total of 60 months parts only (36 months parts after the initial 24 month parts and labor coverage)
- **Ware Washing Machines** are warranted for 12 months from the date of shipment from the factory and include the following terms:
 - Covers parts and labor during the warranty period. Labor performed after hours, as overtime, on weekends or on holidays is not covered by this warranty
 - Includes travel up to 100 miles round trip or 2 hours of travel time (additional travel will be at the end users expense)
 - Any repairs or service conducted other than by an authorized service agent will void this warranty
- **All Advance Tabco items not mentioned above (including parts not otherwise covered for hot food and refrigerated units)** are warranted free of defects in workmanship and materials for 90 days from the date of shipment from the factory. Warranty includes parts only (no labor). At Advance Tabco's discretion we may repair or replace the defective item.

TERMS & CONDITIONS

All previous prices and discounts are hereby withdrawn

- All prices are F.O.B. factory.
- All prices, specifications and discounts subject to change without notice. Prices listed herein do not include Federal Excise, Municipal or other use Tax.
- Orders that are shipped to an active construction site or residential address are subject to additional charges by the carrier. These charges may be applied after shipment.
- Not responsible for any damage while in hands of carrier. Inspect immediately for hidden damage. (For any damage and loss while in transit, promptly file claim against carrier.)
- Merchandise shipped open account to those firms furnishing satisfactory credit references. Terms are 1% Discount - 10 days; Net - 30 days.
- Quotations, unless otherwise stated, are for 60 day acceptance.
- Returns: A 30% handling charge will be applied to all authorized returns. **Minimum charge \$50.00. Equipment older than 6 months is not eligible for returns.**
- A 50% handling charge will be applied to all unauthorized returns.
- Orders for special items are not subject to cancellation without our written consent.
- Our consent must be obtained before defective merchandise is returned. Incoming freight or express charges may be collected and exchanged items will be shipped prepaid.
- On return shipments that we sanction, where orders have been correctly filled out and not defective, the incoming freight or express charges must be prepaid. Credit will then be issued, less a reasonable handling charge and less whatever expense is necessary to put goods in salable condition.
- We are not responsible for any delays in delivery which are beyond our control such as fires, strikes, delays in transportation or any contingencies of similar character.
- All orders subject to acceptance at our office.
- Possession of price list does not constitute an offer to sell.
- Minimum charge on all orders is \$50.00 NET.

GENERAL SHIPPING INFORMATION

1. We reserve the right to ship via carriers that in our opinion are the most efficient. We will follow customers routing if possible.
2. Unless specified, all orders shipped freight collect.
3. All "Drop Shipments" will be shipped "Prepaid & Charge".
4. Shipper is not responsible for any unauthorized accessorial charges. All charges will be billed back to customer.

PREPAID FREIGHT CHARGES

- Minimum UPS charge = \$20.00.
- Estimated freight charges added to an invoice will include a nominal administrative charge per freight bill.

ESTIMATED SHIPPING WEIGHTS ARE TO SERVE AS A GUIDE ONLY!

- Weights are averaged for all models within a given classification. Actual shipping weights may vary from those shown. Correct weight will be shown on your Bill of Lading.



THANK YOU

For recognizing us Best-In-Class 17 Years In-A-Row!

Work Tables - Sinks - Custom Stainless Steel Fabrication



Follow Us



www.advancetabco.com | customer@advancetabco.com | Ph: 800-645-3166 | Fx: 631-242-6900
Corporate Headquarters: 325 Wireless Boulevard | Hauppauge | NY | 11788

National Manufacturing: Georgia² | Tennessee | Texas² | Mississippi² | New York | Kentucky | South Carolina